

✓ Comments sent 4/5/96

02 08 - 04/01/96

02346

**DRAFT**  
**Time Critical Removal Action Work Plan**  
**Soil Remediation**  
**Operable Unit 11, Site 80**  
**MCB Camp Lejeune, North Carolina**

Prepared for:

DEPARTMENT OF THE NAVY  
Contract No. N62470-93-D-3032  
Delivery Order 0101

Prepared by



**OHM Remediation  
Services Corp.**  
A Subsidiary of OHM Corporation

OHM Remediation Services Corp.  
Norcross, Georgia

April 1996

OHM Project No. 18319

## TABLE OF CONTENTS

---

<b>1.0</b>	<b>INTRODUCTION</b> .....	<b>1-1</b>
1.1	Site Background .....	1-1
1.2	Site Description .....	1-2
1.3	Summary of Previous Investigations .....	1-5
<b>2.0</b>	<b>REMEDIAL ACTION OBJECTIVES</b> .....	<b>2-1</b>
2.1	Remedial Action Objectives for Soil .....	2-1
<b>3.0</b>	<b>ENVIRONMENTAL PROTECTION PLAN</b> .....	<b>3-1</b>
3.1	Historical and Archaeological Finds .....	3-1
3.2	Temporary Construction Roads .....	3-1
3.3	Protection of Trees and Shrubs .....	3-2
3.4	Restoration .....	3-2
3.5	Water Resources Protection .....	3-2
	3.5.1 Erosion Sediment Control .....	3-3
	3.5.2 Spill Control .....	3-3
3.6	Dust and Air Pollution Control .....	3-3
	3.6.1 Air and Noise Monitoring .....	3-3
	3.6.2 Particulate Emission Controls .....	3-3
	3.6.3 Burning .....	3-4
3.7	Post-Excavation Cleanup .....	3-4
<b>4.0</b>	<b>MOBILIZATION AND PREPARATORY WORK</b> .....	<b>4-1</b>
<b>5.0</b>	<b>FIELD ACTIVITIES</b> .....	<b>5-1</b>
5.1	Relocation of Trailer .....	5-1
5.2	Pre-Excavation Field Screening .....	5-1
5.3	Excavation .....	5-10
5.4	Well Abandonment .....	5-10
5.5	Backfilling and Site Restoration .....	5-10
	5.5.1 Backfill .....	5-10
	5.5.2 Gravel .....	5-11
	5.5.3 Topsoil .....	5-11
	5.5.4 Seeding .....	5-11
<b>6.0</b>	<b>TRANSPORTATION AND DISPOSAL</b> .....	<b>6-1</b>
6.1	Introduction .....	6-1
6.2	Waste Disposal Approval .....	6-1
6.3	Preparation of Required Documentation .....	6-2
6.4	Waste Packaging .....	6-3
6.5	Shipping .....	6-3
<b>7.0</b>	<b>DEMOBILIZATION AND FINAL REPORT</b> .....	<b>7-1</b>
<b>8.0</b>	<b>SCHEDULE</b> .....	<b>8-1</b>

### APPENDICES

- Appendix A Site Specific Health and Safety Plan
- Appendix B Construction Quality Control Plan
- Appendix C Sampling and Analysis Plan

## TABLE OF CONTENTS

---

### FIGURES

Figure 1	Vicinity and Location Map
Figure 2	General Site Plan – Site 80
Figure 3	AOC 1-12 Field Screening Grid
Figure 4	AOC 13-16 Field Screening Grid
Figure 5	AOC 17-20 Field Screening Grid
Figure 6	AOC 21-24 Field Screening Grid
Figure 7	AOC 25-28 Field Screening Grid
Figure 8	AOC 29-32 Field Screening Grid
Figure 9	AOC 33-38 Field Screening Grid
Figure 10	AOC 39-42 Field Screening Grid

### TABLES

Table 1	Summary of Pesticides Detected During the Halliburton, NUS Investigation 1991
Table 2	Summary of Pesticides Detected During the RI Conducted by Baker, 1995
Table 3	Remediation Goals for OU No. 11 Surface Soils
Table 4	Remediation Goals for OU No. 11 Subsurface Soils

## **1.0 INTRODUCTION**

---

This Remedial Action Work Plan (RAWP) reviews OHM Remediation Services Corp.'s (OHM) approach to implementation of the scope of work under Delivery Order No. 0100 of Navy Atlantic Division (LANTDIV) Contract N62470-93-D-3032. Several other plans have been developed for this delivery order and are to be considered as complementary components to this work plan. They include:

- Site-Specific Health and Safety Plan (SHSP)
- Environmental Protection Plan (EPP) (included herein as Section 3.0)
- Construction Quality Control Plan (CQCP)
- Sampling and Analysis Plan (SAP)

This RAWP identifies and describes how OHM will implement the major tasks encompassing the time critical removal action (TCRA) for Operable Unit No. 11 (OU No. 11) in conformance with the contract requirements. It includes the following sections:

- Section 2.0 Remedial Action Objectives
- Section 3.0 Environmental Protection Plan
- Section 4.0 Mobilization and Preparatory Work
- Section 5.0 Field Activities
- Section 6.0 Transportation and Disposal
- Section 7.0 Demobilization and Final Report
- Section 8.0 Schedule

### **1.1 SITE BACKGROUND**

MCB Camp Lejeune was placed on the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), National Priorities List (NPL) effective October 4, 1989 (54 Federal Register 41015, October 4, 1989). Subsequent to this listing, the United States Environmental Protection Agency (USEPA) Region IV, the North Carolina Department of Environment, Health and Natural Resources (NCDEHNR) and the United States Department of the Navy (DoN) entered into a Federal Facilities Agreement (FFA) for MCB Camp Lejeune. The primary purpose of the FFA was to ensure that environmental impacts associated with past and present activities at MCB Camp Lejeune were thoroughly investigated and appropriate CERCLA response/Resources Conservation and Recovery Act (RCRA) corrective action alternatives were developed and implemented as necessary to protect the public health and the environment.

Based on the results of the Remedial Investigation (RI) conducted at Site 80 (Baker Environmental, Inc., (1995), contaminated surface soil may present an imminent threat to human health and the environment. As a result, the remediation of this surface soil is being conducted as a TCRA. The TCRA includes excavation of the pesticide-contaminated surface soil and disposal of the soil in an appropriate treatment/disposal facility.

## 1.2 SITE DESCRIPTION


Camp Lejeune is a training base for the U.S. Marine Corps, located in Onslow County, North Carolina. The base covers approximately 170 square miles and includes 14 miles of coast line. MCB Camp Lejeune is bounded to the southeast by the Atlantic Ocean, to the northeast by State Route 24, and to the west by U.S. Route 17. The town of Jacksonville, North Carolina is located north of the Base. The remedial action area, OU No. 11, is one of 17 operable units within Camp Lejeune. An "operable unit" as defined by the National Contingency Plan (NCP) is a discrete action that comprises an incremental step toward comprehensively addressing site problems. OU No. 11, as shown on Figure 1, is located on the southern bank of Northeast Creek.

Site 80, located northwest of Brewster Boulevard within the Paradise Point Golf Course, is referred to as the Paradise Point Golf Course Maintenance Area. The site consists of a 1-acre area which is relatively flat, with a slight slope to the northeast. Site elevations vary from 3 to approximately 26 feet above mean sea level (MSL).

Figure 2 presents a site map of the specific area of interest as developed by Baker during the Remedial Investigation. The eight areas of concern (AOC) shown on this figure are those that contain pesticide compounds in concentrations exceeding the Remedial Action Objectives discussed in Section 2.0. Site 80 features include a machine shop (Building 1916), a maintenance building (Building 600), and a maintenance wash-down area consisting of a concrete wash pad and sump. The wash pad is used to clean golf course maintenance equipment and the sump is used to collect water and oil run-off generated from the equipment cleaning. Water and oil collected by the sump travels into an oil/water separation pit located southeast of the wash pad (Baker, 1994).

A drainage ditch is located east of the wash-down area. During a March 1994 site reconnaissance, surface water run-off was observed flowing southeast across the site toward the drainage ditch. Groundwater flow direction in the shallow aquifer is generally toward the northeast with a mounding effect near the wash-down area.

The northeast portion of the site contains several large soil mounds that are overgrown with small pines. There is an open area located south of the mounds where golf course maintenance debris (i.e., tree limbs, lawn clippings, wooden timbers, and brush piles) is




**MCB CAMP LEJEUNE**

**MARINE CORPS BASE,  
CAMP LEJEUNE**

**SITE 80**

VICINITY MAP




 <b>OHM Remediation Services Corp.</b> <small>HOROCROSS, GEORGIA A SUBSIDIARY OF OHM CORPORATION</small>		
DRAWN BY	J. LANGE	1/3/96
CHECKED BY	J. DUNN	1/3/96
FILE:	D:\OHM\LANDM\LEJEUNE\18319\VICINITY.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 1  
VICINITY AND LOCATION MAP**


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV

COORDINATES FOR EXCAVATION LIMITS		
PT. #	NORTHING	EASTING
1	356,261.3521	2,485,040.5262
2	356,178.6847	2,485,082.7485
3	356,167.2843	2,485,063.8163
4	356,166.2941	2,485,054.9013
5	356,170.5517	2,485,010.2057
6	356,198.1292	2,484,989.4819
7	356,212.9135	2,485,004.2174
8	356,217.7839	2,484,998.1040
9	356,208.6672	2,484,976.3117
10	356,224.0151	2,484,963.9298
11	356,233.9169	2,484,960.4629
12	356,261.3521	2,484,973.2226
13	356,314.4832	2,485,290.1415
14	356,283.1908	2,485,328.7236
15	356,259.8910	2,485,309.8260
16	356,291.3869	2,485,270.9929
17	356,287.1958	2,485,272.9067
18	356,259.0884	2,485,262.4198
19	356,266.5125	2,485,242.5216
20	356,294.6199	2,485,253.0086
21	356,193.9025	2,485,164.5324
22	356,166.5826	2,485,176.9261
23	356,155.1958	2,485,151.8281
24	356,182.5158	2,485,139.4336
25	356,147.7552	2,485,184.2024
26	356,120.4353	2,485,196.5969
27	356,109.5248	2,485,172.5480
28	356,136.8448	2,485,160.1535
29	356,102.9983	2,485,204.7055
30	356,075.6784	2,485,217.0999
31	356,064.6935	2,485,192.8869
32	356,092.0134	2,485,180.4925
33	356,025.0633	2,485,212.9148
34	356,995.0633	2,485,212.9341
35	355,976.1479	2,485,203.6001
36	355,976.1284	2,485,192.2682
37	355,995.0438	2,485,182.9341
38	356,025.0438	2,485,182.9147
39	355,998.8183	2,485,171.9745
40	355,971.4984	2,485,184.3689
41	355,962.7380	2,485,165.0591
42	355,990.0579	2,485,152.6647



- 16 - - - TOPOGRAPHIC CONTOUR
- - - SF - SILT FENCE
- - - X - - - CONSTRUCTION FENCE
- ⊕ - SHALLOW MONITORING WELL
- ⊕ - INTERMEDIATE MONITORING WELL
- //// - AREAS OF CONCERN (AOCs)



NOTE:  
1. FIGURE ADOPTED FROM PREVIOUS INVESTIGATION DOCUMENTS DEVELOPED BY BAKER ENVIRONMENTAL, INC. 1994.

<b>OHM Remediation Services Corp.</b> <small>NORCROSS, GEORGIA          A SUBSIDIARY OF OHM CORPORATION</small>		
DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANDM\LEJEUNE\18319\SITE.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 2**  
**GENERAL SITE PLAN**  
**SITE 80**  
 D.O. #100  
 MCB CAMP LEJEUNE  
 PREPARED FOR  
 LANTDIV

02346H01Z

deposited. Evidence of burning operations conducted within this open area was documented during the March 1994 site reconnaissance. These soil mounds were generated from the installation of golf course ponds along the fairways in the late 1980s. It has been reported that wastes were disposed of on or around the mounds. However, the types of waste that were disposed and the exact disposal locations are unknown. Employees of the maintenance garage were instructed not to use the soil from this area for fill material (Baker, 1994).

In addition, old maintenance equipment has been deposited in the open and wooded areas surrounding Building 600. Two drums identified during the March 1994 site reconnaissance were removed from the site by activity personnel. These drums were located northeast of Building 600 just across the machine shop road (Baker, 1994). However, the contents of the drums are unknown.

Currently, a mobile trailer is stationed within the west/northwest portion of the site (i.e., the area located north of the machine shop road and east of the golf course road). Base personnel reported that a leach field associated with the golf course's sanitary sewer system is also located within this area (see Figure 2). However, the exact location of the leach field is not known. Based on an average depth to groundwater of 13 feet below ground surface (bgs) in this area, the leach field is most likely located at a shallow depth.

The Paradise Point Golf Course was constructed in the 1940s and Building 1916 was constructed in 1946. Reportedly, Site 80 has been used as a maintenance area since the initial construction of the golf course. Today, the maintenance area is still in operation. Current golf course maintenance operations include the machine shop (a potential source of waste oils), the equipment wash-down area (a potential source of contaminated washwater), and the routine spraying of pesticides and herbicides.

preparation of

^ for spraying

### 1.3 SUMMARY OF PREVIOUS INVESTIGATIONS

In June 1991, Halliburton, NUS conducted surface soil, subsurface soil, groundwater, surface water and sediment investigations at Site 80. Surface soil and subsurface soil were the only environmental media that contained pesticides. Table 1 summarizes the analytical results for the detected pesticides.

Table 1 Summary of Pesticides Detected During the Halliburton, NUS Investigation 1991						
Contaminant	Surface Soil (0-6 inches)		Near Subsurface Soil (0-2 feet)		Subsurface Soil (3-17 feet)	
	No. of Positive Detections /No. of Samples	Range of Positive Detections	No. of Positive Detections/ No. of Samples	Range of Positive Detections	No. of Positive Detections/ No. of Samples	Range of Positive Detections
Aldrin	0/3	ND	1/7	6.8-220	0/7	ND
alpha-Chlordane	0/3	ND	1/7	60	0/7	ND
4,4'-DDD	1/3	ND	3/7	20-700	0/7	ND
4,4'DDE	0/3	ND	5/7	16-210	0/7	ND
4,4'-DDT	0/3	ND	4/7	15-290	0/7	ND
Dieldrin	0/3	ND	4/7	16-440	0/7	ND

Notes:

ND - Not detected

Reference: Halliburton, NUS, 1991

↑ units?

In October 1994, Baker initiated an RI consisting of surface soil, subsurface soil, and groundwater investigations. From June through July 1995, an additional round of soil and groundwater samples were collected to further characterize the west/northwest portion of the site. Subsurface soil samples were not collected from the center of the west/northwest area to avoid contact with the underground leach field. Table 2 summarizes the analytical results for pesticides that were detected during the RI.

Table 2 Summary of Pesticides Detected During the RI					
Site Contamination					
Contaminant	Minimum (µg/kg)	Maximum (µg/kg)	Max. Concentration Location	Detection Frequency	Distribution
<i>Surface Soil</i>					
Aldrin	5.4	49	80-DPA-SB10-00	7/55	Lawn area and open area, northwest area
Heptachlor Epoxide	2.7J	9.9	80-DPA-SB05-90	2/55	Open area, northwest area
Dieldrin	1.1J	5,600	80-DPA-SB-10-00	38/55	Widespread, northeast area
4,4'-DDE	0.6J	1,500J	80-DPA-SB-10-00	45/55	Widespread, northwest area
4,4'-DDD	1.5J	260,000	80-DPA-SB-03-00	41/55	Widespread, northeast area
4,4'-DDT	1.3J	40,000	80-MW04-00	44/55	Widespread, northeast area
Endrin Ketone	7.7J	7.7J	80-LA-SB07-00	1/55	Lawn area
Endrin Aldehyde	5.2J	5.2J	80-DPA-SB-05-00	1/55	Northwest area
alpha-Chlordane	0.82J	670J	80-DPA-SB10-00	29/55	Scattered, northwest area
gamma-Chlordane	1.2J	640J	80-DPA-SB10-00	22/55	Scattered, northwest area
<i>Subsurface Soil</i>					
Aldrin	2.6	2.6	80-LA-SB04-06	1/45	Lawn area
Dieldrin	0.73J	1.4J	80-OA-SB02-07	4/45	Drum area, open area, soil mounds
4,4'-DDE	1.4J	35	80-OA-SB02-07	7/45	Open area, soil mounds, northwest
4,4'-DDD	1.1J	510J	80-MW-04-06	12/45	Lawn area, drum area, open area, soil mounds, northwest
4,4'-DDT	4.7	240	80-MW-04-06	9/45	Lawn area, open area, northwest
<i>Groundwater</i>					
	(µg/L)	(µg/L)			
4,4'-DDD	2.2J	2.2J	80-MW04-01	1/9	Northwest area
4,4'-DDT	0.58J	0.58J	80-MW04-01	1/9	Northwest area

Notes:

J = estimated value

µg/Kg = microgram per kilogram (ppb)

µg/L = microgram per liter (ppb)

Reference: Baker, 1995

## 2.0 REMEDIAL ACTION OBJECTIVES

In accordance with Section 121(d)(1) of CERCLA, remedial actions must attain a degree of clean-up which assures protection of human health and the environment. Remedial goals have been based on meeting an Applicable or Relevant and Appropriate Requirement (ARAR), or a site-specific risk based action level. Soil remedial goals were established based on risk-based action levels for the protection of public health or groundwater. This information was provided in the Baker 100% Basis of Design document dated December 15, 1995.

### 2.1 REMEDIAL ACTION OBJECTIVES FOR SOIL

The remedial objective for soil areas of concern is to remove and dispose of the contaminated soils in OU No. 11 which have contaminants of concern exceeding the established remediation goals. Under this approach of removal and off-site disposal, potential risks due to contaminated soil exposure will be reduced.

The risk-based remediation goals for surface soils from OU No. 11 were provided in the final design package mentioned above. Table 3 presents the applicable requirements for contaminated surface soil:

<i>Media</i>	<i>Contaminant of Concern</i>	<i>Remediation Goal</i>	<i>Unit</i>
Surface Soil	Aldrin	35	µg/kg
	Dieldrin	37	µg/kg
	4,4'-DDD	2,484	µg/kg
	4,4'-DDT	1,753	µg/kg
	alpha-Chlordane	459	µg/kg
	gamma-Chlordane	459	µg/kg

The remediation goals for subsurface soil have been calculated by Baker Environmental, Inc. Based upon USEPA Region III risk-based concentration table dated October 20, 1995 and are as follows:

<b>Table 4</b> <b>Remediation Goals for OU No. 11 – Subsurface Soils</b>		
<i>Contaminant of Concern</i>	<i>Remediation Goal</i>	<i>Unit</i>
Aldrin	0.5	µg/kg
Dieldrin	1.0	µg/kg
4,4'-DDD	700	µg/kg
4,4'-DDT	1,000	µg/kg
alpha-Chlordane	2,000	µg/kg
gamma-Chlordane	2,000	µg/kg

### **3.0 ENVIRONMENTAL PROTECTION PLAN**

---

This Environmental Protection Plan (EPP) has been prepared in accordance with standard OHM policies and procedures. The EPP provides specific information relating to the scope of work under Delivery Order No. 0100 Time Critical Removal Action Contaminated Soil, Site 80 Operable Unit. No. 11 The plan will provide site-specific information for:

- Land resources management
- Water resources management
- Air and noise pollution control
- Non-compliance/corrective action
- Post-evacuation cleanup

The control of environmental pollution will consider air, water and land impacts, as well as noise and solid waste management.

The land resources within the property of MCB Camp Lejeune, but outside the limits of permanent work, will be preserved in their condition or restored to a condition after completion of construction that does not detract from the appearance of the area. As much as is practical, construction activities will be limited to areas defined by the plans and specifications.

#### **3.1 HISTORICAL AND ARCHAEOLOGICAL FINDS**

Although the presence of historical artifacts is not anticipated, if a historical artifact is encountered during field operations, OHM will stop work and notify the NTR. The NTR will be responsible for contracting federal, state, and local authorities to determine if the site may contain other important historical artifacts, and whether this site qualifies for possible placement on the National Registrar of Historical Places. Field operations will not resume until the NTR issues a written authorization to proceed.

#### **3.2 TEMPORARY CONSTRUCTION ROADS**

The construction of all temporary construction roads in and around the project site will be performed in a manner as to minimize the impact to the natural environment. Water will be used for dust control, as necessary.

### 3.3 PROTECTION OF TREES AND SHRUBS

Prudent steps will be taken to protect trees and shrubs outside of the excavation zone as necessary. *Tom - is this true?* Those trees and shrubs within the excavation zone will be removed by the Forestry Division except for tree roots located in the excavation zone. All trees and shrubs removed as a result of the construction activities will be cut into manageable pieces and moved from the project site so as not to interfere with operations. Precautions will be taken to minimize the construction activities' impact on existing vegetation and will include but not be limited to:

- Utilization of existing or temporary construction roads only
- Closely supervised equipment operators with an emphasis placed on preservation of vegetation in non-work areas
- Proper guidance of heavy equipment and truck operators by site personnel to minimize damage to adjacent vegetation not directly affected by construction activities
- Utilization of equipment appropriately designed and sized for precise excavation

### 3.4 RESTORATION

Upon completion of the field construction activities, disturbed areas will be seeded. Prior to seeding and fertilization, lime will be applied as a soil amendment for pH adjustment at a rate of approximately 40 pounds per acre.

Any trees or other landscape features damaged by equipment will be restored if practical by trimming of damaged limbs and application of tree dressing. *not necessary?* Damaged trees which cannot be restored will be felled, limbed and left on-site. Soil will be placed and compacted around any root systems exposed during excavation activities.

### 3.5 WATER RESOURCES PROTECTION

Northeast Creek is located near Site 80 and could possibly be impacted by construction activities if proper sediment and erosion protection measures are not taken. To protect against damage, stormwater surface run-off leaving the site will be controlled by temporary erosion/sediment control techniques such as berms, silt fencing and grading. The area of bare soil exposed at any one time by construction activities will be held at a minimum.

### **3.5.1 Erosion Sediment Control**

Prior to disturbance of native vegetation and soils, temporary erosion/sediment control will be established on the down gradient side of each excavation. Control techniques to be utilized will involve silt fencing.

Silt fencing will be installed with the fabric a minimum of 6 inches below grade and extending 36 inches above grade and fastened to posts no more than 6 feet apart. The posts will be installed with a minimum of 24 inches below grade and extend a minimum of 36 inches above grade. Fabric will be attached to the upslope side of the posts using 1-inch staples or tie wires. Silt fences will be inspected after every rain and daily during extended rain fall. Accumulated sediment will be removed before the depth reaches 12 inches.

### **3.5.2 Spill Control**

Measures will be taken to prevent chemicals, fuels, oils, greases, bituminous materials and contaminated materials from entering streams, rivers or lakes. Absorbants will be available to solidify any leaks outside containment and any soil contaminated with fuel spills will be immediately removed and placed into appropriate containers and sampled to determine proper disposition.

## **3.6 DUST AND AIR POLLUTION CONTROL**

### **3.6.1 Air and Noise Monitoring**

Personnel and ambient air monitoring will be conducted as necessary in order to determine airborne dust and contaminant levels. Ambient air monitoring will be conducted at working locations and on occasion at the perimeter of the project site. This ensures that respiratory protection is adequate to protect personnel against the contaminants that are encountered as well as ensuring that harmful levels of airborne contaminants are not leaving the site.

OHM will only perform operations of heavy equipment during daylight hours to minimize the impact of off-site noise pollution. Noise exposure to off-site residents or personnel is expected to be minimal. Hearing protection for on-site workers will still be implemented if necessary as specified in the SHSP.

### **3.6.2 Particulate Emission Controls**

Specific measures to be taken to minimize particle emissions for major activities during site construction include the following:

*Soil Excavation, Handling, Site Grading and Transportation*

- Apply water to work and traffic areas as necessary to minimize dust emissions
- Cover stockpiles with sheeting to minimize wind and/or stormwater erosion

- Move and load soil for transport within the site that limits freefall of material and is least likely to generate dust emissions
- Halt dust-generating work when on-site wind conditions exceed 35 miles per hour

#### *Movement of Equipment*

- Water traffic areas as required to minimize dust emissions
- Designate equipment traffic patterns to minimize travel distance and vehicular dust emissions
- Limit vehicle speed to minimize dust emissions

#### **3.6.3 Burning**

No burning will be performed on-site. In the event of an unexpected fire on-site, work will stop immediately and the MCB Camp Lejeune fire department will be notified.

#### **3.7 POST-EXCAVATION CLEANUP**

All excavation equipment will be decontaminated in a lined pad prior to demobilizing from the site. Decontamination will consist of scraping and pressure-washing to remove visible soil and debris from tires and undercarriage of vehicles and heavy equipment. Decontamination fluids will be containerized and samples procured and analysis prior to disposal. The site will then be turned over to the MCB.

## **4.0 MOBILIZATION AND PREPARATORY WORK**

---

Prior to mobilization, OHM will arrange a pre-construction meeting at MCB Camp Lejeune with LANTDIV and other responsible parties. The purpose of this meeting will be to:

- Confirm roles and responsibilities of key personnel and flow of communication for project execution
- Review the project schedule, sequence of tasks and key milestones
- Identify and discuss Base-specific issues relative to the upcoming mobilization and construction activities
- Obtain the necessary security clearances for operations personnel
- Obtain photographs of the sites for pre-construction documentation of existing site conditions

OHM will submit the qualifications and licenses of subcontractors performing hazardous waste transportation and disposal. The qualifications of subcontractors including small and disadvantaged businesses proposed to perform work at the site will also be submitted. Additionally, other material/product submittals jointly identified as necessary will be submitted in accordance with the approved submittal register.

OHM will obtain samples of soil from each of the Areas of Concern (AOCs) for laboratory analysis to determine wastestream characterizations. Soil sampling procedures are described in the Sampling and Analysis Plan. Waste profiles will be prepared and approved by both the generator and the disposal facility prior to initiation of mobilization activities.

OHM will mobilize personnel and equipment as necessary from its Southern Region offices, including Covington, Georgia; and Gallatin, Tennessee. Prior to beginning work on site, a training meeting will be conducted to brief all site personnel on the Site-Specific Health and Safety Plan, construction drawings, and other relevant site-specific plans. Site hazards and conditions will be discussed and all personnel will acknowledge their understanding and compliance with the plan by signing an approved acceptance form.

Project mobilization and site setup will consist of the following main activities:

- **Site Survey** - A professional licensed surveyor will be subcontracted to provide the limits of excavation for each AOC, and location of other features such as construction roads and equipment laydown areas.
- **Temporary Facilities Installation** - OHM will utilize its office trailer already located at Lot 203 as an administrative area and command center. This area will serve as the control check point for contractor/subcontractor personnel entering the site. A gas chromatograph for field screening will be mobilized to the office trailer and set up and tested.
- **Excavation Limits** – The surveyed areas to be excavated will be delineated and visibly marked for easy recognition using paint and/or wooden stakes. Visibly marking the excavation areas allows for better determination of the work/safety zones and clearly defines the work area for the equipment operator.
- **Clearing and Grubbing** - Trees located within the excavation zones will be cut and staged in a convenient location for pickup by the Forestry Service.
- **Erosion and Sedimentation Control** - OHM will establish controls to prevent erosion and sedimentation through the use of sediment fencing and diversion berms. In this manner, OHM will mitigate the spread of contamination to other areas and minimize run-on into the active work area. Silt fencing will be placed along the down gradient sides of each excavations. Clean soil will be used to construct a berm on the up gradient side of the excavation areas to prevent the intrusion of surface water into the excavation prior to backfill. The Environmental Protection Plan included with this RAWP provides details on environmental controls.
- **Install Construction Fences** - OHM personnel will erect safety fencing around the planned excavations. Fencing will be 3 feet high, bright orange, polyethylene, mesh fence to prevent personnel from accidentally entering the open excavation. Additional fencing will be placed around monitoring wells located in close proximity to construction activities.
- **Decontamination Areas** - Personnel and equipment decontamination areas will be provided within the Contamination Reduction Zones (CRZ) upon exiting the contaminated working areas. The Site-Specific Health and Safety Plan addresses these areas in detail.

- **Site Security** - All persons entering the site will be required to sign in and out daily. OHM reserves the right to deny access to any individual not showing proper identification.
- **Health and Safety Zones** - The site will be segregated into work areas on the basis of degree of hazard and PPE requirements. In general, the fenced area excluding the open excavations will comprise the contamination reduction zone (CRZ). Personnel working within the CRZ will be required to wear the appropriate PPE as outlined in the Site-Specific Health and Safety Plan. Excavation areas within the CRZ will be designated the exclusion zone and will be delineated by orange safety fencing. OHM health and safety personnel will provide site air monitoring and will adjust work zone boundaries as appropriate.
- **Personnel Decontamination Facility** - OHM will set up a personnel decontamination area at the site. The location will be near construction areas depending on the phase of remediation activities. It will be furnished with portable wash basins. All decontamination and cleaning water generated from the decontamination activities will be collected and stored prior to analysis and subsequent disposal.

## 5.0 FIELD ACTIVITIES

---

*In situ* surface soils contaminated with pesticide compounds in excess of the Remedial Action Objectives (RAOs) as listed in Table 3, in the eight distinct AOCs as indicated on Figure 2. The eight AOCs are identified according to the survey points assigned by Baker and are as follows:

- AOC 1-12
- AOC 13-16
- AOC 17-20
- AOC 21-24
- AOC 25-18
- AOC 29-32
- AOC 33-38
- AOC 39-42

Baker obtained numerous samples from AOC 1-12 and therefore the area in front of the trailer has been deemed fully delineated. The area underneath and east of the trailer as well as the other seven AOCs have not been fully delineated. The delineation of these areas will be performed by OHM under the task of pre-excavation field screening.


### 5.1 RELOCATION OF TRAILER

The existing trailer located in AOC 1-12 will be relocated to temporary location to be determined by facility personnel. This move will be performed by a subcontractor experienced in mobile home relocations. Wheels and tires for this effort will be provided by the Base MWR. Upon completion of backfilling and seeding activities in AOC 1-12, the trailer will be moved back to its original location and leveled and re-blocked.

### 5.2 PRE-EXCAVATION FIELD SCREENING


The dimensions of each of the eight AOCs, as identified by Baker, will be marked by a surveyor. A 10 feet by 10 feet grid will then be overlain on each area as indicated on Figures 3 through 10. A discrete grid sample will be collected at a depth of 6 inches at each grid point. Samples will be analyzed for pesticide contamination using an on-site laboratory. Results will be compared with the RAOs and plotted on the sampling grid. This information will be used to determine the initial excavation limits. A more complete discussion of this activity is provided in the Sampling and Analysis Plan.

The majority of AOC 1-12 has been determined sufficiently screened by Baker Environmental. The area underneath and behind the existing trailer requires additional screening as indicated on Figure 3.



**NOTE:**

- 1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 1-2




**OHM Remediation  
Services Corp.**  
NORCROSS, GEORGIA  
A SUBSIDIARY OF OHM CORPORATION

DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANTDIV\LEJEUNE\18319\FIG3.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 3  
AOC 1-12  
FIELD SCREENING GRID**


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV



NOTE:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 13-14




**OHM Remediation  
Services Corp.**  
ROCKFORD, GEORGIA  
A SUBSIDIARY OF OHM CORPORATION

DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANTDM\LEJEUNE\18319\FGC.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 4  
AOC 13-16  
FIELD SCREENING GRID**


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV



NOTE:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 17-18




 <b>OHM Remediation Services Corp.</b> <small>NORCROSS, GEORGIA A SUBSIDIARY OF OHM CORPORATION</small>		
DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANTDIV\LEJEUNE\18319\FIG8.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

FIGURE 5  
AOC 17-20  
FIELD SCREENING GRID


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV



NOTE:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 21-22




**OHM Remediation  
Services Corp.**  
NORCROSS, GEORGIA  
A SUBSIDIARY OF OHM CORPORATION

DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANDDIV\LEJEUNE\18319\FIG6.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 6**  
**AOC 21-24**  
**FIELD SCREENING GRID**


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANDDIV



NOTE:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 26-25




**OHM Remediation  
Services Corp.**  
MORCROSS, GEORGIA  
A SUBSIDIARY OF OHM CORPORATION

DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANTDIV\LEJEUNE\18319\FIGE.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 7**  
**AOC 25-28**  
**FIELD SCREENING GRID**


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV



NOTE:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 29-30




 <b>OHM Remediation Services Corp.</b> <small>NORCROSS, GEORGIA A SUBSIDIARY OF OHM CORPORATION</small>		
DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANTDIV\LEJEUNE\18319\FGF.DWG	
REV. 0	SHEET # -	PROJECT NO. 18319

FIGURE 8  
AOC 29-32  
FIELD SCREENING GRID


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV



NOTES:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 33-38
2. MONITORING WELL 80-MW03  
TO BE PLUGGED AND ABANDONED  
DURING FIELD ACTIVITIES




**OHM Remediation  
Services Corp.**  
NORCROSS, GEORGIA  
A SUBSIDIARY OF OHI CORPORATION

DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANDIV\LEJEUNE\18319\FIGG.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

**FIGURE 9  
AOC 33-38  
FIELD SCREENING GRID**


D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANDIV



NOTE:

1. SAMPLING GRID 10' x 10'  
PARALLEL AND PERPENDICULAR  
TO BASELINE 39-40



 <b>OHM Remediation Services Corp.</b> <small>NEDEBROS, GEORGIA A SUBSIDIARY OF OHM CORPORATION</small>		
DRAWN BY	J. LANGE	3/25/96
CHECKED BY	J. DUNN	3/25/96
FILE:	D:\OHM\LANDM\LEJEUNE\18319\FIG1.DWG	
REV.	SHEET #	PROJECT NO.
0	-	18319

FIGURE 10  
AOC 39-42  
FIELD SCREENING GRID

D.O. #100  
MCB CAMP LEJEUNE

PREPARED FOR  
LANTDIV

### **5.3 EXCAVATION**

The approximate dimensions of contaminated soils within each AOC will be marked prior to beginning excavation. The contaminated soils in each AOC will be removed to the pre-determined dimensions as identified from the pre-excavation field screening effort. Care will be exercised when excavating around existing monitoring wells to not disturb or compromise their integrity. A tracked excavator equipped with a 1/2 cubic yard bucket will carefully excavate soil. Excavation depths will be manually monitored with a tape measure or equivalent measuring device to avoid any over excavation of soil. Excavated soil will be directly loaded into transport vehicles, weighed, and transported to the selected treatment/disposal facility. Off-site disposal is planned for the soils exceeding the RAOs. After excavation to the specific limits, a visual inspection will be performed on the surrounding soil. If the visual inspections reveal evidence of contaminated soil, OHM will consult with the NTR to discuss and/or recommend the extent of additional excavation. Exposed excavation areas with no evidence of contaminated soil will undergo verification sampling and analysis utilizing an on-site laboratory equipped with a gas chromatograph (GC). Areas verified to have pesticides below the RAOs will be resampled and samples routed to the designated off-site analytical laboratory for confirmatory analysis as discussed in the Sampling and Analysis Plan (SAP).

### **5.4 WELL ABANDONMENT**

Monitoring well MW-03 located in the northeast quadrant of AOC 33-38 will be plugged and abandoned in conformance with regulatory requirements. The well bore will be grouted shut and the surface casing cut off below grade. Certification of abandonment will be furnished by a North Carolina Professional Geologist.

### **5.5 BACKFILLING AND SITE RESTORATION**

Once the contaminated materials have been removed from the site and the verification sampling has confirmed sufficient removal, OHM will begin site restoration activities.

#### **5.5.1 Backfill**

Backfilling operations will be implemented as soon as possible after off-site analytical confirmation of clean results are received, in order to mitigate collection of stormwater within open excavations. The excavated areas will be backfilled with suitable backfill material from the borrow area at Camp Lejeune and regraded to the original contours.

Fill will be spread evenly above the approved subgrade in lifts not exceeding 12 inches and compacted in horizontal layers as nearly even as possible.

### **5.5.2 Gravel**

Upon completion of backfill placement, areas which had previously been graveled will be paved with gravel material meeting NCDOT Standard Specifications For Roads And Structures, Section 905. Material size will be No. 4. Gravel thickness will match existing thickness of adjacent areas. Gravel will be completed to 95 percent of maximum density by ASTM D 698 Method D.

### **5.5.3 Topsoil**

After placement of the fill layers in areas not to be graveled, OHM will place and grade topsoil over the excavated area. Topsoil will be placed in such a manner that will control erosion and allow quick germination of vegetation.

### **5.5.4 Seeding**

Grass seed matching existing vegetation will be placed at the rate of 5 pounds per 1,000 square feet over topsoil areas. Fertilizer, Type I, Class 2, 10-10-10 analysis will be applied at the rate of 25 pounds per 1,000 square feet. Mulch and water will be applied as required to obtain an acceptable stand of grass.

## **6.0 TRANSPORTATION AND DISPOSAL**

---

### **6.1 INTRODUCTION**

All trucks used for transporting material will be decontaminated prior to leaving the project site to prevent the off-site spread of contaminants. When all contaminated soils have been loaded for transportation, OHM will remove residual soils from the excavator by scraping and brushing, prior to moving to the next AOC. Upon completion of excavation activities, the excavator will be moved to the decontamination pad for final decontamination by pressure washing.

Personnel involved with excavation will be attired in Level C Personal Protective Equipment (PPE). Used PPE will be placed in the trucks with the soil for disposal.

All hazardous waste destined for off-site treatment/disposal will be transported by licensed hazardous waste haulers. All trucks will pre-weigh at the base scales to establish their tare weight prior to being loaded with contaminated soil. After loading and prior to exiting the controlled area, a pressure washer will be used to decontaminate the truck's tires and trailer sides. The trailer will then be tarped and weighed at the base scales. Each load will be properly manifested for the designated hazardous waste disposal facility. LANTDIV, or designated MCB Camp Lejeune personnel, will be responsible for signing manifests as the generator for each off-Base shipment.

### **6.2 WASTE DISPOSAL APPROVAL**

OHM will assign a Transportation and Disposal (T&D) Coordinator to this project acting as a single point-of-contact for all waste management activities. The individual assigned to this project will be familiar with all the applicable portions of RCRA, CERCLA, and SARA regulations--especially 40 CFR 261 (Identification and Listing of Hazardous Wastes). In addition, this individual will be familiar with the North Carolina regulations relating to hazardous and solid waste handling, treatment, storage, disposal, and transportation. This individual will review the analytical data reported by Baker Environmental and by OHM and obtain pre-approval from the appropriate disposal facilities to allow direct load out of excavated soils. The T&D Coordinator will also be responsible for preparing waste profiles to the selected disposal facilities and coordinating disposal approvals.

Based on the materials identified that will require off-site disposal, the T&D Coordinator, and the project manager and procurement personnel, have reviewed potential vendors to prequalify transportation and disposal vendors based on:

- Notice of Violation (NOV) status
- Ability to handle the wastes identified
- Cost effectiveness of the available transportation and disposal options
- Past experience
- SB and SDB contract goals

At this time OHM has identified the following qualified vendors to provide transportation and disposal of wastes from this site:

**Disposal**

- Aptus Environmental  
Coffeerville, KS
- Browning-Ferris Industries  
Charlotte, North Carolina
- Chemical Waste Management  
Port Authur, Texas
- LWD  
Calvert City, Kentucky
- Evotech Management Services, Inc.  
Belleville, Michigan
- Rollins Environmental Services  
Baton Rouge, Louisiana

**Transportation**

- A.R. Paquette & Company (SB)  
Glenwood, Florida
- EPA Transportation Services (SDB, WBE)  
Rose City, TX
- Chemical Development Corp. (SB, WBE)  
Tierra Verde, Florida
- Hilco Transport Inc. (SB, WBE)  
Wilmington, North Carolina
- Robbie D. Wood  
Dolomite, Alabama
- Terra First  
Jacksonville, FL

All bids will be obtained based on a written solicitation and all bid responses will be in writing. All bids will be made in conjunction with OHM's procurement department. A condition of OHM's purchase order will be that the selected vendors must provide OHM with addresses, the name of a single point of contact, EPA ID numbers, permit verification, insurance verification, NOV status, and any other qualifying data necessary. OHM has determined that the transportation portion of the T&D work is a task that could be performed by a small business or small disadvantaged business. The pesticide-contaminated soils have been tentatively scheduled for disposal by chemical oxidation at Evotech located in Belleville, Michigan.

**6.3 PREPARATION OF REQUIRED DOCUMENTATION**

OHM will prepare (or oversee the preparation of) all paperwork associated with off-site disposal for review and signature by LANTDIV and Camp Lejeune representatives. This will include TSDf waste profiles, hazardous waste manifests, land disposal restriction forms, labels and all other paperwork. The selected vendor(s) will be required to provide all labels, manifests, LDR forms, and other shipping paperwork. A completed example of these forms will be provided for OHM's review and approval at least one week in advance

of the scheduled start of shipments. After these documents are reviewed by OHM, they will be provided to the Navy's representative for review and signature. Final copies of all labels, manifests, LDR forms and other shipping paperwork will be received by OHM's on-site personnel at least 5 days in advance of the scheduled start of shipments.

Written verification that the proposed disposal sites are permitted to accept the contaminated materials specified is required for the disposal vendors with their approvals. A written verification that all vehicles and containers were decontaminated prior to leaving the disposal site will be provided within three days of receipt of the waste materials. A written verification that wastes were actually delivered to the disposal site will be provided within seven days of receipt of waste materials. A certificate of destruction will be provided within seven days of the date of actual waste disposal and for final payment of all invoices.

#### **6.4 WASTE PACKAGING**

OHM plans to excavate and load all soils directly into end-dumps. This will be a continuous operation and wastes will be transported directly to the disposal facility at that time. No provision will exist for on-site stockpiles or on-site storage for roll-offs or dumps.

Non-hazardous materials will be accumulated on-site until sufficient quantities are available for shipment of a full load (~80 drums or 20-30 cubic yards). OHM will conduct weekly inspections of the waste storage areas. All temporary storage will be in compliance with the applicable North Carolina regulations.

#### **6.5 SHIPPING**

The Site Supervisor will contact the selected vendor and schedule waste pick-ups in a timely manner to coordinate with the project schedule. Prior to shipment of wastes, OHM's on-site personnel, in conjunction with the T&D coordinator, will complete the attached Waste Disposal Activities Checklist. This checklist is to be completed for each waste shipment leaving the site. A copy of the completed form will be provided to the CO prior to waste transportation and with the Final Report.

OHM will maintain chronological organized files of weight tickets, manifest copies, LDR forms and other shipping paperwork for each shipment. OHM will also maintain a database of all pertinent information regarding each off-site shipment. Copies of the manifest file and database printouts will be provided to the LANTDIV and Camp Lejeune representatives upon request and at the completion of the project.

## ***7.0 DEMOBILIZATION AND FINAL REPORT***


---

All equipment, support trailers and personnel will be demobilized from the project site. A Contractor Close-out Report will be completed and submitted for review and comment. A final survey (to develop record drawings or "as builts" will be performed.

## **8.0 SCHEDULE**

---

The project schedule depicts the major tasks and durations to perform the remediation of Site 80.



Start date 04MAR96  
 Finish date 20JUN96  
 Data date 01APR96  
 Run date 29MAR96  
 Project name DO100D01  
 © Primavera Systems, Inc.

OHM Remediation Services Corp.  
 LAVTDIV Delivery Order #100  
 Site 80 Pesticide Soils

**Appendix A**  
**Site Specific Health and Safety Plan**

**Site-Specific Health And Safety Plan  
For  
Soil Remediation  
Operable Unit No. 11, Site 80  
Marine Corps Base  
Camp Lejeune, North Carolina**

Prepared for:

DEPARTMENT OF THE NAVY  
Contract No. N62470-93-D-3032  
Delivery Order 0100

Prepared by

OHM Remediation Services Corp.  
Norcross, Georgia

---

John P. Franz, P.E.  
Program Manager

---

James A. Dunn, Jr., P.E.  
Project Manager

---

Mark Wilson  
Southern Region Health and Safety Manager

March 1996

OHM Project No. 18319

## TABLE OF CONTENTS

---

1.0	INTRODUCTION .....	1-1
1.1	Site Description .....	1-1
1.2	Proposed Remedial Activities .....	1-3
2.0	KEY PERSONNEL AND MANAGEMENT .....	2-1
2.1	Project Manager .....	2-1
2.2	Site Supervisor .....	2-1
2.3	Site Safety Officer .....	2-1
2.4	Certified Industrial Hygienist .....	2-2
2.5	Employee Safety Responsibility .....	2-2
2.6	Key Safety Personnel .....	2-2
3.0	JOB HAZARD ANALYSIS .....	3-1
3.1	Chemical Hazards .....	3-1
3.2	Physical Hazards .....	3-2
3.3	Environmental Hazards .....	3-2
3.3.1	Heat Stress .....	3-3
3.3.2	Exposure to Cold .....	3-5
3.3.3	Biological Hazards .....	3-5
3.3.4	Project Hazard Communication .....	3-7
3.3.5	Noise .....	3-8
3.4	Task Specific Risk Assessment/Activity Hazard Analysis .....	3-8
4.0	WORK AND SUPPORT AREAS .....	4-1
4.1	Exclusion Zone .....	4-1
4.2	Contamination-Reduction Zone .....	4-1
4.3	Support Zone .....	4-1
4.4	Site Control Log .....	4-2
4.5	General .....	4-2
5.0	PROTECTIVE EQUIPMENT .....	5-1
5.1	Anticipated Protection Levels .....	5-1
5.2	Protection Level Descriptions .....	5-1
5.2.1	Level D .....	5-1
5.2.2	Modified Level D .....	5-2
5.2.3	Level C .....	5-2
5.3	Air-Purifying Respirators .....	5-2
5.4	Respirator Cartridges .....	5-3
5.5	Cartridge Changes .....	5-3
5.6	Inspection and Cleaning .....	5-3
5.7	Fit Testing .....	5-3
5.8	Facial Hair .....	5-3
5.9	Corrective Lenses .....	5-4
5.10	Contact Lenses .....	5-4
5.11	Medical Certification .....	5-4
5.12	Site-Specific Respiratory Protection Program .....	5-4

## **TABLE OF CONTENTS - CONTINUED**

---

<b>6.0</b>	<b>DECONTAMINATION PROCEDURES</b> .....	<b>6-1</b>
6.1	Personnel Decontamination .....	6-1
	6.1.1 Suspected Contamination .....	6-1
	6.1.2 Personal Hygiene .....	6-1
6.2	Equipment Decontamination .....	6-2
6.3	Disposal .....	6-2
<b>7.0</b>	<b>AIR MONITORING</b> .....	<b>7-1</b>
7.1	Lower Explosive Limit/Oxygen (LEL/O <sub>2</sub> ) Meter .....	7-1
7.2	Photoionization Detector (PID) .....	7-1
7.3	Real-Time Aerosol Monitor (Miniram) .....	7-2
7.4	Air Monitoring Log .....	7-2
7.5	Calibration Requirements .....	7-3
7.6	Air Monitoring Results .....	7-3
<b>8.0</b>	<b>EMERGENCY RESPONSE</b> .....	<b>8-1</b>
8.1	Pre-Emergency Planning .....	8-1
8.2	Emergency Recognition and Prevention .....	8-2
8.3	Personnel Roles, Lines of Authority, and Communications .....	8-5
	8.3.1 Responsibilities and Duties .....	8-5
	8.3.2 On-Site Emergency Coordinator Duties .....	8-5
8.4	Safe Distances and Places of Refuge .....	8-7
8.5	Evacuation Routes and Procedures .....	8-8
	8.5.1 Evacuation Signals and Routes .....	8-8
	8.5.2 Evacuation Procedures .....	8-9
8.6	Emergency Spill Response Procedures and Equipment .....	8-10
	8.6.1 Notification Procedures .....	8-10
	8.6.2 Procedure for Containing/Collecting Spills .....	8-11
	8.6.3 Emergency Response Equipment .....	8-12
	8.6.4 Personal Protective Equipment .....	8-13
	8.6.5 Emergency Spill Response Cleanup Materials and Equipment .....	8-13
8.7	Emergency Contingency Plan .....	8-14
	8.7.1 Medical Emergency Contingency Measures .....	8-14
	8.7.1.1 Response .....	8-14
	8.7.1.2 Notification .....	8-16
	8.7.1.3 Directions to Hospital .....	8-16
	8.7.2 Fire Contingency Measures .....	8-16
	8.7.3 Hazardous Weather Contingency Measures .....	8-17
	8.7.3.1 Response .....	8-17
	8.7.3.2 Notification .....	8-18
	8.7.4 Spill/Release Contingency Measures .....	8-18
<b>9.0</b>	<b>TRAINING REQUIREMENTS</b> .....	<b>9-1</b>
<b>10.0</b>	<b>MEDICAL SURVEILLANCE PROGRAM</b> .....	<b>10-1</b>
10.1	Examination Schedule .....	10-2

## ***TABLE OF CONTENTS - CONTINUED***

---

### **APPENDICES**

- Appendix A Health and Safety Certification
- Appendix B OSM Hazard Communication Program
- Appendix C Site Material Safety Data Sheets
- Appendix D Health and Safety Forms

## **1.0 INTRODUCTION**

---

This Health and Safety Plan (HASP) has been developed for United States Navy, LANTDIV, Delivery Order entitled, Remediation of Pesticide Contaminated Soil at the MCB Camp Lejeune Operable Unit No. 1, Sites 21 and 78. The Delivery Order will be executed per the requirements stated in the Final Statement of Work (SOW) for Service Delivery Order per Contract No. N62470-93-D-3032, Delivery Order 0100, in cooperation with the Navy. This Delivery Order will also be executed in accordance with the Specifications prepared by Baker Environmental dated December 15, 1995.

This HASP documents the policies and procedures which protect workers and the public from potential hazards posed by work at this site. OHM considers safety the highest priority during work at a site containing potentially hazardous materials and has established a goal of zero accidents for all projects. All projects will be conducted in a manner which minimizes the probability of injury, accident, or incident occurrence. This HASP is a key element in the proper planning of project work which is necessary to assure the goal of zero accidents. The HASP Certification (Appendix A) will be signed by all who actively participate at this project.

Although this plan focuses on the specific work activities planned for this site, it must remain flexible because of the nature of this work. Conditions may change and unforeseen situations may arise that require deviations from the original plan. This flexibility allows modification by the OHM supervisors and health and safety officials with approval from the project CIH.

This plan has been prepared in accordance with OSHA's "Hazardous Waste Operations and Emergency Response" standard contained in 29 CFR 1910.120 and the U. S. Army Corps of Engineers's (USACE's) Safety and Health Requirements Manual (COE EM-385-1-1, October 1992).

### **1.1 SITE DESCRIPTION**

Camp Lejeune is a training base for the U.S. Marine Corps, located in Onslow County, North Carolina. The base covers approximately 170 square miles and includes 14 miles of coast line. MCB Camp Lejeune is bounded to the southeast by the Atlantic Ocean, to the northeast by State Route 24, and to the west by U.S. Route 17. The town of Jacksonville, North Carolina is located north of the Base. The remedial action area, OU No. 11, is one of 17 operable units within Camp Lejeune. An "operable unit" as defined by the National Contingency Plan (NCP) is a discrete action that comprises an incremental step toward comprehensively addressing site problems. OU No. 11 is located on the southern bank of Northeast Creek (Figure 1).

Figure 1

Site 80, located northwest of Brewster Boulevard within the Paradise Point Golf Course, is referred to as the Paradise Point Golf Course Maintenance Area. The site consists of a 1-acre area which is relatively flat, with a slight slope to the northeast. Site elevations vary from 3 to approximately 26 feet above mean sea level (msl).

Figure 2 presents a site map. As shown, Site 80 contains a machine shop (Building 1916), a maintenance building (Building 600), and a maintenance wash-down area consisting of a concrete wash pad and sump. The wash pad is used to clean golf course maintenance equipment and the sump is used to collect water and oil run-off generated from the equipment cleaning. Water and oil collected by the sump travels into an oil/water separation pit located southeast of the wash pad (Baker, 1994).

A drainage ditch is located east of the wash-down area. During a March 1994 site reconnaissance, surface water run-off was observed flowing southeast across the site toward the drainage ditch. As shown on Figure 2, groundwater flow direction in the shallow aquifer is generally toward the northeast with a mounding effect near the wash-down area.

The northeast portion of the site contains several large soil mounds that are overgrown with small pines. There is an open area located south of the mounds where golf course maintenance debris (i.e., tree limbs, lawn clippings, wooden timbers, and brush piles) is deposited. Evidence of burning operations conducted within this open area was documented during the March 1994 site reconnaissance. These soil mounds were generated from the installation of golf course ponds along the fairways in the late 1980s. It has been reported that wastes were disposed of on or around the mounds. However, the types of waste that were disposed and the exact disposal locations are unknown. Employees of the maintenance garage were instructed not to use the soil from this area for fill material (Baker, 1994).

In addition, old maintenance equipment has been deposited in the open and wooded areas surrounding Building 600. Two drums identified during the March 1994 site reconnaissance were removed from the site by activity personnel. These drums were located northeast of Building 600 just across the machine shop road (Baker, 1994). However, the contents of the drums are unknown.

Currently, a mobile trailer is stationed within the west/northwest portion of the site (i.e., the area located north of the machine shop road and east of the golf course road). Base personnel reported that a leach field associated with the golf course's sanitary sewer system is also located within this area (see Figure 2). However, the exact location of the leach field is not known. Based on an average groundwater elevation of 13 feet below ground surface (bgs) in this area, the leach field is most likely located at a shallow depth.

Figure 2

The Paradise Point Golf Course was constructed in the 1940s and Building 1916 was constructed in 1946. Reportedly, Site 80 has been used as a maintenance area since the initial construction of the golf course. Today, the maintenance area is still in operation. Current golf course maintenance operations include the machine shop (a potential source of waste oils), the equipment wash-down area (a potential source of contaminated washwater), and the routine spraying of pesticides and herbicides.

## 1.2 PROPOSED REMEDIAL ACTIVITIES

OHM will implement the plan through performance of the following major tasks:

- **Mobilization and Site Preparation** which will include *already on site @ Lot 203* construction and installation of an office facility; personnel and equipment decontamination facilities; utilities installation; access road construction and grading; establishment of erosion control and installation of berms; installation of fencing; and delineation of work zones.
- **Perform Site Survey and Pre-Excavation Screening** to establish excavation limits.
- **Contaminated Soil Excavation** including pesticide-contaminated soils to be excavated from eight AOCs and directly loaded for transport and the trucks decontaminated prior to departure. Excavation depths are anticipated to be 1 foot. Each proposed excavation area will be handled in this manner.
- **Verification and Confirmation Sampling** for on-site and off-site analytical procedures.
- **Heavy Equipment Decontamination** will be performed at the heavy equipment decontamination station using high pressure washing and manual scraping methods.
- **Revegetation** – Reseed area
- **Backfill** – Backfill excavated areas
- **Clear and Grub** – Cut trees and remove vegetation
- **Place Fencing**
- **Abandon Wells**
- **Construct Temporary Roads**
- **Erosion and Sedimentation Control**

## **2.0 KEY PERSONNEL AND MANAGEMENT**

The Project Manager (PM), Site Supervisor (SS), Certified Industrial Hygienist (CIH) and Site Safety Officer (SSO) are responsible for formulating and enforcing health and safety requirements, and implementing the HASP.

### **2.1 PROJECT MANAGER**

The PM has the overall responsibility for the project and to assure that the goals of the construction remedial action are attained in a manner consistent with the HASP requirements. The PM will coordinate with the SS and the SSO to assure that the remedial action goals are completed in a manner consistent with the HASP. The PM will identify contacts and telephone numbers, with assistance from LANTDIV, of local health care providers, the NOSC/NOSCDR, the LEPC and other agencies that may be asked to provide emergency support during project activities. The PM will conduct a monthly health and safety audit of the project using the Management Health and Safety Report Form.

### **2.2 SITE SUPERVISOR**

The SS is responsible for field implementation of the HASP. The SS will coordinate with the SSO to establish communications with local health care providers, the NOSC/NOSCDR, the LEPC and other outside organizations and agencies that may be asked to provide emergency support during project activities. The SS will be the main contact in any on-site emergency situation. The SS will conduct periodic inspection of the work site to confirm compliance with all health and safety requirements. The SS is also responsible for coordinating remedial actions for all deficiencies and for enforcing the OHM "Cardinal Safety Rules" (included in Appendix E) and the site specific health and safety procedures (included in Appendix B).

### **2.3 SITE SAFETY OFFICER**

The SSO has responsibility for administering the HASP relative to site activities, and will be in the field full-time while site activities are in progress. The SSO's primary operational responsibilities include personal and environmental monitoring, coordination of job safety analyses, personal protective equipment maintenance, and assignment of protection levels. The SSO will direct all field activities involved with safety and is authorized to stop work when an imminent health or safety risk exists. The SSO is responsible for assuring that all on-site personnel understand all safety requirements.

## 2.4 CERTIFIED INDUSTRIAL HYGIENIST

The CIH is responsible for the contents of the HASP and ensures that the HASP complies with all federal, state and local health and safety requirements. If necessary, the CIH can modify specific aspects of the HASP to adjust for on-site changes that affect safety. The CIH will coordinate with the SSO on all modifications to the HASP and will be available for consultation when required. The CIH will not necessarily be on site during OHM activities; however, he may perform site safety audits to confirm field compliance with the HASP.

## 2.5 EMPLOYEE SAFETY RESPONSIBILITY

Each employee is responsible for personal safety as well as the safety of others in the area. The employee will use all equipment provided in a safe and responsible manner as directed by the SS. All OHM personnel will follow the policies set forth in OHM's Health and Safety Procedures Manual, with particular emphasis on the OHM "Cardinal Safety Rules." which will be maintained on-site by the site safety officer. Specific health and safety procedures applicable to this project are provided in Appendix D of this plan.

## 2.6 KEY SAFETY PERSONNEL

The following individuals share responsibility for health and safety at the site.

Project Manager	James A. Dunn, Jr., P.E. (404) 734-8072 (office)
Site Supervisor	Randy E. Smith (910) 451-2390
Site Safety Officer	Steven K. Grant (910) 451-2390
Program Manager for LANTDIV	John P. Franz, P.E. (609) 588-6477 (office)
SR Health and Safety Director/Project CIH	J. Angelo Liberatore, CIH (404) 453-7671 (office) 1-800-999-6710 PIN 997-6102 (pager)
Vice President, Health and Safety	Fred Halvorsen, Ph.D., PE, CIH 800-231-7031 (office)

### 3.0 JOB HAZARD ANALYSIS

This section outlines the potential chemical and physical hazards which workers may be exposed to during work on this project. Table 3.1 lists significant contaminants identified at the site and their respective published occupational exposure limits. The OSHA permissible exposure limits (PELs) and the ACGIH threshold limit values (TLVs) were reviewed for these contaminants, evaluated, and the more stringent value of the two selected as exposure guidelines. An MSDS list is included in Appendix C.

#### 3.1 CHEMICAL HAZARDS

Chemical Hazards			
<i>Chemical</i>	<i>Exposure Routes</i>	<i>PEL/TLV</i>	<i>Symptoms of Overexposure</i>
Chlordane (alpha, gamma)	Inhalation; ingestion; dermal contact/ absorption	0.5 mg/m <sup>3</sup>	Tremors, dizziness, abdominal pain, vomiting, excitement, loss of muscle control; gastritis; convulsions; seizures, coma, and anorexia; liver and kidney damage
DDT	Inhalation, ingestion, dermal contact	1.0 mg/m <sup>3</sup>	Tremor, dizziness, confusion; headache, fatigue; convulsions; liver and kidney damage
DDD	Inhalation, ingestion, dermal contact	None established	Tremor, dizziness, confusion; headache, fatigue; vomiting, abdominal pain, seizures, coma, convulsions; liver and kidney damage
Aldrin	Inhalation, ingestion, dermal contact	PEL 0.25 mg/m <sup>3</sup>	Tremor, dizziness, confusion; headache, fatigue; vomiting, abdominal pain, seizures, coma, convulsions; liver and kidney damage
Dieldrin	Inhalation, ingestion, dermal contact	0.25 mg/m <sup>3</sup>	Tremor, dizziness, confusion; headache, fatigue; vomiting, abdominal pain, seizures, coma, convulsions; liver and kidney damage

Chlorinated pesticides (DDT, DDD), chlordane, aldrin and dieldrin have been identified in soils at Site 80. Concentrations of these contaminants were generally in ppb. The maximum soil concentration for specific contaminants were as follows:

- Aldrin – 49
- Dieldrin – 5,600
- 1,1 dichloro 2,2 bis(p chlorophenol) ethane, 4,4'-DDD – 260,000
- Dichlorodiphenyl trichloroethane, 4,4'-DDT – 40,000
- alpha-Chlordane – 670
- gamma-Chlordane – 646

Considering the low concentration of contaminants in soil, the potential for personnel exposure during site activities is correspondingly low. Personnel will initially wear Level C protection during excavation/load-out operations and downgrade to Modified Level D based on airborne particulate air monitoring results obtained in personnel breathing zone using a direct reading aerosol monitor (i.e., Miniram).

**Chlorinated Pesticides (DDT, DDD)** were identified in soils. DDT has an OSHA Permissible Exposure Limit (PEL) of 0.5 mg/m<sup>3</sup>. DDT is a poison by ingestion and is known to cause cancer in humans. It can also be absorbed through skin. Symptoms of overexposure include tremor, dizziness, confusion, headache, fatigue, and convulsions. Liver and kidney damage may also occur as a result of overexposure.

**Chlordane** has also been identified in soils. Chlordane has an OSHA PEL of 0.5 mg/m<sup>3</sup>. Chlordane is a suspected human carcinogen which is poisonous by ingestion, and by inhalation. It is readily absorbed through the skin on dermal contact, and overexposure may produce tremors, excitement, loss of muscle coordination (alexia), gastritis, convulsions, and anorexia. Lung, liver and kidney damage may result from chronic overexposure.

**Personnel will be removed from the work site and placed under observation immediately if the following symptoms occur:**

- Dizziness or stupor
- Nausea, headaches, or cramps
- Irritation of the eyes, nose, or throat
- Euphoria
- Chest pains and coughing
- Rashes or burns
- Vomiting

### **3.2 PHYSICAL HAZARDS**

To minimize physical hazards, OHM has developed standard safety protocols which will be followed at all times. Failure to follow safety protocols will result in expulsion of an employee from the site and appropriate disciplinary actions.

The SS and SSO will observe the general work practices of each crew member and equipment operator, and enforce safe procedures to minimize physical hazards. Hard hats, safety glasses, and steel-toe safety boots are required in all areas of the site. Site-specific hazards and all necessary precautions will be discussed at the daily safety meetings. The

Health and Safety Procedures Manual for LANTDIV will be maintained at the project site as a reference document.

### 3.3 ENVIRONMENTAL HAZARDS

Environmental factors such as weather, wild animals, insects, and irritant plants pose a hazard when performing outdoor work. The SSO and SS will take all necessary measures to alleviate these hazards should they arise.

#### 3.3.1 Heat Stress

The combination of warm ambient temperature and protective clothing result in the potential for heat stress. Heat stress disorders include:

- Heat rash
- Heat cramps
- Heat exhaustion
- Heat stroke

Heat stress prevention is outlined in procedure No. 22 of the OHM Corp. Health and Safety Procedures manual. This information will be reviewed during safety meetings. Workers will be encouraged to increase consumption of water and electrolyte-containing beverages (eg, Gatorade).

The following is a summary of the signs and symptoms of heat stress disorders.

- Heat rash – characteristic rash which may develop on the skin in areas which may be chapped by clothing. Frequent clothing changes help to prevent chapping from contact with wet clothes.
- Heat cramps – caused by heavy sweating and inadequate electrolyte replacement. Provide frequent breaks with fluid replacement. Cramps are usually relieved when victim is moved to a cool resting place and provided fluids every 15 minutes for approximately 1 hour. Symptoms include:
  - Muscle spasms
  - Pain in the hands, feet, abdomen
- Heat exhaustion – caused by increased stress of various body organs including inadequate blood circulation due to cardiovascular insufficiency or dehydration. Immediately remove the victim from the hot environment and provide rest while lying the victim down with feet elevated, and care for shock. Attempt to cool the victim by fanning or applying wet towels. Provide fluid replacement every 15

minutes and refer for medical evaluation if not improved within 30 minutes.

Symptoms include:

- Pale, cool, moist skin
  - Heavy sweating
  - Dizziness
  - Nausea
  - Fainting
- Heat stroke – temperature regulation fails and the body core temperature rises to critical levels. Immediate action must be taken to cool the body. Remove clothing and apply water while treating for shock during transport or while awaiting competent medical care. Competent medical care must be obtained immediately since this is a life threatening disorder. Symptoms include:
    - Hot, dry skin, usually red, mottled or cyanotic
    - 104° temperature or higher
    - Confusion, dizziness
    - Loss of consciousness
    - Convulsions
    - Strong, rapid pulse

It is recommended that workers break at least every two hours for 10 to 15 minute rest periods when temperatures rise above 72.5 degrees F and protective clothing is worn. Ambient temperatures will be determined from a Hg/glass thermometer shielded from radiant heat. In addition, workers are encouraged to take rests whenever they feel any adverse effects that may be heat-related. The frequency of breaks may need to be increased upon worker recommendation to the SSO and SS. Heat stress can be prevented by assuring an adequate work/rest schedule; guidelines are printed below.

AMBIENT TEMPERATURE	LEVEL D PPE	LEVEL C PPE/ MODIFIED LEVEL D
90° F or above	After 45 minutes of work	After 15 minutes of work
87.5 F-90 F	After 60 minutes of work	After 30 minutes of work
82.5-87.5 F	After 90 minutes of work	After 60 minutes of work
77.5-82.5 F	After 120 minutes of work	After 90 minutes of work
72.5-77.5 F	After 150 minutes of work	After 120 minutes of work

The work/rest schedule can be calculated based on heat stress monitoring results. Monitoring consists of taking the radial pulse of a worker for 30 seconds immediately after exiting the work area. If the heart rate exceeds 110 beats per minute at the beginning of the rest period, shorten the next work cycle by 1/3 and keep the rest period the same. If the heart rate still exceeds 110 beats per minute at the next rest period, decrease the work period by 1/3. The initial rest period should be at least 10 minutes.

Monitoring for heat stress will begin when the ambient temperature reaches or exceeds 70 degrees Fahrenheit when wearing Level C PPE, or 80 degrees Fahrenheit for site activities performed in Level D. Monitoring will include pulse rate, weight loss, oral temperature and signs and symptoms of heat stress. The employees radial pulse will be monitored for 30 seconds to determine heart rate. When monitored, oral temperatures (OT) will be obtained utilizing a clinical thermometer or equivalent. If the employees' OT exceeds 99.6 °F, the work period will be reduced by 1/3. If after this work period, the oral temperature still exceeds 99.6 °F, the work period will again be shortened by 1/3. If the employee's OT exceeds 100.6 °F, the employee will not be permitted to wear PPE. See Procedure 22 LANTDIV Health and Safety Procedures Manual.

### **3.3.2 Exposure to Cold**

With outdoor work in the winter months, the potential exists for hypothermia and frostbite. Protective clothing greatly reduces the possibility of hypothermia in workers. However, personnel will be instructed to wear warm clothing and to stop work to obtain more clothing if they become too cold. Employees will also be advised to change into dry clothes if their clothing becomes wet from perspiration or from exposure to precipitation. Since wind chill temperature takes into account the potential for loss of body heat through convection, the wind-chill adjusted temperature will be used to evaluate for potential cold stress occurrence.

In cold weather, the potential for frostbite exists, especially in body extremities. Personnel will be instructed to pay particular attention to hands, feet, and any exposed skin when dressing. Personnel will be advised to obtain more clothing if they begin to experience loss of sensation due to cold exposure.

Employees will be encouraged to use the heated shelters on site at regular intervals depending upon the severity of ambient temperatures. When temperatures are less than 20 °F (actual or wind chill) workers should break regularly to the heated shelter to warm up (every 45 minutes at a minimum). Since cold weather does cause significant water loss as a result of the dryness of the air, fluid intake will be encouraged to prevent dehydration which directly affects blood volumes and flow to the extremities. Warm, sweet, caffeine-free, nonalcoholic drinks and soup offer the best fluid replacement and provide calorie

energy. Symptoms of cold stress, including heavy shivering, excessive fatigue, drowsiness, irritability, or euphoria necessitate immediate return to the shelter.

### 3.3.3 Biological Hazards

- *Ticks*

Heavily vegetated areas of a site may have ticks. It is highly recommended that all personnel walking through such areas wear a tyvek coverall and latex boot covers taped at all joints. The ticks will stand out against the light colors. A tick or insect repellent containing DEET is recommended.

Ticks can transmit several diseases, including Rocky Mountain spotted fever, a disease that occurs in the eastern portion of the United States as well as the western portion, and Lyme disease. Ticks adhere tenaciously to the skin or scalp. There is some evidence that the longer an infected tick remains attached, the greater is the chance that it will transmit disease.

#### First Aid

- a. Cover the tick with heavy oil (mineral, salad, or machine) to close its breathing pores. The tick may disengage at once; if not, allow oil to remain in place for a half hour. Carefully (slowly and gently) remove the tick with tweezers, taking care that all parts are removed.
- b. With soap and water, thoroughly, but gently, scrub the area from which the tick has been removed, because disease germs may be present on the skin; also wipe the bite area with an antiseptic. Although use of tweezers for the removal of the tick and application of heat to the tick's body often have been attempted, these methods may leave tick parts in the wound or may injure the skin.
- c. If you have been bitten, place the tick in a jar labeled with the date, location of the bite, and the location acquired. If any symptom appears, such as an expanding red rash, contact a physician immediately.

- *Lyme Disease*

Lyme disease may cause a number of medical conditions, including arthritis, that can be treated if you recognize the symptoms early and see your doctor. Early signs may include a flu-like illness, an expanding skin rash and joint pain. If left untreated, Lyme disease can cause serious nerve and heart problems as well as a disabling type of arthritis.

You are more likely to spot early signs of Lyme disease rather than see the tick or its bite. This is because the tick is so small (about the size of the head of a common pin

or a period on this page and a little larger after they fill with blood), you may miss it or signs of a bite. However, it is also easy to miss the early symptoms of Lyme disease.

In its early stage, Lyme disease may be a mild illness with symptoms like the flu. It can include a stiff neck, chills, fever, sore throat, headache, fatigue, and joint pain. But this flu-like illness is usually out of season, commonly happening between May and October when ticks bite.

Most people develop a large, expanding skin rash around the area of the bite. Some people may get more than one rash. The rash may feel hot to the touch and may be painful. Rashes vary in size, shape, and color, but often look like a red ring with a clear center. The outer edges expand in size. Its easy to miss the rash and the connection between the rash and the tick bite. The rash develops from three days to as long as a month after the tick bite. Almost one third of those with Lyme disease never get the rash.

#### **3.3.4 Project Hazard Communication**

The purpose of hazard communication (Employee Right-to-Know) is to ensure that the hazards of all chemicals located at this field project site are transmitted (communicated) according to 29 CFR 1926.59 to all OHM personnel and OHM subcontractors. OHM's Corporate Hazard Communication Program is included in Appendix B for reference. Hazard communication will include the following:

- **Container Labeling**  
OHM personnel will ensure that all drums and containers are labeled according to contents. These drums and containers will include those from manufacturers and those produced on site by operations. All incoming and outgoing labels shall be checked for identity, hazard warning, and name and address of responsible party.
- **Material Safety Data Sheets (MSDSs)**  
There will be an MSDS located on site for each hazardous chemical known to be used on site. All MSDSs will be located in Appendix C of the SHSP. The site safety plan can be found in the project office trailer.
- **Employee Information and Training**  
Training employees on chemical hazards is accomplished through on ongoing corporate training program. Additionally, chemical hazards are communicated to employees through daily safety meetings held at OHM field projects and by an initial site orientation program.

At a minimum, OHM and related subcontractor employees will be instructed on the following:

- Chemicals and their hazards in the work area
- How to prevent exposure to these hazardous chemicals
- What the company has done to prevent workers' exposure to these chemicals
- Procedures to follow if they are exposed to these chemicals.
- How to read and interpret labels and MSDSs for hazardous substances found on OHM sites
- Emergency spill procedures
- Proper storage and labeling

Before any new hazardous chemical is introduced on site, each OHM and related subcontractor employee will be given information in the same manner as during the safety class. The site supervisor will be responsible for seeing that the MSDS on the new chemical is available for review by on site personnel. The information pertinent to the chemical hazards will be communicated to project personnel.

Morning safety meetings will be held and the hazardous materials used on site will be discussed. Attendance is mandatory for all on site employees.

Refer to Appendix C of the site safety plan to find a list of hazardous chemicals anticipated to be brought to the site and the corresponding MSDSs for these chemicals.

### **3.3.5 Noise**

Hearing protection is required for workers operating or working near heavy equipment, where the noise level is greater than 85 dbA (Time Weighted Average) as well as personnel working around heavy equipment. The SSO will determine the need and appropriate testing procedures, (i.e., sound level meter and/or dosimeter) for noise measurement.

### **3.4 TASK-SPECIFIC RISK ASSESSMENT/ACTIVITY HAZARD ANALYSIS**

Prior to beginning each major phase of work, an activity hazard analysis (form included in Appendix E) will be performed. The analysis will define the activity being performed, identify the sequence of work, the specific hazards anticipated and the control measures to be implemented to eliminate or reduce each hazard to an acceptable level.

Work will not proceed on that project phase until the activity hazard analysis has been accepted by the designated on-site authority, as well as being discussed with all site personnel that will perform the activity. The following Task-Specific Risk Assessment/Activity Hazard Analysis identifies the major project phases and anticipated

hazards to be encountered and control measures that will be instituted during the execution of the scope of work, previously approved by LANTDIV for this project.

Task No. 1: Mobilization and site preparation	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Understand and review posted hand signals</li> </ul>
Handling heavy objects	<ul style="list-style-type: none"> <li>• Observe proper lifting techniques</li> <li>• Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>• Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> <li>• Do not exceed equipment/crane load specifications when hoisting loads</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Electrical shock	<ul style="list-style-type: none"> <li>• De-energize or shut off utility lines at their source before work begins</li> <li>• Use double insulated or properly grounded electric power-operated tools</li> <li>• Provide an equipment-grounding conductor program or employ ground-fault circuit interrupters</li> <li>• Use qualified electricians to hook up electrical circuits</li> <li>• Inspect all extension cords daily for structural integrity, ground continuity, and damaged insulation</li> <li>• Cover or elevate electric wire or flexible cord passing through work areas to protect from damage</li> <li>• Keep all plugs, cords, and receptacles out of water</li> <li>• Use approved water-proof, weather-proof type if exposure is likely</li> <li>• Inspect all electrical power circuits prior to commencing work</li> <li>• Follow Lockout/Tagout procedures in accordance with OHM Health and Safety Procedures Manual</li> </ul>
Slips, trips, falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Use body harness and lifeline when working 6 feet or more above the ground</li> <li>• Use approved ladders in accordance with OHM Health and Safety Procedures Manual</li> </ul>

Task No. 2: Access clearance; utility verification and site survey operations	
Potential Hazards	Hazard Control Measures
Sharp Objects	<ul style="list-style-type: none"> <li>• Wear cut resistant work gloves when the possibility of lacerations or other injury may be caused by sharp edges or objects</li> <li>• Maintain all hand and power tools in a safe condition</li> <li>• Keep guards in place during use</li> </ul>
Handling Heavy Objects	<ul style="list-style-type: none"> <li>• Observe proper lifting techniques</li> <li>• Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>• Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> </ul>
Electrical Shock	<ul style="list-style-type: none"> <li>• De-energize or shut off utility lines at their source before work begins</li> <li>• Use double insulated or properly grounded electric power-operated tools</li> <li>• Provide an equipment-grounding conductor program or employ ground-fault circuit interrupters</li> <li>• <b>Use qualified electricians to hook up electrical circuits</b></li> <li>• Inspect all extension cords daily for structural integrity, ground continuity, and damaged insulation</li> <li>• Cover or elevate electric wire or flexible cord passing through work areas to protect from damage</li> <li>• Keep all plugs, cords, and receptacles out of water</li> <li>• Use approved water-proof, weather-proof type if exposure is likely</li> <li>• Inspect all electrical power circuits prior to commencing work</li> <li>• Follow Lockout/Tagout procedures in accordance with OHM Health and Safety Procedures Manual</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Use body harness and lifeline when working 6 feet or more above the ground</li> <li>• Use approved ladders in accordance with OHM Health and Safety Procedures Manual</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on exposure hazards present</li> <li>• Review hazardous properties of potential site contaminants with workers before operations begin</li> </ul>

Task No. 3: Multi-media sampling operations	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Understand and review posted hand signals</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> <li>• Wear splash protection when sampling liquids, sludges</li> </ul>
Contact Dermatitis	<ul style="list-style-type: none"> <li>• Wear PPE to avoid skin contact with contaminated surfaces or other skin irritants when sampling water treatment influent, effluent, or treatment chemicals</li> </ul>

Task No. 4: Soil excavation/direct loadout	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Barricade or enclose the work area</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Barricade excavation perimeter</li> </ul>
Fire/Explosion	<ul style="list-style-type: none"> <li>• Eliminate sources of ignition from the work area</li> <li>• Prohibit smoking in fuel dispensing area</li> <li>• Provide ABC (or equivalent) fire extinguishers in all work areas, flammable storage areas, generator and compressor facilities</li> <li>• Store flammable liquids in well ventilated areas</li> <li>• Post "NO SMOKING" signs in fuel dispensing areas and storage</li> <li>• Store combustible materials away from flammables</li> </ul>
Excavation/Cave-in	<ul style="list-style-type: none"> <li>• Barricade or enclose the work areas</li> <li>• Slope/shore excavations 5 feet deep or greater 1-1/2:1 (horizontal to vertical) where personnel must enter excavations</li> <li>• Excavation must be supervised by OHM competent person</li> <li>• Restrict entry to authorized personnel only during work activities</li> <li>• Wear hard hats, safety glasses with side shields, and steel-toe safety boots</li> </ul>
Insect/Snake Bites	<ul style="list-style-type: none"> <li>• Review injury potential and types of snakes with workers</li> <li>• Avoid insect nests areas, likely habitats of snakes outside work areas</li> <li>• Use the Buddy System where such injury potential exists</li> <li>• Use insect repellent, wear PPE to protect against sting/bite injuries</li> </ul>
Underground /Overhead Utilities	<ul style="list-style-type: none"> <li>• Identify all underground utilities around the excavation site before work commences</li> <li>• Cease work immediately if unknown utility markers are uncovered</li> <li>• Maintain trash a minimum 15-foot buffer between the trackhoe stick and overhead electrical lines or de-energize overhead lines</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> <li>• Wear splash protection when sampling liquids, sludges</li> </ul>

Task No. 5: Erosion and sedimentation control	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Barricade or enclose the work area</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Barricade excavation perimeter</li> </ul>
Fire/Explosion	<ul style="list-style-type: none"> <li>• Eliminate sources of ignition from the work area</li> <li>• Prohibit smoking in fuel dispensing area</li> <li>• Provide ABC (or equivalent) fire extinguishers in all work areas, flammable storage areas, generator and compressor facilities</li> <li>• Store flammable liquids in well ventilated areas</li> <li>• Post "NO SMOKING" signs in fuel dispensing areas and storage</li> <li>• Store combustible materials away from flammables</li> </ul>
Excavation/Cave-in	<ul style="list-style-type: none"> <li>• Barricade or enclose the work areas</li> <li>• Slope/shore excavations 5 feet deep or greater 1-1/2:1 (horizontal to vertical) where personnel must enter excavations</li> <li>• Excavation must be supervised by OHM competent person</li> <li>• Restrict entry to authorized personnel only during work activities</li> <li>• Wear hard hats, safety glasses with side shields, and steel-toe safety boots</li> </ul>
Insect/Snake Bites	<ul style="list-style-type: none"> <li>• Review injury potential and types of snakes with workers</li> <li>• Avoid insect nests areas, likely habitats of snakes outside work areas</li> <li>• Use the Buddy System where such injury potential exists</li> <li>• Use insect repellent, wear PPE to protect against sting/bite injuries</li> </ul>
Underground /Overhead Utilities	<ul style="list-style-type: none"> <li>• Identify all underground utilities around the excavation site before work commences</li> <li>• Cease work immediately if unknown utility markers are uncovered</li> <li>• Maintain trash a minimum 15-foot buffer between the trackhoe stick and overhead electrical lines or de-energize overhead lines</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> <li>• Wear splash protection when sampling liquids, sludges</li> </ul>

Task No. 6: Construct temporary roads	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Barricade or enclose the work area</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Barricade excavation perimeter</li> </ul>
Fire/Explosion	<ul style="list-style-type: none"> <li>• Eliminate sources of ignition from the work area</li> <li>• Prohibit smoking in fuel dispensing area</li> <li>• Provide ABC (or equivalent) fire extinguishers in all work areas, flammable storage areas, generator and compressor facilities</li> <li>• Store flammable liquids in well ventilated areas</li> <li>• Post "NO SMOKING" signs in fuel dispensing areas and storage</li> <li>• Store combustible materials away from flammables</li> </ul>
Insect/Snake Bites	<ul style="list-style-type: none"> <li>• Review injury potential and types of snakes with workers</li> <li>• Avoid insect nests areas, likely habitats of snakes outside work areas</li> <li>• Use the Buddy System where such injury potential exists</li> <li>• Use insect repellent, wear PPE to protect against sting/bit injuries</li> </ul>
Underground /Overhead Utilities	<ul style="list-style-type: none"> <li>• Identify all underground utilities around the excavation site before work commences</li> <li>• Cease work immediately if unknown utility markers are uncovered</li> <li>• Maintain trash a minimum 15-foot buffer between the trackhoe stick and overhead electrical lines or de-energize overhead lines</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> <li>• Wear splash protection when sampling liquids, sludges</li> </ul>

Task No. 7: Backfill	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Barricade or enclose the work area</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Barricade excavation perimeter</li> </ul>
Fire/Explosion	<ul style="list-style-type: none"> <li>• Eliminate sources of ignition from the work area</li> <li>• Prohibit smoking in fuel dispensing area</li> <li>• Provide ABC (or equivalent) fire extinguishers in all work areas, flammable storage areas, generator and compressor facilities</li> <li>• Store flammable liquids in well ventilated areas</li> <li>• Post "NO SMOKING" signs in fuel dispensing areas and storage</li> <li>• Store combustible materials away from flammables</li> </ul>
Excavation/Cave-in	<ul style="list-style-type: none"> <li>• Barricade or enclose the work areas</li> <li>• Slope/shore excavations 5 feet deep or greater 1-1/2:1 (horizontal to vertical) where personnel must enter excavations</li> <li>• Excavation must be supervised by OHM competent person</li> <li>• Restrict entry to authorized personnel only during work activities</li> <li>• Wear hard hats, safety glasses with side shields, and steel-toe safety boots</li> </ul>
Insect/Snake Bites	<ul style="list-style-type: none"> <li>• Review injury potential and types of snakes with workers</li> <li>• Avoid insect nests areas, likely habitats of snakes outside work areas</li> <li>• Use the Buddy System where such injury potential exists</li> <li>• Use insect repellent, wear PPE to protect against sting/bite injuries</li> </ul>
Underground /Overhead Utilities	<ul style="list-style-type: none"> <li>• Identify all underground utilities around the excavation site before work commences</li> <li>• Cease work immediately if unknown utility markers are uncovered</li> <li>• Maintain a minimum 15-foot buffer between the trackhoe stick and overhead electrical lines or de-energize overhead lines</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> <li>• Wear splash protection when sampling liquids, sludges</li> </ul>

Task No. 8: Place fencing	
Potential Hazards	Hazard Control Measures
Sharp Objects	<ul style="list-style-type: none"> <li>• Wear cut resistant work gloves when the possibility of lacerations or other injury may be caused by sharp edges or objects</li> <li>• Maintain all hand and power tools in a safe condition</li> <li>• Keep guards in place during use</li> </ul>
Handling Heavy Objects	<ul style="list-style-type: none"> <li>• Observe proper lifting techniques</li> <li>• Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>• Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Use body harness and lifeline when working 6 feet or more above the ground</li> <li>• Use approved ladders in accordance with OHM Health and Safety Procedures Manual</li> </ul>

Task No. 9: Clear and grub	
Potential Hazards	Hazard Control Measures
Sharp Objects	<ul style="list-style-type: none"> <li>• Wear cut resistant work gloves when the possibility of lacerations or other injury may be caused by sharp edges or objects</li> <li>• Wear chainsaw chaps and face shield</li> <li>• Follow chainsaw manufacturer operating and safety procedures</li> </ul>
High noise levels	<ul style="list-style-type: none"> <li>• Use hearing protection when using high pressure washer</li> </ul>
Handling Heavy Objects	<ul style="list-style-type: none"> <li>• Observe proper lifting techniques</li> <li>• Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>• Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> <li>• Do not exceed equipment load specifications</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> </ul>
Burns	<ul style="list-style-type: none"> <li>• Use proper gloves, face shield/safety goggles, shin and toe guards to protect workers from skin burns and injury when operating hot chainsaws</li> </ul>
Falling objects	<ul style="list-style-type: none"> <li>• Plan where the tree will fall</li> <li>• Have two escape routes</li> </ul>
Fire/explosion	<ul style="list-style-type: none"> <li>• Keep fuels in safety can</li> <li>• Do not refuel hot equipment</li> </ul>

Task No. 10: Abandon well	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Barricade or enclose the work area</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Barricade excavation perimeter</li> </ul>
Fire/Explosion	<ul style="list-style-type: none"> <li>• Eliminate sources of ignition from the work area</li> <li>• Prohibit smoking in fuel dispensing area</li> <li>• Provide ABC (or equivalent) fire extinguishers in all work areas, flammable storage areas, generator and compressor facilities</li> <li>• Store flammable liquids in well ventilated areas</li> <li>• Post "NO SMOKING" signs in fuel dispensing areas and storage</li> <li>• Store combustible materials away from flammables</li> </ul>
Insect/Snake Bites	<ul style="list-style-type: none"> <li>• Review injury potential and types of snakes with workers</li> <li>• Avoid insect nests areas, likely habitats of snakes outside work areas</li> <li>• Use the Buddy System where such injury potential exists</li> <li>• Use insect repellent, wear PPE to protect against sting/bit injuries</li> </ul>
Underground /Overhead Utilities	<ul style="list-style-type: none"> <li>• Identify all underground utilities around the excavation site before work commences</li> <li>• Cease work immediately if unknown utility markers are uncovered</li> <li>• Maintain trash a minimum 15-foot buffer between the trackhoe stick and overhead electrical lines or de-energize overhead lines</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>• Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>• Review hazardous properties of site contaminants with workers before operations begin</li> <li>• Wear splash protection when sampling liquids, sludges</li> <li>• Follow MSDS for cement/grout</li> </ul>

Task No. 11: Revegetation	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> <li>• Understand and review posted hand signals</li> </ul>
Handling heavy objects	<ul style="list-style-type: none"> <li>• Observe proper lifting techniques</li> <li>• Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>• Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> <li>• Do not exceed equipment/crane load specifications when hoisting loads</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Slips, trips, falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Use body harness and lifeline when working 6 feet or more above the ground</li> <li>• Use approved ladders in accordance with OHM Health and Safety Procedures Manual</li> </ul>

Task No. 12: Equipment decontamination	
Potential Hazards	Hazard Control Measures
Sharp Objects	<ul style="list-style-type: none"> <li>Wear cut resistant work gloves when the possibility of lacerations or other injury may be caused by sharp edges or objects</li> </ul>
High noise levels	<ul style="list-style-type: none"> <li>Use hearing protection when using high pressure washer</li> </ul>
Handling Heavy Objects	<ul style="list-style-type: none"> <li>Observe proper lifting techniques</li> <li>Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> <li>Do not exceed equipment load specifications</li> <li>Do not suspend loads over ground personnel</li> </ul>
Slips, Trips, Falls	<ul style="list-style-type: none"> <li>Clear walkways of equipment, construction debris and other materials</li> <li>Mark, identify or barricade other obstructions</li> </ul>
Inhalation and Contact with Hazardous Substances	<ul style="list-style-type: none"> <li>Provide workers proper skin, eye and respiratory protection based on the exposure hazards present</li> <li>Review hazardous properties of site contaminants with workers before operations begin</li> <li>Wear splash shield and saran coveralls when soaking, handling wet materials, pressure washing</li> <li>Collect and contain spent wash water for proper disposal</li> </ul>
Burns	<ul style="list-style-type: none"> <li>Use proper gloves, face shield/safety goggles, shin and toe guards to protect workers from skin burns and injury when operating hot water/steam laser (high pressure washers)</li> </ul>

Task No. 13: Demobilization	
Potential Hazards	Hazard Control Measures
Struck by, Against Heavy Equipment, Flying Debris, Protruding Objects	<ul style="list-style-type: none"> <li>• Use reflective warning vests when exposed to vehicular traffic</li> <li>• Isolate equipment swing areas</li> <li>• Make eye contact with operators before approaching equipment</li> <li>• Restrict entry to the work area to authorized personnel</li> <li>• Wear hard hats, safety glasses with side shields, or splash/face shields and goggles, and steel-toe safety boots at all times</li> </ul>
Handling heavy objects	<ul style="list-style-type: none"> <li>• Observe proper lifting techniques</li> <li>• Obey sensible lifting limits (60 pounds maximum per person manual lifting)</li> <li>• Use mechanical lifting equipment (hand carts, trucks) to move large awkward loads</li> <li>• Do not exceed equipment/crane load specifications when hoisting loads</li> <li>• Do not suspend loads over ground personnel</li> </ul>
Electrical shock	<ul style="list-style-type: none"> <li>• De-energize or shut off utility lines at their source before work begins</li> <li>• Use double insulated or properly grounded electric power-operated tools</li> <li>• Provide an equipment-grounding conductor program or employ ground-fault circuit interrupters</li> <li>• Use qualified electricians to hook up electrical circuits</li> <li>• Inspect all extension cords daily for structural integrity, ground continuity, and damaged insulation</li> <li>• Cover or elevate electric wire or flexible cord passing through work areas to protect from damage</li> <li>• Keep all plugs, cords, and receptacles out of water</li> <li>• Use approved water-proof, weather-proof type if exposure is likely</li> <li>• Inspect all electrical power circuits prior to commencing work</li> <li>• Follow Lockout/Tagout procedures in accordance with OHM Health and Safety Procedures Manual</li> </ul>
Slips, trips, falls	<ul style="list-style-type: none"> <li>• Clear walkways of equipment, construction debris and other materials</li> <li>• Mark, identify or barricade other obstructions</li> <li>• Use body harness and lifeline when working 6 feet or more above the ground</li> <li>• Use approved ladders in accordance with OHM Health and Safety Procedures Manual</li> </ul>

## **4.0 WORK AND SUPPORT AREAS**

---

To prevent migration of contamination caused through tracking by personnel or equipment, work areas and personal protective equipment will be clearly specified prior to beginning operations. OHM has designated work areas or zones as suggested by the NIOSH/OSHA/USCG/EPA'S document titled, "Occupational Safety and Health Guidance Manual for Hazardous Waste Site Activities." Each work area will be divided into three zones as follows:

- An Exclusion or "hot" Zone (EZ)
- A Contamination Reduction Zone (CRZ)
- A Support Zone (SZ)

### **4.1 EXCLUSION ZONE**

The EZ is the area suspected of contamination and presents the greatest potential for worker exposure. Personnel entering the area must wear the mandated level of protection for that area. In certain instances, different levels of protection will be required depending on the tasks and monitoring performed within that zone.

### **4.2 CONTAMINATION REDUCTION ZONE**

The CRZ or transition zone will be established between the EZ and SZ. In this area, personnel will begin the sequential decontamination process required to exit the EZ. To prevent off-site migration of contamination and for personnel accountability, all personnel will enter and exit the EZ through the CRZ.

### **4.3 SUPPORT ZONE**

The SZ serves as a clean, control area. Operational support facilities are located within the SZ. Normal work clothing and support equipment are appropriate in this zone. Contaminated equipment or clothing will not be allowed in the SZ. The support facilities should be located upwind of site activities. There will be a clearly marked controlled access point from the SZ into the CRZ and EZ that is monitored closely by the SSO and the SS to ensure proper safety protocols are followed.

#### 4.4 SITE CONTROL LOG

A log of all personnel visiting, entering or working on the site shall be maintained. The log will record the date, name, company or agency, and time entering or exiting the site.

No visitor will be allowed in the EZ without showing proof of training and medical certification. Visitors will supply their own boots and respiratory equipment, if required. Visitors will attend a site orientation given by the SSO and sign the HASP.

#### 4.5 GENERAL

The following items are requirements to protect the health and safety of workers and will be discussed in the safety briefing prior to initiating work on the site.

- Eating, drinking, chewing gum or tobacco, smoking, or any practice that increases the probability of hand to mouth transfer and ingestion of contamination is prohibited in the EZ and CRZs.
- All personnel exiting the exclusion zone or the contamination reduction zone, must at a minimum, thoroughly wash their face and hands.
- A buddy system will be used. Hand signals will be established to maintain communication.
- During site operations, each worker will consider himself as a safety backup to his partner. Off-site personnel provide emergency assistance. All personnel will be aware of dangerous situations that may develop.
- Visual contact will be maintained between buddies on site when performing hazardous duties.
- No personnel will be admitted to the site without the proper safety equipment, training, and medical surveillance certification.
- All personnel must comply with established safety procedures. Any staff member who does not comply with safety policy, as established by the SSO or the SS, will be immediately dismissed from the site.
- Proper decontamination procedures must be followed before leaving the site.
- All employees and visitors must sign in and out of the site.

## 5.0 PROTECTIVE EQUIPMENT

This section addresses the various levels of personal protective equipment (PPE) which are or may be required at this job site. OHM personnel are trained in the use of all PPE utilized.

### 5.1 ANTICIPATED PROTECTION LEVELS

Task	Protection Level	Comments/Modifications
Site Preparation and Mobilization	Level D	
Multi-Media Sampling	Level C/Modified Level D with tyvek	Wear Level C protection when sampling in known to be contaminated areas on-site; Downgrade to Modified Level D for background area sampling or for on-site analytical procedures performed under a ventilation hood
Access Clearance, Utility Verification, Site Survey	Modified Level D/C with tyvek	Level C when working on contaminated surface areas
Soil Excavation/Direct Loadout	Level C/Modified Level D with tyvek	Potential for downgrade to Modified Level D with adequate air monitoring documentation
Erosion and Sedimentation Control	Level D in clean soil Level D/Modified D in contaminated soil	
Construct Temporary Road	Level D in clean soil Level D/Modified D in contaminated soil	
Place Fence	Level D in clean soil Level D/Modified D in contaminated soil	
Backfill	Level D	
Clear and grub	Level D cutting trees Level D/Modified D in work area disturbing soil	
Revegetation	Level D	
Abandon Well	Level D/Modified D in work area disturbing soil Level D	
Equipment Decontamination	Level C with sarans	Pressure washing requires face shield and hearing protection
Demobilization	Level D	

### 5.2 PROTECTION LEVEL DESCRIPTIONS

This sections lists the minimum requirements for each protection level. Modification to these requirements will be noted above.

### 5.2.1 Level D

Level D consists of the following:

- Safety glasses with side shields
- Hard hat
- Steel-toed work boots
- Work clothing as prescribed by weather

### 5.2.2 Modified Level D

Modified Level D consists of the following:

- Safety glasses with side shields
- Hard hat
- Steel-toed work boots
- Nitrile, neoprene, latex or PVC overboots
- Outer nitrile, neoprene, or PVC gloves over latex sample gloves
- Face shield (when projectiles or splashes pose a hazard)
- Tyvek coverall [Polyethylene-coated Tyveks required when workers have a potential to be exposed to contaminated liquids or sludges.]

### 5.2.3 Level C

Level C consists of the following:

- Full-face, air-purifying respirator with appropriate cartridges
- Hooded Tyvek Coveralls [Polyethylene- or saran-coated Tyveks required when workers have a potential to be exposed to contaminated liquids or sludges].
- Hard hat
- Steel-toed work boots
- Nitrile, neoprene, latex or PVC overboots

- Nitrile, neoprene, or PVC gloves over latex sample gloves
- Face shield (when projectiles or splashes pose a hazard)

### 5.3 AIR-PURIFYING RESPIRATORS

A NIOSH-approved full-face respirator with appropriate air-purifying cartridges will be used for Level C work.

### 5.4 RESPIRATOR CARTRIDGES

The crew members working in Level C will wear respirators equipped with air-purifying cartridges (GMCH) approved for the following contaminants.

- Organic vapors <1,000 ppm
- Chlorine gas <10 ppm
- Hydrogen chloride <50 ppm
- Sulfur dioxide <50 ppm
- Dusts, fumes and mists with a TWA <0.05 mg/m<sup>3</sup>
- Asbestos-containing dusts and mists
- Radionuclides

### 5.5 CARTRIDGE CHANGES

All cartridges will be changed a minimum of once daily, or more frequently if personnel begin to experience increased inhalation resistance or breakthrough of a chemical warning property. Cartridges will be labeled with the date service began.

### 5.6 INSPECTION AND CLEANING

Respirators are checked periodically by a qualified individual and inspected before each use by the wearer. All respirators and associated equipment will be decontaminated and hygienically cleaned after each use.

### 5.7 FIT TESTING

All personnel required to wear an air-purifying respirator as part of their employment will be fit-tested at the time of assignment and a minimum of annually thereafter. The test will use isoamyl acetate or irritant smoke. The fit test must be for the style and size of the respirator to be used.

## **5.8 FACIAL HAIR**

Personnel who have facial hair which interferes with the respirator's sealing surface will not be permitted to wear a respirator and will not be permitted to work in areas requiring respirator use.

## **5.9 CORRECTIVE LENSES**

Normal eyeglasses cannot be worn under full-face respirators because the temple bars interfere with the respirator's sealing surfaces. For workers requiring corrective lenses, special spectacles designed for use with respirators will be provided.

## **5.10 CONTACT LENSES**

Contact lenses will not be worn with any type of respirator.

## **5.11 MEDICAL CERTIFICATION**

Only workers who have been certified by a physician as being physically capable of respirator usage will be issued a respirator. Personnel unable to pass a respiratory fit test or without medical clearance for respirator use will not be permitted to enter or work in areas on site that require respiratory protection. Employees receive a written physicians opinion that they are fit for general hazardous waste operations as per 29 CFR 1910.120(f)(7).

## **5.12 SITE-SPECIFIC RESPIRATORY PROTECTION PROGRAM**

The primary objective of respiratory protection is to prevent employee exposure to atmospheric contamination. When engineering measures to control contamination are not feasible, or while they are being implemented, personal respiratory protective devices will be used.

The criteria for determining respirator need have been evaluated based on the site contaminants and expected levels of protection are outlined in Section 5.1. Air monitoring will be conducted to confirm that respiratory protection levels are adequate (Section 7.0). All respirator users are OSHA trained in proper respirator use and maintenance. The SS and SSO will observe workers during respirator use for signs of stress. The SS, CIH, and SSO will also evaluate this HASP periodically to determine its continued effectiveness with regard to respiratory protection. All persons assigned to use respirators will have medical clearance to do so.

## **6.0 DECONTAMINATION PROCEDURES**

---

This section describes the procedures necessary to ensure that both personnel and equipment are free from contamination when they leave the work site.

### **6.1 PERSONNEL DECONTAMINATION**

Decontamination procedures will ensure that material which workers may have contacted in the EZ does not result in personal exposure and is not spread to clean areas of the site. This sequence describes the general decontamination procedure. The specific stages will vary depending on the work area, the task, the protection level, etc.

1. Go to end of EZ
2. Wash outer boots and gloves in detergent solution
3. Rinse outer boots and gloves in water
4. Remove outer boots and let dry
5. Remove outer gloves and let dry
6. Cross into CRZ
7. Remove first pair sample gloves
8. Remove outer saran or tyvek
9. Remove and wash respirator
10. Rinse respirator and hang to dry
11. Remove second pair sample gloves and discard

#### **6.1.1 Suspected Contamination**

Any employee suspected of sustaining skin contact with chemical materials will first use the emergency shower. Following a thorough drenching, the worker will proceed to the decontamination facility. Here the worker will remove clothing, shower, don clean clothing, and immediately be taken to the first-aid station. Medical attention will be provided as determined by the degree of injury.

#### **6.1.2 Personal Hygiene**

Before any eating, smoking, or drinking, personnel will wash hands, arms, neck and face. A personnel decontamination facility will be provided for site operations consisting of showers, change rooms, and separate lockers for street clothes and work clothes. Site personnel are required to shower daily at the completion of that day's work. Also, eye wash facilities and emergency showers will be provided at personnel decontamination facilities and at the water treatment system where hazardous chemicals are handled.

## 6.2 EQUIPMENT DECONTAMINATION

All contaminated equipment will be decontaminated before leaving the site. Decontamination procedures will vary depending upon the contaminant involved, but may include sweeping, wiping, scraping, hosing, or steaming the exterior of the equipment. Personnel performing this task will wear the proper PPE as prescribed by the SSO.

Trucks being directly loaded at the excavation area will be placed on polyethylene (PE) sheeting and draped along the truck sides when loading. Truck tires and wheels will be scraped of any visual contamination and inspected before tarping and leaving the site. The trackhoe will not enter the excavation area and the bucket will be decontaminated using high pressure washing and manual removal methods between excavations and at project demobilization.

## 6.3 DISPOSAL

All decontamination liquids and disposable clothing will be collected, containerized and treated as contaminated waste, unless determined otherwise by accepted testing methods. Wastes will be disposed of according to state and federal regulations.

## 7.0 AIR MONITORING

---

Air monitoring will be conducted in order to determine airborne contamination levels. This ensures that respiratory protection is adequate to protect personnel against the chemicals that are encountered. The following air monitoring efforts will be used at this site. Additional air monitoring may be conducted at the discretion of the SSO.

The following chart describes the air monitoring required and appropriate action levels.

<i>Monitoring Device</i>	<i>Action Level</i>	<i>Action</i>
LEL/O <sub>2</sub> (work area) To be performed during soil excavation and direct loadout operations	>10% LEL <20.8% O <sub>2</sub>	Evacuate area, ventilate to less than 10% LEL before continuing
PID (Breathing Zone) To be performed during soil excavation and direct loadout operations	1.0 ppm for 5 min. >5 ppm for 5 min.	Level C Stop operations and allow vapors to dissipate to less than 5 ppm
Mini-Ram (Breathing Zone) To be performed during soil excavation and direct loadout operations	>0.5 mg/m <sup>3</sup> for 5 min. >1.0 mg/m <sup>3</sup> for 5 min >5.0 mg/m <sup>3</sup> for 5 min	Level C Institute dust control measures Stop operations

### 7.1 LOWER EXPLOSIVE LIMIT/OXYGEN (LEL/O<sub>2</sub>) METER

Prior to entering a confined-space area or performing hot work involving welding, cutting, or other high heat-producing operations where flammable or combustible vapors may be present, LEL/O<sub>2</sub> measurements will be taken.

### 7.2 PHOTOIONIZATION DETECTOR (PID)

A PID will be used to monitor total ionizable organic content of the ambient air. A PID will prove useful as a direct reading instrument to aid in determining if respiratory protection needs to be upgraded and to define the EZ. Although organic compounds are not anticipated to be present at the site, monitoring will be performed to detect the presence of pesticide carrier solvents which may be present in contaminated soils.

For known contaminants only, to determine a protection level from PID data, the SSO will multiply the TLV of the known compound by 25. This will be the limit for Level C protection for that compound. If PID readings exceed 25 times the TLV, Level B protection will be required. Also, regardless of the TLV, a PID reading of 1,000 ppm or more will indicate that the GMC-H cartridges may become overloaded and will necessitate Level B protection. (Note: PID readings do not always indicate the actual air concentration of a compound. Consult the manual, HNU, or the CIH for clarification.)

The SSO will take measurements before operations begin in an area to determine the amount of organic compounds naturally occurring in the air. This is referred to as a background level.

Levels of volatile organic compounds will be measured in the air at active work sites once every hour and at the support zone once every hour when levels are detected above background in the exclusion zone. If levels exceed background at any time in the support zone, work in the exclusion zone will cease and corrective actions will be taken, e.g., cover soil with polyethylene sheeting. Work will not resume until levels reach background in the support zone.

### **7.3 REAL-TIME AEROSOL MONITOR (MINIRAM)**

A real-time aerosol monitor (miniram) will be used to measure airborne particulate in personnel breathing zones and site work area locations. A breathing zone action level has been specified that requires upgrading to Level C protection based on sustained (5-minute average) miniram results of 2.5 mg/m<sup>3</sup>. The miniram will also be used to monitor personnel breathing zone when wearing Modified Level D protection and to determine when an upgrade to Level C is warranted.

### **7.4 AIR MONITORING LOG**

The SSO will ensure that all air-monitoring data is logged into a monitoring notebook. Data will include all information identified in Procedure 12 of the ER Safety Procedures Manual. The log will be signed by the individual conducting the monitoring daily. The Project CIH will periodically review this data

### **7.5 CALIBRATION REQUIREMENTS**

The PID, LEL/O<sub>2</sub> meter and sampling pumps required with fixed-media air sampling will be calibrated daily prior to and after each use. A separate log will be kept detailing date, time, span gas, or other standard, and name of person performing the calibration.

## 7.6 AIR MONITORING RESULTS

Air monitoring results will be posted for personnel inspection, and will be discussed during morning safety meetings.

## 8.0 EMERGENCY RESPONSE

---

### 8.1 PRE-EMERGENCY PLANNING

Prior to engaging in construction/remediation activities at the site, OHM will plan for possible emergency situations and have available adequate supplies and manpower to respond. The PM will coordinate this plan with the NOSC/NOSCDR prior to commencing work. In addition site personnel will receive training during the site orientation concerning proper emergency response procedures. This training will include review of the elements of this plan and all action procedures described herein.

The following situations would warrant implementation of the Emergency Response and Contingency Plan (ERCP):

Fire/Explosion	<ul style="list-style-type: none"><li>• The potential for human injury exists</li><li>• Toxic fumes or vapors are released</li><li>• The fire could spread on site or off site and possibly ignite other flammable materials or cause heat-induced explosions</li><li>• The use of water and/or chemical fire suppressants could result in contaminated run-off</li><li>• An imminent danger of explosion exists</li></ul>
Spill or Release of Hazardous Materials	<ul style="list-style-type: none"><li>• The spill could result in the release of flammable liquids or vapors, thus causing a fire or gas explosion hazard</li><li>• The spill could cause the release of toxic liquids or fumes in sufficient quantities or in a manner that is hazardous to or could endanger human health</li></ul>
Spill or Release of High Temperature Liquid or Vapor	<ul style="list-style-type: none"><li>• The spill can be contained on site, but the potential exists for ground-water contamination</li><li>• The spill cannot be contained on site, resulting in off-site soil contamination and/or ground-water or surface water pollution</li><li>• The spill quantity is greater than the reportable quantity limit for the material</li></ul>
Natural Disaster	<ul style="list-style-type: none"><li>• A rain storm exceeds the flash flood level</li><li>• The facility is in a projected tornado path or a tornado has damaged facility property</li><li>• Severe wind gusts are forecasted or have occurred and have caused damage to the facility</li></ul>
Medical Emergency	<ul style="list-style-type: none"><li>• Overexposure to hazardous materials</li><li>• Trauma injuries (broken bones, severe lacerations/bleeding, burns)</li><li>• Eye/skin contact with hazardous materials</li><li>• Loss of consciousness</li><li>• Heat stress (Heat stroke)</li><li>• Cold stress (Hypothermia)</li><li>• Heart attack</li><li>• Respiratory failure</li><li>• Allergic reaction</li></ul>

The following measures will be taken to assure the availability of adequate equipment and manpower resources:

- Sufficient equipment and materials will be kept on site and dedicated for emergencies only. The inventory will be replenished after each use.
- On-site emergency responders will be current in regards to training and medical surveillance programs. Copies of all applicable certificates will be kept on file for on-site personnel required to respond.
- It will be the responsibility of the emergency coordinator to brief the on-site response team on anticipated hazards at the site. The emergency coordinator shall also be responsible for anticipating and requesting equipment that will be needed for response activities.
- Emergency response activities will be coordinated with the Local Emergency Planning Committee (LEPC) in compliance with SARA Title III requirements.
- Incident critiques will be prepared by the Site Supervisor and Site Safety Officer for submission to the OHM Regional Health and Safety Director for review. A "lessons learned" summary of the critique will be distributed to all site personnel within 30 days of the incident closure.

Communications will be established prior to commencement of any activities at the remediation site. Communication will be established so that all responders on site have availability to all pertinent information to allow them to conduct their activities in a safe and healthful manner. The primary communication device will be two-way radios. Air horns may be used to alert personnel of emergency conditions. A telephone will be located at the command post to summon assistance in an emergency.

Primary communication with local responders in the event of an emergency will be accomplished using commercial telephone lines.

## **8.2 EMERGENCY RECOGNITION AND PREVENTION**

Because unrecognized hazards may result in emergency incidents, it will be the responsibility of the Site Supervisor and Site Safety Officer, through daily site inspections and employee feedback (Safety Observation Program, daily safety meetings, and activity hazard analyses) to recognize and identify all hazards that are found at the site. These may include:

Chemical Hazards	<ul style="list-style-type: none"> <li>• Materials at the site</li> <li>• Materials brought to the site</li> </ul>
Physical Hazards	<ul style="list-style-type: none"> <li>• Fire/explosion</li> <li>• Slip/trip/fall</li> <li>• Electrocution</li> <li>• Confined space</li> <li>• IDLH atmospheres</li> <li>• Excessive noise</li> </ul>
Mechanical Hazards	<ul style="list-style-type: none"> <li>• Heavy equipment</li> <li>• Stored energy system</li> <li>• Pinch points</li> <li>• Electrical equipment</li> <li>• Vehicle traffic</li> </ul>
Environmental Hazards	<ul style="list-style-type: none"> <li>• Electrical Storms</li> <li>• High winds</li> <li>• Heavy Rain/Snow</li> <li>• Temperature Extremes (Heat/Cold Stress)</li> <li>• Poisonous Plants/Animals</li> </ul>

Once a hazard has been recognized, the Site Supervisor and/or the SSO will take immediate action to prevent the hazard from becoming an emergency. This may be accomplished by the following:

- Daily safety meeting
- Task-specific training prior to commencement of activity
- Lockout/tagout
- Personal Protective Equipment (PPE) selection/use
- Written and approved permits for hot work, confined space
- Trenching/shoring procedure
- Air monitoring
- Following all OHM standard operating procedures
- Practice drills for fire, medical emergency, and hazardous substances spills

**Table 8.1**  
**Emergency Telephone Numbers**

<u>Local Agencies</u> All services	
Police Dept.	911 on-base (910) 451-3855 (off-base)
Fire Department	911 on-base
Ambulance	911 on-base (910) 455-9119 (off-base)
Hospital	
Onslow County Hospital	(910) 577-2240
On-Base Facilities	(910) 451-4840
USMC Hospital	
<u>Federal Agencies</u>	
EPA Region Branch Response Center	(404) 347-3931
National Response Center	800-424-8802
Agency for Toxic Substances and Disease Registry	(404) 639-0615 (24 HR)
<u>Navy ROICC / NTR</u>	
National Response Center	800-424-8802
Project Manager	
James Dunn	(404) 734-8072
Director, Health and Safety, Angelo Liberatore, CIH	(404) 453-7671
OHM Corporation (24 hour)	800-537-9540
Note:	
Additional Phone Nos's in Section 2.0 this HASP	

**Routes to Hospital:**

**On-Base**

1. Proceed east on Brewster Boulevard and turn left.
2. Follow signs to the emergency room entrance.

**Off-Base**

1. Proceed east on Brewster Boulevard to Holcomb Boulevard and turn left.
2. Proceed north on Holcomb Boulevard and exit MCB Camp Lejeune through the main gate.
3. Follow Highway 24 West (approximately 2.5 miles) to Western Boulevard and turn right (north).
4. Continue on Western Boulevard (approximately 1.5 miles) to the fifth stoplight and the hospital is on the left side of the street.
5. Follow signs to the emergency room entrance.

A map depicting the route to the Onslow County Memorial Hospital and the Base Naval Hospital will be posted in each trailer.

### 8.3 PERSONNEL ROLES, LINES OF AUTHORITY, AND COMMUNICATIONS

This section of the ERCP describes the various roles, responsibilities, and communication procedures that will be followed by personnel involved in emergency responses.

The primary emergency coordinator for this site is the Site Supervisor. In the event an emergency occurs and the emergency coordinator is not on site, the Site Safety Officer or the highest ranking employee on site will serve as the emergency coordinator until he arrives. The emergency coordinator will determine the nature of the emergency and take appropriate action as defined by this ERCP.

The emergency coordinator will implement the ERCP immediately as required. The decision to implement the plan will depend upon whether the actual incident threatens human health or the environment. Immediately after being notified of an emergency incident, the emergency coordinator or his designee will evaluate the situation to determine the appropriate action.

#### 8.3.1 Responsibilities and Duties

This section describes the responsibilities and duties assigned to the emergency coordinator.

It is recognized that the structure of the "Incident Command System" will change as additional response organizations are added. OHM will follow procedures as directed by the fire department, LEPC, State and Federal Agencies as required. OHM will defer to the local Fire Department chief to assume the role of Incident Commander upon arriving on site. Additional on-site personnel may be added to the Site Emergency Response Team as required to respond effectively.

#### 8.3.2 On-site Emergency Coordinator Duties

The on-site emergency coordinator is responsible for implementing and directing the emergency procedures. All emergency personnel and their communications will be coordinated through the emergency coordinator. Specific duties are as follows:

- Identify the source and character of the incident, type and quantity of any release. Assess possible hazards to human health or the environment that may result directly from the problem or its control.
- Discontinue operations in the vicinity of the incident if necessary to ensure that fires, explosions, or spills do not recur or spread to other parts of the site. While operations are dormant, monitor for leaks, pressure build-up, gas generation, or ruptures in valves, pipes, or other equipment, where appropriate.

- Notify the NOSC/NOSCDR if outside emergency response help is necessary to control the incident. Table 8.1 provides telephone numbers for emergency assistance.
- Direct on-site personnel to control the incident until, if necessary, outside help arrives.
- Ensure that the building or area where the incident occurred and the surrounding area are evacuated and shut off possible ignition sources, if appropriate. The Emergency Response Team is responsible for directing site personnel such that they avoid the area of the incident and leave emergency control procedures unobstructed.
- If fire or explosion is involved, notify Base Fire Department.
- Notify LANTDIV ROICC
- Notify OHM Project Manager
- Have protected personnel, in appropriate PPE, on standby for rescue.

If the incident may threaten human health or the environment outside of the site, the emergency coordinator should immediately determine whether evacuation of area outside of the site may be necessary and, if so, notify the Police Department and the Office of Emergency Management.

When required (as determined by the NOSC/NOSCDR), notify the National Response Center. The following information should be provided to the National Response Center:

- Name and telephone number
- Name and address of facility
- Time and type of incident
- Name and quantity of materials involved, if known
- Extent of injuries
- Possible hazards to human health or the environment outside of the facility.

The emergency telephone number for the National Response Center is 800-424-8802.

If hazardous waste has been released or produced through control of the incident, ensure that:

- Waste is collected and contained.

- Containers of waste are removed or isolated from the immediate site of the emergency.
- Treatment or storage of the recovered waste, contaminated soil or surface water, or any other material that results from the incident or its control is provided.
- Ensure that no waste that is incompatible with released material is treated or stored in the facility until cleanup procedures are completed.
- Ensure that all emergency equipment used is decontaminated, recharged, and fit for its intended use before operations are resumed.
- Notify the USEPA Regional Administrator that cleanup procedures have been completed and that all emergency equipment is fit for its intended use before resuming operations in the affected area of the facility. The USEPA Regional Administrator's telephone number is included in the Emergency Contacts.
- Record time, date, and details of the incident, and submit a written report to the USEPA Regional Administrator. Report is due to USEPA within 15 days of the incident.
- Perform post incident evaluation and response critique and submit a written report to the Regional Health and Safety Director within 30 days of the incident conclusion.

#### **8.4 SAFE DISTANCES AND PLACES OF REFUGE**

The emergency coordinator for all activities will be the SS. No single recommendation can be made for evacuation or safe distances because of the wide variety of emergencies which could occur. Safe distances can only be determined at the time of an emergency based on a combination of site and incident-specific criteria. However, the following measures are established to serve as general guidelines.

In the event of minor hazardous materials releases (small spills of low toxicity), workers in the affected area will report initially to the contamination reduction zone. Small spills or leaks (generally less than 55 gallons) will require initial evacuation of at least 50 feet in all directions to allow for cleanup and to prevent exposure. After initial assessment of the extent of the release and potential hazards, the emergency coordinator or his designee will determine the specific boundaries for evacuation. Appropriate steps such as caution tape, rope, traffic cones, barricades, or personal monitors will be used to secure the boundaries.

In the event of a major hazardous material release (large spills of high toxicity/greater than 55 gallons), workers will be evacuated from the building/site. Workers will assemble at the entrance to the site for a head count by their foremen and to await further instruction.

If an incident may threaten the health or safety of the surrounding community, the public will be informed and, if necessary, evacuated from the area. The emergency coordinator, or his designee will inform the proper agencies in the event that this is necessary. Telephone numbers are listed in Table 8.1.

Places of refuge will be established prior to the commencement of activities. These areas must be identified for the following incidents:

- Chemical release
- Fire/explosion
- Power loss
- Medical emergency
- Hazardous weather

In general, evacuation will be made to the crew trailers, unless the emergency coordinator determines otherwise. It is the responsibility of the emergency coordinator to determine when it is necessary to evacuate personnel to off-site locations.

In the event of an emergency evacuation, all the employees will gather at the entrance to the site until a head count establishes that all are present and accounted for. No one is to leave the site without notifying the emergency coordinator.

## **8.5 EVACUATION ROUTES AND PROCEDURES**

All emergencies require prompt and deliberate action. In the event of an emergency, it will be necessary to follow an established set of procedures. Such established procedures will be followed as closely as possible. However, in specific emergency situations, the emergency coordinator may deviate from the procedures to provide a more effective plan for bringing the situation under control. The emergency coordinator is responsible for determining which situations require site evacuation.

### **8.5.1 Evacuation Signals and Routes**

Two-way radio communication and an air horn will be used to notify employees of the necessity to evacuate an area or building involved in a release/spill of a hazardous material. Each crew supervisor will have a two way radio. A base station will be installed in the OHM office trailer to monitor for emergencies. Total site evacuation will be initiated

only by the emergency coordinator; however, in his absence, decision to preserve the health and safety of employees will take precedence. Evacuation routes will be posted in each outside work area. Signs inside buildings will be posted on walls or other structural element of a building. Periodic drills will be conducted to familiarize each employee with the proper routes and procedures.

#### **8.5.2 Evacuation Procedures**

In the event evacuation is necessary, the following actions will be taken:

- The emergency signal will be activated.
- No further entry of visitors, contractors, or trucks will be permitted. Vehicle traffic within the site will cease in order to allow safe exit of personnel and movement of emergency equipment.
- Shut off all machinery if safe to do so.
- ALL on-site personnel, visitors, and contractors in the support zone will assemble at the entrance to the site for a head count and await further instruction from the emergency coordinator.
- ALL persons in the exclusion zone and contamination reduction zone will be accounted for by their immediate crew leaders (e.g., foreman). Leaders will determine the safest exits for employees and will also choose an alternate exit if the first choice is inaccessible.
- During exit, the crew leader should try to keep the group together. Immediately upon exit, the crew leader will account for all employees in his crew.
- Upon completion of the head count, the crew leader will provide the information to the emergency coordinator.
- Contract personnel and visitors will also be accounted for.
- The names of emergency response team members involved will be reported to the emergency spill control coordinator.
- A final tally of persons will be made by the emergency coordinator or designee. No attempt to find persons not accounted for will involve endangering lives of OHM or other employees by reentry into emergency areas.

- In all questions of accountability, immediate crew leaders will be held responsible for those persons reporting to them. Visitors will be the responsibility of those employees they are seeing. Contractors and truck drivers are the responsibility of the Site Supervisor. The security guard will aid in accounting for visitors, contractors, and truckers by reference to sign-in sheets available from the guard shack.
- Personnel will be assigned by the emergency coordinator to be available at the main gate to direct and brief emergency responders.
- Reentry into the site will be made only after clearance is given by the emergency coordinator. At his direction, a signal or other notification will be given for reentry into the facility.
- Drills will be held periodically to practice all of these procedures and will be treated with the same seriousness as an actual emergency.

## **8.6 EMERGENCY SPILL RESPONSE PROCEDURES AND EQUIPMENT**

In the event of an emergency involving a hazardous material spill or release, the following general procedures will be used for rapid and safe response and control of the situation. Emergency contacts found in Table 8.1 provide a quick reference guide to follow in the event of a major spill.

### **8.6.1 Notification Procedures**

If an employee discovers a chemical spill or process upset resulting in a vapor or material release, he or she will immediately notify the on-site emergency coordinator.

The on-site Emergency Coordinator will obtain information pertaining to the following:

- The material spilled or released.
- Location of the release or spillage of hazardous material.
- An estimate of quantity released and the rate at which it is being released.
- The direction in which the spill, vapor or smoke release is heading.
- Any injuries involved.
- Fire and/or explosion or possibility of these events.
- The area and materials involved and the intensity of the fire or explosion.

This information will help the on-site emergency coordinator to assess the magnitude and potential seriousness of the spill or release.

### 8.6.2 Procedure for Containing/Collecting Spills

The initial response to any spill or discharge will be to protect human health and safety, and then the environment. Identification, containment, treatment, and disposal assessment will be the secondary response.

If for some reason a chemical spill is not contained within a dike or sump area, an area of isolation will be established around the spill. The size of the area will generally depend on the size of the spill and the materials involved. If the spill is large (greater than 55 gallons) and involves a tank or a pipeline rupture, an initial isolation of at least 100 ft. in all directions will be used. Small spills (less than or equal to 55 gallons) or leaks from a tank or pipe will require evacuation of at least 50 ft. in all directions to allow cleanup and repair and to prevent exposure. When any spill occurs, only those persons involved in overseeing or performing emergency operations will be allowed within the designated hazard area. If possible the area will be roped or otherwise blocked off.

If the spill results in the formation of a toxic vapor cloud (by reaction with surrounding materials or by outbreak of fire) and its release (due to high vapor pressures under ambient conditions), further evacuation will be enforced. In general an area at least 500 feet wide and 1,000 feet long will be evacuated downwind if volatile materials are spilled. (Consult the DOT Emergency Response Guide for isolation distances for listed hazardous materials.)

If an incident may threaten the health or safety of the surrounding community, the public will be informed and possibly evacuated from the area. The on-site emergency coordinator will inform the proper agencies in the event this is necessary. (Refer to Table 8.1)

As called for in regulations developed under the Comprehensive Environmental Response Compensation Liability Act of 1980 (Superfund), OHM's practice is to report a spill of a pound or more of any hazardous material for which a reportable quantity has not been established and which is listed under the Solid Waste Disposal Act, Clean Air Act, Clean Water Act, or TSCA. OHM also follows the same practice for any substances not listed in the Acts noted above but which can be classified as a hazardous waste under RCRA.

Clean up personnel will take the following measures:

- Make sure all unnecessary persons are removed from the hazard area.
- Put on protective clothing and equipment.
- If a flammable material is involved, remove all ignition sources, and use spark and explosion proof equipment for recovery of material.

- Remove all surrounding materials that could be especially reactive with materials in the waste. Determine the major components in the waste at the time of the spill.
- If wastes reach a storm sewer, try to dam the outfall by using sand, earth, sandbags, etc. If this is done, pump this material out into a temporary holding tank or drums as soon as possible.
- Place all small quantities of recovered liquid wastes (55 gallons or less) and contaminated soil into drums for incineration or removal to an approved disposal site.
- Spray the spill area with foam, if available, if volatile emissions may occur.
- Apply appropriate spill control media (e.g. clay, sand, lime, etc.) to absorb discharged liquids.
- For large spills, establish diking around leading edge of spill using booms, sand, clay or other appropriate material. If possible, use diaphragm pump to transfer discharged liquid to drums or holding tank.

### **8.6.3 Emergency Response Equipment**

The following equipment will be staged in the support zone and throughout the site, as needed, to provide for safety and first aid during emergency responses:

- ABC-type fire extinguisher
- First-aid kit, industrial size
- Eyewash/safety shower (This equipment will be in conformance with ANSI Z358.1-1990.)
- Emergency oxygen unit
- Emergency signal horn
- Self contained breathing apparatus (two)
- Stretcher/backboard

In addition to the equipment listed above, OHM maintains direct reading instrumentation that may be used in emergency situations to assess the degree of environmental hazard. This equipment will only be used by the Site Safety Officer or other specially trained personnel. This equipment will be stored, charged and ready for immediate use in evaluating hazardous chemical concentrations. The equipment will be located at the OHM office trailer.

<i>EQUIPMENT NAME</i>	<i>APPLICATION</i>
Portable H-NU Photoionization Meter	Measures selected inorganic and organic chemical concentrations
MSA Oxygen and Combustible Gas Meter	Measures oxygen and combustible gas levels
Drager Detector Tubes	Assorted detector tubes to measure specific chemical concentrations

#### **8.6.4 Personal Protective Equipment**

A supply of two (minimum) SCBAs will be located in the support zone for use in emergency response to hazardous materials releases. They will be inspected at least monthly, according to OSHA requirements. In addition, all emergency response personnel will have respirators available for use with cartridge selection determined by the Site Safety Officer based on the results of direct reading instruments. Emergency response personnel will also be provided with protective clothing as warranted by the nature of the hazardous material and as directed by the Site Safety Officer. All OHM personnel who may be expected to wear SCBAs are trained at assignment and annually thereafter on the proper use and maintenance of SCBAs and airline respirators.

#### **8.6.5 Emergency Spill Response Clean-Up Materials and Equipment**

A sufficient supply of appropriate emergency response clean-up and personal protective equipment will be inventoried and inspected, visually, on a weekly basis.

The materials listed below will be kept on site for spill control, depending on the types of hazardous materials present on site. The majority of this material will be located in the support zone, in a supply trailer or storage area. Small amounts will be placed on pallets and located in the active work areas.

- Sand or clay to solidify/absorb liquid spills.
- Lime (calcium oxide), soda ash (sodium carbonate), or baking soda (sodium bicarbonate) for neutralizing acid (pH <7) spills.
- Activated charcoal (carbon) to adsorb organic solvents (hydrocarbons) and to reduce flammable vapors.
- Citric acid for neutralizing caustic (pH >7) spills.
- Vapor-suppressing foam, if required by the Client, for controlling the release of volatile organic compounds.

- Appropriate solvents e.g. CITRIKLEEN, for decontamination of structures or equipment.

The following equipment will be kept on site and dedicated for spill cleanup:

- Plastic shovels for recovering corrosive and flammable materials.
- Sausage-shaped absorbent booms for diking liquid spills, drains, or sewers.
- Sorbent sheets (diapers) for absorbing liquid spills.
- Overpack drums for containerizing leaking drums.
- 55-gallon open-top drums for containerization of waste materials.

\*NOTE: All contaminated soils, absorbent materials, solvents and other materials resulting from the clean-up of spilled or discharged substances shall be properly stored, labelled, and disposed of off-site.

## 8.7 EMERGENCY CONTINGENCY PLAN

This section of the ERCP details the contingency measures OHM will take to prepare for and respond to fires, explosions, spills and releases of hazardous materials, hazardous weather, and medical emergencies.

### 8.7.1 Medical Emergency Contingency Measures

The procedures listed below will be used to respond to medical emergencies. The SSO will contact the local hospital and inform them of the site hazards and potential emergency situations. A minimum of two First-Aid/CPR trained personnel will be maintained on site. All OHM first aid and CPR Responders have received training as required by 29 CFR 1910.1030 Bloodborne Pathogen Standard. A copy of the OHM exposure control plan may be obtained from the Site Safety Officer or Regional Health and Safety Director.

#### 8.7.1.1 Response

The nearest workers will immediately assist a person who shows signs of medical distress or who is involved in an accident. The crew foreman will be summoned.

The crew foreman will immediately make radio contact with the on-site emergency coordinator to alert him of a medical emergency situation. The foreman will advise the following information:

- Location of the victim at the work site
- Nature of the emergency
- Whether the victim is conscious

- Specific conditions contributing to the emergency, if known

The Emergency Coordinator will notify the Site Safety Officer. The following actions will then be taken depending on the severity of the incident:

- Life-Threatening Incident--If an apparent life-threatening condition exists, the crew foreman will inform the emergency coordinator by radio, and the local Emergency Response Services (EMS) will be immediately called. An on-site person will be appointed who will meet the EMS and have him/her quickly taken to the victim. Any injury within the EZ will be evacuated by OHM personnel to a clean area for treatment by EMS personnel. No one will be able to enter the EZ without showing proof of training, medical surveillance and site orientation.
- Non Life-Threatening Incident--If it is determined that no threat to life is present, the Site Safety Officer will direct the injured person through decontamination procedures (see below) appropriate to the nature of the illness or accident. Appropriate first aid or medical attention will then be administered.

\*NOTE: The area surrounding an accident site must not be disturbed until the scene has been cleared by the Site Safety Officer.

Any personnel requiring emergency medical attention will be evacuated from exclusion and contamination reduction zones if doing so would not endanger the life of the injured person or otherwise aggravate the injury. Personnel will not enter the area to attempt a rescue if their own lives would be threatened. The decision whether or not to decontaminate a victim prior to evacuation is based on the type and severity of the illness or injury and the nature of the contaminant. For some emergency victims, immediate decontamination may be an essential part of life-saving first aid. For others, decontamination may aggravate the injury or delay life-saving first aid. Decontamination will be performed if it does not interfere with essential treatment.

If decontamination can be performed, observe the following procedures:

- Wash external clothing and cut it away.

If decontamination cannot be performed, observe the following procedures:

- Wrap the victim in blankets or plastic to reduce contamination of other personnel.
- Alert emergency and off-site medical personnel to potential contamination, instruct them about specific decontamination procedures which must be performed.

- Send site personnel familiar with the incident and chemical safety information, e.g. MSDS, with the affected person.

All injuries, no matter how small, will be reported to the SSO or the Site Supervisor. An accident/injury/illness report will be completely and properly filled out and submitted to the Regional Health and Safety Director/Project CIH, in accordance with OHM's reporting procedures.

A list of emergency telephone numbers is given in Table 8.1.

#### 8.7.1.2 Notification

The following personnel/agencies will be notified in the event of a medical emergency:

- Local Fire Department or EMS
- On-site Emergency Coordinator
- Workers in the affected areas
- Client Representative

#### 8.7.1.3 Directions To Hospital

Written directions to the hospital and a map will be posted in all trailers in the staging area.

#### 8.7.2 Fire Contingency Measures

OHM personnel and subcontractors are not trained professional firefighters. Therefore, if there is any doubt that a fire can be quickly contained and extinguished, personnel will notify the emergency coordinator by radio and vacate the structure or area. The emergency coordinator will immediately notify the local Fire Department.

The following procedures will be used to prevent the possibility of fires and resulting injuries:

- Sources of ignition will be kept away from where flammable materials are handled or stored.
- The air will be monitored for explosivity before and during hot work and periodically where flammable materials are present. Hot work permits will be required for all such work.
- "No smoking" signs will be conspicuously posted in areas where flammable materials are present.

- Fire extinguishers will be placed in all areas where a fire hazard may exist.
- Before workers begin operations in an area the foreman will give instruction on egress procedures and assembly points. Egress routes will be posted in work areas and exit points clearly marked.

The following procedures will be used in the event of a fire:

- Anyone who sees a fire will notify their supervisor who will then contact the Emergency Coordinator by radio. The emergency coordinator will activate the emergency air horns and contact the local Fire Department.
- When the emergency siren sounds, workers will disconnect electrical equipment in use (if possible) and proceed to the nearest fire exit.
- Work crews will be comprised of pairs of workers (buddy system) who join each other immediately after hearing the fire alarm and remain together throughout the emergency. Workers will assemble at a predetermined rally point for a head count.
- When a small fire has been extinguished by a worker, the emergency coordinator will be notified.

### 8.7.3 Hazardous Weather Contingency Measures

Operations will not be started or continued when the following hazardous weather conditions are present:

- Lightning
- Heavy Rains/Snow
- High Winds

#### 8.7.3.1 Response

- Excavation/soil stock piles will be covered with plastic liner.
- All equipment will be shut down and secured to prevent damage.
- Personnel will be moved to safe refuge, initially crew trailers. The emergency coordinator will determine when it is necessary to evacuate personnel to off-site locations and will coordinate efforts with fire, police and other agencies.

#### 8.7.3.2 Notification

The emergency coordinator will be responsible for assessing hazardous weather conditions and notifying personnel of specific contingency measures. Notifications will include:

- OHM employees and subcontractors
- Client Representative
- Local Civil Defense Organization

#### 8.7.4 Spill/Release Contingency Measures

In the event of release or spill of a hazardous material the following measures will be taken.

Any person observing a spill or release will act to remove and/or protect injured/contaminated persons from any life-threatening situation. First aid and/or decontamination procedures will be implemented as appropriate.

First aid will be administered to injured/contaminated personnel. Unsuspecting persons/vehicles will be warned of the hazard. All personnel will act to prevent any unsuspecting persons from coming in contact with spilled materials by alerting other nearby persons. Without taking unnecessary risks, personnel will attempt to stop the spill at the source. This may involve activities such as uprighting a drum, closing a valve or temporarily sealing a hole with a plug.

Utilizing radio communications, the emergency coordinator will be notified of the spill/release, including information on material spilled, quantity, personnel injuries and immediate life threatening hazards. Air monitoring will be implemented by the emergency coordinator and SSO to determine the potential impact on the surrounding community. Notification procedures will be followed to inform on-site personnel and off-site agencies. The emergency coordinator will make a rapid assessment of the spill/release and direct confinement, containment and control measures. Depending upon the nature of the spill, measures may include:

- Construction of a temporary containment berm utilizing on-site clay absorbent earth
- Digging a sump, installing a polyethylene liner and diverting the spill material into the sump placing drums under the leak to collect the spilling material before it flows over the ground
- Transferring the material from its original container to another container

The emergency coordinator will notify the LANTDIV ROICC, of the spill and steps taken to institute clean-up. Emergency response personnel will clean-up all spills following the

spill clean-up plan developed by the emergency coordinator. Supplies necessary to clean up a spill will be immediately available on-site. Such items may include, but are not limited to:

- Shovel, rake
- Clay absorbent
- Polyethylene liner
- Personal safety equipment
- Steel drums
- Pumps and miscellaneous hand tools

The major supply of material and equipment will be located in the Support Zone. Smaller supplies will kept at active work locations. The emergency coordinator will inspect the spill site to determine that the spill has been cleaned up to the satisfaction of the ROICC. If necessary, soil, water or air samples may be taken and analyzed to demonstrate the effectiveness of the spill clean-up effort. The emergency coordinator will determine the cause of the spill and determine remedial steps to ensure that recurrence is prevented. The emergency coordinator will review the cause with the ROICC and obtain his concurrence with the remedial action plan.

## **9.0 TRAINING REQUIREMENTS**

---

As a prerequisite to employment at OHM, all field employees are required to take a 40-hour training class and pass a written examination. This training covers all forms of personal protective equipment, toxicological effects of various chemicals, hazard communication, bloodborne pathogens, handling of unknown tanks and drums confined-space entry procedures, and electrical safety. This course is in full compliance with OSHA requirements in 29 CFR 1910.120. In addition, all employees receive annual 8-hour refresher training and three day on-site training under a trained experienced supervisor. Supervisory personnel receive an additional 8-hour training in handling hazardous waste operations. Copies of certification of this training will be maintained on-site for all workers assigned to this project.

All personnel assigned to this project will receive training on this HASP and other pertinent site-specific information (as determined by the SSO and SS) prior to starting work.

All personnel entering the exclusion zone will be trained in the provisions of this site safety plan and be required to sign the Health and Safety Plan Certification in Appendix A.

## 10.0 MEDICAL SURVEILLANCE PROGRAM

---

All OHM personnel participate in a medical and health monitoring program. This program is initiated when the employee starts work with a complete physical and medical history and is continued on a regular basis. A listing of OHM's worker medical profile is shown below. This program was developed in conjunction with a consultant toxicologist and OHM's occupational health physician. Other medical consultants are retained when additional expertise is required. Medical certification for all site workers assigned to the project will be maintained on-site.

The medical surveillance program meets the requirements of the OSHA Standard 29 CFR 1910.120 (f).

*Table 10.1  
Worker Medical Profile*

<i>Item</i>	<i>Initial</i>	<i>Annual</i>
Medical History	X	X
Work History	X	X
Visual Acuity and Tonometry	X	X
Pulmonary Function Tests	X	X
Physical Examination	X	X
Audiometry Tests	X	X
Chest X-Ray	X	X
Complete Blood Counts	X	X
Blood Chem. (SSAC-23 or equivalent)	X	X
Urinalysis	X	X
Dermatology Examination	X	X
Electrocardiogram/Stress Test	X	X (based on age)

## 10.1 EXAMINATION SCHEDULE

Employees are examined initially upon start of employment, annually thereafter, and may be examined upon termination of employment. Unscheduled medical examinations are conducted:

- At employee request after known or suspected exposure to toxic or hazardous materials
- At the discretion of the client, the CIH, SSO, or OHM occupational physician after known or suspected exposure to toxic or hazardous materials
- At the discretion of the OHM occupational physician

All nonscheduled medical examinations will include, as a minimum, all items specified above for periodic surveillance examination, with the exception of the chest x-ray, which will be conducted at the discretion of the occupational physician performing the examination.

**APPENDIX A**

**HEALTH AND SAFETY PLAN CERTIFICATION**



**APPENDIX B**

**OHM HAZARD COMMUNICATION PROGRAM**

## APPENDIX B - OHM HAZARD COMMUNICATION PROGRAM

### 1.0 GENERAL

The following written hazard communication program has been established for OHM Corporation. The purpose of this program is to transmit information about the various Chemical hazards in the work place to the workers using various media. The transmittal of information will be accomplished by means of a comprehensive hazard communication program, which will include container labeling and other forms of warning, material safety data sheets, and employee training in accordance with 29 CFR 1910.1200 and 29 CFR 1926.59.

The program will be available in corporate and regional Health and Safety Departments for reviews by all employees. It will also be available in the corporate library and clearly marked "Employee Right-to-Know" stations located within each individual shop and on each job site. OHM Corporation will accomplish the hazard communication requirements through formal safety training, departmental safety meetings, and job site safety meetings.

### 2.0 RESPONSIBILITIES

Purpose: Overall responsibility rests with all corporate officers of OHM Corporation. A brief outline of responsibilities for those persons directly involved with the program will follow. These responsibilities are not all inclusive, but are designed to give guidance in initial and long-term program development since each area is different. These responsibilities may vary.

Scope: This program is intended to cover those employees who are directly involved with the handling of hazardous materials or supervision of those activities.

#### 2.1 **Health and Safety Department Responsibilities**

1. Review operations with supervisors to determine what tasks require hazard communication training.
2. Advise supervisory people as to which materials may need to be considered hazardous initially and eventually to ensure that hazard task determination is being done according to the written policy.
3. Follow up through safety meetings and safety audits to ensure that supervisors are carrying out prescribed company policy.
4. Notify supervisors of any operating changes affecting the hazardous materials being used.
5. Periodically audit the Hazard Communication Program's progress. Initially, this should be done biweekly, but later the audit may be done on a monthly or quarterly basis.

#### 2.2 **Training Department Responsibilities**

1. Ensure that up-to-date records are maintained on training of all employees required to handle hazardous materials. The supervisor should keep copies of these records and should also send copies of the initial training to the corporate training secretary for the training file.
2. Educate personnel upon initial training to the requirements of the Hazard Communication Standard.

### **2.3 Supervisor Responsibilities**

1. Identify jobs requiring the use of hazardous chemicals and provide lists of those jobs and chemicals to the Health and Safety Department.
2. Provide the training required by the Hazard Communication Standard and document training of employees in the safe handling of hazardous materials.
3. Inspect engineering controls and personal protective equipment before each use. Health and Safety can help determine a suitable inspection plan for each application as needed.
4. Make daily surveys of the work area to ensure that safe practices are being followed. Advise employees of unsafe work practices on the first occasion and consider further violations as disciplinary violations.
5. Ensure required labeling practices are being followed. Labeling should be affixed to the container when it arrives. If the contents are transferred to another container, then all label information (manufacturer, product name, and product number) must also be affixed to the new container, so that all containers of the material, regardless of size, are labeled.
6. Enforce all applicable safety and health standards through periodic audits.
7. Before ordering a material, determine if a Material Safety Data Sheet exist on file. Request an MSDS for any material without one.
8. Send all new MSDSs to the Health and Safety Department after making a copy for the Employee Right-to-Know file.

### **2.4 Employee Responsibilities**

1. Obey established safety rules and regulations
2. Use all safety procedures and personnel protective equipment as required by company procedures
3. Notify supervisor of the following:
  - a. Any symptoms or unusual effects that may be related to the use of hazardous chemicals.
  - b. Any missing or unreadable labels on containers.
  - c. Missing, damaged, or malfunctioning safety equipment.

4. Use approved labels on containers; do not remove labels (labels will be located in the warehouse).
5. Do not use unapproved containers for hazardous materials. (are materials and containers compatible?)
6. Know where emergency equipment and first-aid supplies are located before considering a possibly dangerous task.
7. Know location of Material Safety Data Sheets (MSDSs). These will be located in the "Employee Right-to-know" station for the respective shop/job site.
8. Know what you are expected to do in case of an emergency. Before the commencement of any task, emergency considerations shall be made.

## **2.5 Shipping/Receiving Personnel Responsibilities**

1. Ensure MSDS are received with initial shipment of a hazardous material; if not, contact purchasing to request the appropriate MSDS and also call the Health and Safety Department to determine if there is an MSDS available until the requested MSDS arrives.
2. Ensure labels are affixed to all containers.
3. Store hazardous materials in designated locations.
4. Use proper personal protective equipment when handling hazardous materials.
5. Report damaged containers or spills to the appropriate Health and Safety Department immediately.
6. Request an MSDS from the manufacturer for any hazardous material that arrives in Findlay from a job. Also, a MSDS shall accompany any hazardous material that is sent to a job.

## **3.0 HAZARD DETERMINATION**

OHM Corporation will rely on Material Safety Data Sheets from hazardous chemical supplier to meet hazard determination requirements. Other relevant data from laboratory analyses, chemical reference materials, and chemical manufacturers', written evaluation procedures will be utilized when warranted. No other method shall be used to determine chemical hazard unless approved by the Health and Safety Department.

## **4.0 LABELING**

The shipping and receiving supervisors will be responsible for seeing that all containers arriving at OHM Corporation are properly and clearly labeled. Shipping and receiving supervisors shall also check all labels for chemical identity and appropriate hazard warnings. If the hazardous chemical is regulated by OSHA in a substance specific health standard, the supervisor or department manager shall ensure that the labels or other forms of warning used are in accordance with the requirements of that standard. Any container that is not labeled shall be immediately labeled correctly after initial discovery.

Each supervisor or department manager shall be responsible for seeing that all portable containers used in their work area are properly labeled with chemical identity and hazard warning.

Supervisors or department managers shall also ensure that labels on hazardous chemical containers are not removed or defaced unless the container is immediately marked with the required information and that all labels are legible in English and prominently displayed on the container or readily available in the work area throughout each shift.

If any container is found and the contents cannot be identified, the supervisor or manager shall be contacted immediately. When proper identification is made, a label shall be affixed to the container immediately. If it is discovered that no MSDS is available, the manufacturer and the Health and Safety Department shall be contacted to assist in locating the proper MSDS. If there is no way to identify the material in the container, the container should be set aside, away from all personnel until it can be tested by the Health and Safety Department or laboratory personnel. Supervisors and managers shall communicate their findings or awareness of such containers to all personnel in the area and to those who enter later.

#### **5.0 MATERIAL SAFETY DATA SHEETS (MSDSs)**

Each supervisor or department manager at OHM Corporation will be responsible for maintaining a current MSDS relevant to the hazardous chemicals used in their area. The Health and Safety Department will be responsible for compiling the master MSDS file for the facility and aiding all shops/job sites with the completion and maintenance of their respective MSDS files.

All MSDSs will be readily available for review by all employees during each work shift. Each shop/job site will designate a clearly marked "Employee Right-to-Know" station where employees can immediately obtain a MSDS and the required information in an emergency.

Although manufacturers are required to provide employers with MSDSs on an initial chemical shipment, OHM Corporation purchasing agents (and supervisors purchasing their own material) shall request MSDSs and updates to MSDSs on all purchase orders. Supervisors and department managers that are without proper MSDSs shall be responsible for requesting this information from manufacturers for chemicals. A file of follow-up letters shall be maintained for all hazardous chemical shipments received without MSDSs.

#### **6.0 EMPLOYEE INFORMATION AND TRAINING**

It is the responsibility of the supervisor in charge of each employee to ensure that the employee is properly trained. Training employees on chemical hazards and chemical handling is accomplished at the time of initial employment at OHM Corporation, whenever a new chemical (or physical) hazard is introduced into the work area, and through ongoing formal and informal training programs. Additionally, chemical hazards are communicated to employees through daily, morning, shop specific safety meetings, which shall be documented according to topic, major points discussed, and names of those attending (attendance is mandatory). Also, biweekly hazardous chemical safety meetings will be prepared by the Health and Safety Department using similar documentation for shop areas. Attendance is mandatory for these meetings also. Documentation for shop safety meetings will be available in the respective Employee Right-to-know stations and biweekly safety meeting documentation will be available in the Health and Safety Department to all

employees for further referencing and questioning. Records of all formal training conducted at OHM Corporation are coordinated and maintained by the Training Department secretary.

At a minimum, OHM Corporation will inform employees on the following:

- The requirements of 29 CFR 1910.1200--Hazard Communication--Evaluating the potential hazards of chemicals and communication of information concerning hazards and appropriate protective measures to employees. This is accomplished in several different ways including, but not limited to, 40-hour OSHA Hazardous Waste Worker Training (29 CFR 1910.120), shop safety meetings, job site safety meetings, Health and Safety Department safety meetings, and formal and informal training about specific chemical hazards.
- The location and availability of the written hazard communication program, list of hazardous chemicals, and MSDS sheets--Notices will be periodically posted on the employee bulletin boards providing the location of the above material.
- Any operations in their work area where hazardous chemicals are present.
- What the company has done to lessen or prevent workers' exposure to these chemicals.

Employee training shall include at least:

- Methods and observations that may be used to detect the presence or release of a hazardous chemical in the work area (monitoring instruments, visual appearance or odor), and acute and chronic health effects.
- The physical and health hazards of chemicals in the work area (accomplished through periodic physical and chemical hazard awareness sessions developed by the Health and Safety Department). These sessions shall serve as chemical hazards refreshers.
- The methods of preventing exposure to hazardous chemicals including the measures OHM Corporation has taken to protect the employees.
- Procedures to follow if OHM Corporation employees are exposed to hazardous chemicals (location of nearest phone, emergency eyewash, and shower will be included). These discussions shall include proper operating procedures for all emergency equipment.
- The details of the hazard communication program developed by OHM Corporation, including an explanation of the labeling system and the Material Safety Data Sheets, and how employees can obtain and use the appropriate hazard information.
- Standard operating procedures within each respective shop. OHM Corporation company policy determines what is considered standard operating procedures.
- Procedures for workers involved in non-routine tasks.

Each supervisor or department manager shall ensure that the above training is emphasized to OHM Corporation employees. The Health and Safety Department will ensure that each shop, department, and job site is properly informing and training all employees through daily group meetings and individual discussions. Whenever a new hazardous chemical is placed into use, the supervisor or department manager shall inform the employees of the hazards which that chemical may pose. The supervisor or manager shall also be responsible for obtaining and making available a MSDS for the new chemical.

## **7.0 HAZARDOUS NON-ROUTINE TASKS**

Occasionally, employees at OHM Corporation are required to perform tasks which are considered to be non-routine. All tasks considered to be non-routine shall be carefully discussed among the supervisor and those performing the task. This safety briefing shall include all possible hazards that may be encountered while completing the task, including:

- Hazard recognition
- Chemicals involved and their hazardous properties
- Physical hazards
- Methods of avoiding all hazards (technical instruments, proper personal protective equipment, etc.)

The following is list of some of the non-routine tasks which may occur at OHM Corporation together with some information needed to complete the tasks safely.

- Confined Space Entry
  - Obtain confined space entry procedure/permit from Health and Safety Department and follow all protocol before beginning task. Complete and have supervisor sign permit before any work begins.
  - Monitor atmosphere with explosimeter, oxygen meter, and any toxic gas meter as may be appropriate.
  - Discuss specific chemical hazards.
  - Discuss protective/safety measures the employee can take (e.g., Personal protective equipment and engineering controls, use of life lines, lock-out/tagout procedures, etc).
  - Measures the company has taken to lessen the hazards including ventilation, respirator, presence of another employee, and emergency procedures.
- Excavation, Trenching, and Shoring
  - Obtain guidelines from Health and Safety Department before beginning task.
  - Comply with all requirements set forth for this activity in 29 CFR Subpart P(excavating, trenching, shoring).

- Discuss specific chemical hazards.
- Follow confined space entry procedure above if trench is above shoulder height.
- Discuss protective/safety measures the employee can take.
- Review appropriate accident prevention steps.
- Decontamination of Equipment
  - Determine possible contaminants and the hazards associated with them.
  - Determine personal protection needed by contacting the Health and Safety Department.
  - Alert all personnel in areas of contamination and decontamination
  - Contain and secure all contaminated materials and decontamination materials.
  - Contact the Health and Safety Department for proper disposal.

It is company policy that no OHM Corporation employee will begin work on any non-routine task without first receiving a safety briefing from their supervisor or a Health and Safety Department representative.

## 8.0 INFORMING CONTRACTORS

- Hazardous chemicals to which they may be exposed while performing a task including the following:
  - Chemical properties
  - Physical properties
  - Acute/Chronic health effects
- Location of "Employee Right-to Know" station which includes the following:
  - MSDS for work area
  - Hazard Communication Program
  - Other relevant safety material
- Precautionary measures to be taken to protect employees from chemical and physical hazards.
- Location of nearest emergency equipment (fire extinguisher, eyewash, shower, phone, first-aid kit, etc.)
- Procedures to follow in the event of employee exposure.
- Steps OHM Corporation has taken to reduce the risk of exposure to physical and chemical hazards including the following:

- Safety meetings
  - Hazard Communication Program
  - Proper storage and labeling of hazardous chemicals
  - Health and Safety Department shop audits
- The methods used to label all hazardous chemicals.

The Health and Safety Department shall offer assistance in providing the above information to contractors working at OHM Corporation. On initial visit by a contractor to OHM Corporation, a "Contractor Right-to-Know" release form shall be completed. This form will state that the above information has been communicated to the perspective contractor.

## APPENDIX C

### SITE MATERIAL SAFETY DATA SHEETS

#### Site Contaminants

Chlordane  
DDT dichlorodiphyltrichloroethane  
Polychlorinated Biphenyls (PCBs)  
Aldrin (no MSDS)  
Dieldrin  
DDD dichloro 2,2 bis(p  
chlorophenol)ethane (No MSDS)

#### Hazard Communication Chemicals

Gasoline (Unleaded)  
Motor oil  
Alconox  
Anti-fog  
Bleach/detergent  
Diesel fuel  
Fire extinguishers  
Gear lube  
Grease  
Hand cleaner  
Calcium hypochlorite  
Liquid detergent  
Breathing air  
Isobutylene (calibration gas)  
Isopropyl alcohol  
Methane (calibration gas)  
Oil (hydraulic)  
Pentane (calibration gas)  
Starting fluid  
WD-40



# Genium Publishing Corp.

One Genium Plaza  
Schenectady, NY 12304-4690  
(518) 377-8854

## Material Safety Data Sheets Collection

Chlordane

MSDS No. 877

Date of Preparation: 10/93

### Section 1 - Chemical Product and Company Identification

42

**Product/Chemical Name:** Chlordane

**Chemical Formula:** C<sub>10</sub>H<sub>6</sub>Cl<sub>8</sub>

**CAS No.:** 57-74-9 (pure), 12789-03-6 (technical)

**Synonyms:** Chlor Kil; Chlortox; dichlorochlordane; Dowchlor; NCI-C00099; Octachlor; octachlorodihydrocyclopentadiene; 1,2,4,5,6,7,8,8-octachloro-2,3,3a,4,7,7a-hexahydro-4,7-methanoindene; octachloro-4,7-methanohydroindane; octachloro-4,7-methanotetrahydroindane; Topichlor 20; Velsicol 1068.

**Derivation:** By Diels-Alder addition of hexachlorocyclopentadiene to cyclopentadiene, followed by reaction with chlorine. Pure chlordane is a solid but in its commercial form it is mixed with a variety of solvents, namely deodorized kerosine. Typical concentrations are 2 to 80% chlordane.

**General Use:** Chlordane was used as an insecticide until its ban by the EPA in 1988. Its primary use was for termites, but was also effective on insects such as ants, cutworms, rose beetles, and grubs. A single application would provide termite protection for > 26 yr.

**Vendors:** Consult the latest *Chemical Week Buyers' Guide*. (73)

### Section 2 - Composition / Information on Ingredients

Chlordane, 60 to 75% vol (technical grade, alpha and gamma isomers).

**Impurities:** Because chlordane is found in solution, there is a mixture (25 to 40%) of ~ 26 organochlorine compounds, including heptachlor (4 to 10%), nonachlor, Diels-Alder adduct of cyclopentadiene and pentachlorocyclopentadiene, hexachlorocyclopentadiene, and octachlorocyclopentene.

**OSHA PEL**

8-hr TWA: 0.5 mg/m<sup>3</sup>(skin)

**ACGIH TLV**

TWA: 0.5 mg/m<sup>3</sup>(skin)

**NIOSH REL**

10-hr TWA: 0.5 mg/m<sup>3</sup>(skin)

**IDLH Level**

Ca. 500 mg/m<sup>3</sup>

**DFG (Germany) MAK**

TWA: 0.5 mg/m<sup>3</sup>(skin)

Category III: substances with systemic effects

Onset of Effect: > 2 hr

Half-life: > shift length (strongly cumulative)

**Peak Exposure Limit:** 5 mg/m<sup>3</sup>, 30 min. average value, 1/shift

### Section 3 - Hazards Identification

#### ☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

Chlordane is an organochlorine insecticide. It is a solid or a colorless to amber, viscous liquid with a pungent, chlorine odor. It was banned in 1988 by the EPA because of its toxicity and persistency and bioconcentration in the environment. Inhalation does not appear to be a significant problem at normal use levels, but high concentrations would produce effects. However, skin absorption and ingestion of even small amounts can adversely affect the central nervous system, liver, and kidneys. Numerous deaths have been associated with exposure to chlordane. The pure compound is noncombustible, but because it was produced as a solution, its flammability is dependent on the solvent used.

**Wilson**

**Risk Scale**

R 1

I 3

S 2\*

K 0

\*Skin absorption

#### Potential Health Effects

**Primary Entry Routes:** Skin absorption, ingestion, inhalation.

**Target Organs:** Skin, liver, kidneys, blood, central nervous system, respiratory system.

**Acute Effects**

**Inhalation:** Acute toxic exposures via inhalation would cause symptoms similar to those via ingestion.

**Eye:** Contact can be irritating.

**Skin:** Contact may produce irritation. This appears to have been more common prior to 1951 when a greater proportion of hexachlorocyclopentadiene was added. Chlordane can be absorbed through the skin in concentrations high enough to cause death. In one case, an accidental application caused death via respiratory failure within 40 minutes post exposure. (See ingestion symptoms)

**Ingestion:** Chlordane primarily affects the CNS by increasing excitability. Symptoms include confusion, agitation, tremor, incoordination, delirium, convulsions ranging from myoclonic jerking to violent seizures, and coma. Liver (enlargement) and kidney damage (no urine output due to degeneration of kidney tubules) is possible. Blood dyscrasias (imbalance in blood components) are common. Death is possible from respiratory or kidney failure.

**HMS**

H 2

F 1†

R 0

† Varies depending on the solvent(s) present. Doesn't burn when pure.

**PPE†**  
‡Sec. 8

**Carcinogenicity:** Chlordane is listed by the following agencies in regard to carcinogenicity: EPA-B2 (Probable human carcinogen, sufficient animal and insufficient human evidence), IARC-2B (Possible human carcinogen, limited human evidence in absence of sufficient animal evidence), DFG MAK-B (Justifiably suspected as having carcinogenic potential), and NIOSH-X (Carcinogen defined without further categorization). In animal studies there is numerous evidence that chlordane is cancerous in mice, but these studies have not been reproduced in other animal species.

**Medical Conditions Aggravated by Long-Term Exposure:** Liver and kidney disorders.

**Chronic Effects:** Because chlordane is retained in fat cells, chronic toxicity is a problem. A survey of homeowners who had their homes treated for termites with chlordane reported symptoms such as sinusitis, bronchitis, migraine, asthma, neuritis and neuralgia (pain with or without nerve degeneration, respectively) and ovarian and uterine diseases. However, it cannot be determined which and how many of these effects were due solely to exposure to chlordane.

### Section 4 - First Aid Measures

**Inhalation:** Remove exposed person to fresh air and support breathing as needed.

**Eye Contact:** Do not allow victim to rub or keep eyes tightly shut. Gently lift eyelids and flush immediately and continuously with flooding amounts of water for at least 15 min. Do not scrub! Consult a physician immediately.

**Skin Contact:** Quickly remove contaminated clothing. Rinse with flooding amounts of water for at least 15 min. Wash exposed area with soap and water. Do not scrub because this will increase absorption risk. For reddened or blistered skin, consult a physician.

**Ingestion:** Never give anything by mouth to an unconscious or convulsing person. Contact a poison control center. Unless the poison control center advises otherwise, have the conscious and alert person drink 1 to 2 glasses of water, then induce vomiting (most effective if done within 30 min. of ingestion).

*After first aid, get appropriate in-plant, paramedic, or community medical support.*

**Note to Physicians:** Chlordane's metabolites oxychlordane and heptachlor epoxide are indicators useful for biological monitoring. Dialysis, exchange transfusion, and hemoperfusion are ineffective. Oral administration of cholestyramine may enhance excretion.

**Special Precautions/Procedures:** Do not administer adrenergic amines which may further increase myocardial irritability and produce refractory ventricular arrhythmias. For seizures: Diazepam IV bolus - 5 to 10 mg, repeated every 15 min. PRN up to 30 mg. If seizures cannot be controlled or recur, administer phenytoin or phenobarbital.

### Section 5 - Fire Fighting Measures

**Flash Point:** 225°F (107.2 °C), in kerosine solvent. Flash point may be <100 °F (212 °C) depending on solvent. Pure chlordane is a noncombustible solid.

**Flash Point Method:** OC

**Autoignition Temperature:** 410°F (210°C) in kerosine solvent

**LEL:** 0.7% v/v (kerosine solvent)

**UEL:** 5% v/v (kerosine solvent)

**Flammability Classification:** Class IIIB Combustible liquid (in kerosine solvent).

**Extinguishing Media:** Use dry chemical, carbon dioxide, water spray, or alcohol-resistant foam.


**Unusual Fire or Explosion Hazards:** Container may explode in heat of fire. Vapors may travel to ignition source and flash back. Chlordane solutions pose a vapor explosion hazard indoors, outdoors, and in sewers.

**Hazardous Combustion Products:** Include chlorine, hydrogen chloride, phosgene, and carbon oxide gases.

**Fire-Fighting Instructions:** If possible without risk, move container from fire area. Apply cooling water to container sides until well after fire is out. Stay away from ends of tanks. Withdraw immediately if you hear a rising sound from venting safety device or notice any tank discoloration due to fire. Do not release runoff from fire control methods to sewers or waterways.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode. Structural firefighters' protective clothing is not effective for fires involving chlordane.

Genium



### Section 6 - Accidental Release Measures

**Spill/Leak Procedures:** Notify safety personnel, isolate and ventilate area, deny entry, and stay upwind. Shut off all ignition sources. Cleanup personnel should protect against exposure.

**Small Spills:** Take up with earth, sand, vermiculite, or other absorbent, noncombustible material.

**Large Spills**

**Containment:** For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

**Cleanup:** Mop any residue with a mild alkali solution (will release the chlorine).

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

### Section 7 - Handling and Storage

**Handling Precautions:** Use non-sparking tools to open containers.

**Storage Requirements:** Store in a cool, dry, well-ventilated area away from heat, ignition sources, and incompatibles (Sec. 10). Containers should be aluminum, aluminum clad, or high-bake phenolic enamel-lined metal.

## Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:** To prevent static sparks, electrically bond and ground all equipment used with and around chlordane.

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.<sup>(103)</sup>

**Administrative Controls:** Consider preplacement and periodic medical exams of exposed workers with emphasis on the skin, liver, kidneys, blood, CNS and respiratory system.

**Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For any detectable levels, use a SCBA or supplied-air respirator (with auxiliary SCBA) with a full facepiece and operated in pressure-demand or other positive pressure mode. For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. *Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.* If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

**Protective Clothing/Equipment:** Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Teflon has a breakthrough time of > 4 hr and is a suitable material for PPE. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Because contact lens use in industry is controversial, establish your own policy.

**Safety Stations:** Make available in the work area emergency eyewash stations, safety/quick-drench showers, and washing facilities.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

## Section 9 - Physical and Chemical Properties

<p><b>Physical State:</b> Solid (pure), liquid (technical)</p> <p><b>Appearance and Odor:</b> Colorless to amber, viscous liquid with a pungent, chlorine odor.</p> <p><b>Odor Threshold:</b> <math>5 \times 10^{-4}</math> ppm</p> <p><b>Vapor Pressure:</b> 0.00001 mm Hg at 25 °F (77 °C)</p> <p><b>Formula Weight:</b> 409.8</p> <p><b>Specific Gravity (H<sub>2</sub>O=1, at 4 °C):</b> 1.56 at 25 °C (77 °F)</p> <p><b>Water Solubility:</b> 9 µg/L at 77 °F (25 °C)</p> <p><b>Octanol/Water Partition Coefficient: log Kow = 2.78</b></p>	<p><b>Other Solubilities:</b> Soluble in aliphatic and aromatic hydrocarbons including deodorized kerosine. Decomposes in alkalis.</p> <p><b>Boiling Point:</b> 347 °F (175 °C) at 2 mm Hg</p> <p><b>Melting Point:</b> 203 to 204.8 °F (95 to 96 °C), <i>pure solid</i></p> <p><b>Viscosity:</b> 69 P at 77 °F (25 °C)</p> <p><b>Refraction Index:</b> 1.56 to 1.57 at 77 °F (25 °C)</p> <p><b>Surface Tension:</b> 25 dyne/cm at 68 °F (20 °C)</p>
--	--

## Section 10 - Stability and Reactivity

**Stability:** Chlordane is stable at room temperature in closed containers under normal storage and handling conditions.

**Polymerization:** Hazardous polymerization does not occur.

**Chemical Incompatibilities:** Include oxidizers and alkalis. Corrosive to iron and zinc. Attacks some forms of plastics, rubber, and coatings.

**Conditions to Avoid:** Exposure to heat, ignition sources, and incompatibles.

**Hazardous Decomposition Products:** Thermal oxidative decomposition of chlordane can produce toxic chlorine, phosgene, hydrogen chloride, and carbon oxide gases.

## Section 11- Toxicological Information

### Toxicity Data:\*

**Acute Inhalation Effects:**

Cat, inhalation, LC<sub>50</sub>: 100 mg/m<sup>3</sup>/4 hr caused somnolence, excitement and convulsions or effect on seizure threshold.

**Carcinogenicity:** Mouse, oral: 2020 mg/kg given for 80 continuous weeks caused liver tumors.

**Mutagenicity:** Human, lymphocyte cell: 10 µmol/L caused mutation.

**Teratogenicity:** Mouse, oral: 152 mg/kg given for 1 to 19 days of pregnancy caused developmental abnormalities of the immune and reticuloendothelial systems.

**Acute Oral Effects:**

Man, oral, TD<sub>LO</sub>: 3071 µg/kg produced coma, difficulty breathing, and nausea or vomiting.

Human, oral, LD<sub>LO</sub>: 29 mg/kg caused fatty liver degeneration.

Human, skin, LD<sub>LO</sub>: 428 mg/kg caused tremor, ataxia, and convulsions or effect on seizure threshold.

Rat, oral, LD<sub>50</sub>: 200 mg/kg

\* See NIOSH. RTECS (PB9800000), for additional toxicity data.

**Section 12 - Ecological Information**

**Ecotoxicity:** Goldfish, TLM = 0.5 ppm/96 hr; bluegill, LC<sub>50</sub> = 57 to 74.8 µg/L/96 hr; brown trout, LC<sub>50</sub> = 11.1 µg/L/96 hr; mallard duck, LD<sub>50</sub> = 858 ppm; pheasant, LD<sub>50</sub> = 430 ppm.

**concentration:** Pinfish (*Lagodon rhomboides*), 96 hr BCF = 6227; frogs (*Xenopus laevis*), 96 hr BCF = 108

**Environmental Degradation:** Chlordane is not very mobile in soil and is not likely to leach. The degradation rate is estimated at 4.05 to 28.33%/yr with a mean half-life of 3.3 yr. It can volatilize from the surface (especially if soil is moist). In water, chlordane is not expected to hydrolyze, oxidize, or undergo direct photolysis. It volatilizes with an estimated half-life of 7.3 to 7.9 hr from a river 1 m deep, flowing 1 m/sec, with a wind velocity of 3 m/sec at 73.4 °F (23 °C). In air, chlordane will react in the vapor phase with photochemically produced hydroxyl radicals with an estimated half-life of 6.2 hr.

**Section 13 - Disposal Considerations**

**Disposal:** Chlordane is a good candidate for liquid injection incineration or rotary kiln incineration. Although chlordane is decomposed by alkalis, the basic objection to this treatment is time. It could take several days to weeks to ensure complete hydrolysis. If spilled in water at > 10 ppm, apply activated carbon at 10 X spilled amount. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

**Container Cleaning and Disposal:** Triple rinse containers and dispose of rinse water as you would other chlordane waste. If possible, return to supplier for reuse or if this is not in accordance with 49 CFR 173.28, puncture container and either ship to scrap metal facility for recycling or send to landfill.

**Section 14 - Transport Information****DOT Transportation Data (49 CFR 172.101):**

**Shipping Name:** Organochlorine pesticides liquid, flammable, toxic, n.o.s. flash point less than 23 °C\*

**Shipping Symbols:** -

**Hazard Class:** 3

**ID No.:** UN2762

**Packing Group:** II

**Label:** Flammable liquid, Poison

**Special Provisions (172.102):** -

**Packaging Authorizations**

a) Exceptions: None

b) Non-bulk Packaging: 173.202

c) Bulk Packaging: 173.243

**Quantity Limitations**

a) Passenger, Aircraft, or Railcar: 1 L

b) Cargo Aircraft Only: 60 L

**Vessel Stowage Requirements**

a) Vessel Stowage: B

b) Other: -

\* Depending on the flash points of the solvent involved, if greater than 73 °F (23 °C), the UN No. will be 2995.

**Section 15 - Regulatory Information****EPA Regulations:**

Listed as a RCRA Hazardous Waste Number (40 CFR 261.33): U036

RCRA Hazardous Waste Classification (40 CFR 261.33): Not classified

Listed as a CERCLA Hazardous Substance (40 CFR 302.4) per CWA, Sec. 311 (b)(4)

CERCLA Reportable Quantity (RQ), 1 lb (0.454 kg)

SARA 311/312 Codes: 1, 2

Listed as a SARA Toxic Chemical (40 CFR 372.65)

Listed as a SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Threshold Planning Quantity (TPQ): 1,000 lb

**OSHA Regulations:**

Listed as a Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A)

**Section 16 - Other Information**

**References:** 73, 103, 124, 126, 127, 132, 133, 136, 148, 153, 168, 183, 186

**Prepared By** ..... M Gannon, BA

**Industrial Hygiene Review** ..... DJ Wilson, CIH

**Medical Review** ..... J Brent, MD, PhD

**Disclaimer:** Judgments as to the suitability of information herein for the purchaser's purposes are necessarily the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, Genium Publishing Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use.



# Genium Publishing Corp.

One Genium Plaza  
Schenectady, NY 12304-4690  
(518) 377-8854

## Material Safety Data Sheets Collection

DDT (Dichlorodiphenyltrichloroethane)  
MSDS No. 155  
Date of Preparation: 10/93

### Section 1 - Chemical Product and Company Identification

42

**Product/Chemical Name:** .... DDT (Dichlorodiphenyltrichloroethane)

**Chemical Formula:** ..... (ClC<sub>6</sub>H<sub>4</sub>)<sub>2</sub>CHCCl<sub>3</sub>

**CAS No.:**..... 50-29-3

**Synonyms:** Agritan; 2,2-bis(p-chlorophenyl)-1,1,1-trichloroethane; chlorophenothan; Citox; dichlorodiphenyltrichloroethane; Dicophane; diphenyltrichloroethane; Genitox; Kopsol; NCI-C00464; Neocid; Pentech; trichlorobis (4-chlorophenyl) ethane; 1,1'-(2,2,2-trichloroethylidene)bis(4-chlorobenzene), Zerdane.

**Derivation:** Prepared by condensing chloral or chloral hydrate with chlorobenzene in presence of sulfuric acid.

**General Use:** One of the most widely used contact insecticides from 1945 until its ban in 1972. Although banned in the U.S. (except for such uses as emergency health situations and for controlling body lice), it is still widely used in the tropics for control of vector-carrying diseases such as malaria, yellow fever, dengue, filariasis, louse-borne typhus, and louse-borne relapsing fever.

### Section 2 - Composition / Information on Ingredients

DDT: p'p' DDT 70% wt + o'p' DDT 30% wt (technical grade)

Trace Impurities: DDD, DDE

**OSHA PELs**

8-hr TWA: 1 mg/m<sup>3</sup> (skin)

**ACGIH TLVs**

TWA: 1 mg/m<sup>3</sup>

**NIOSH REL**

10-hr TWA: 0.5 mg/m<sup>3</sup>

Ca\*: (Limit of quantitation: 0.1 mg/m<sup>3</sup>)

**IDLH Level**

Ca\*

**DFG (Germany) MAK (skin)**

TWA: 1 mg/m<sup>3</sup> (total dust)

Category III: Substances with systemic effects

Onset of effect: > 2 hr.

Peak Exposure Limit: 10 mg/m<sup>3</sup>, 30 min. average value, 1/shift

\* Ca = Carcinogen

### Section 3 - Hazards Identification

#### ☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

DDT is a white to gray, crystalline solid. Although it has been banned in the U.S. because of its persistence in the environment and potential for bioaccumulation, DDT has not produced toxicity in workers who either manufactured or used it (even over many years). However, this lack of toxicity is based on inhalation and skin absorption. If DDT is ingested, especially in large amounts, central nervous system effects will occur with possible liver damage. DDT is considered a confirmed animal carcinogen and a suspected human carcinogen.

**Wilson Risk Scale**

R 1  
I 3  
S 1\*  
K 2

\*Skin absorption

**HMIS**  
H 2+  
F 2  
R 0

†chronic effects  
PPE†  
‡Sec. 8

#### Potential Health Effects

**Primary Entry Routes:** Inhalation, ingestion, skin contact.

**Target Organs:** Central nervous system, liver, skin, peripheral nervous system.

#### Acute Effects

**Inhalation:** Inhalation does not appear to cause toxicity beyond that of minor mechanical irritation.

**Eye:** Exposure to 423 mg/m<sup>3</sup>/1 hr/day for 6 days caused eye irritation.

**Skin:** Skin absorption may occur from some DDT solutions, but degree of absorption will depend on the solvent involved. Aqueous solutions and the powder or crystals are not easily absorbed.

**Ingestion:** DDT can cause a variety of central nervous system effects if ingested. Large doses generally result in vomiting, while smaller doses cause symptoms within 2 to 3 hr post-ingestion. Symptoms include tingling of the lips, tongue, and face; malaise; headache; sore throat; fatigue; tremors of the head, neck, and eyelids; apprehension; ataxia; and confusion. Convulsions and paralysis of the hands is possible in severe exposures (if vomiting does not occur). Vital signs are usually normal, but in severe poisonings, the pulse may be irregular and abnormally slow. Based on animal studies, it is expected that ventricular fibrillation and sudden death can occur at any time during acute poisoning. Recovery from acute poisoning generally occurs within 24 hr except in the most serious cases.

**Carcinogenicity:** DDT is considered a suspected human carcinogen by several governmental agencies. IARC-2B (possibly carcinogenic to humans, limited evidence in humans in the absence of sufficient evidence in experimental animals), NTP-2 (reasonably anticipated to be a carcinogen: limited human evidence or sufficient animal evidence), EPA-B2 (sufficient animal evidence; inadequate human evidence), and NIOSH-X (carcinogen defined without further categorization)

**Medical Conditions Aggravated by Long-Term Exposure:** Possibly, disorders of the central nervous system and liver.

**Chronic Effects:** There are conflicting reports on whether or not DDT produces chronic effects in humans. Although it is well established that chronic exposure in experimental animals produces effects including liver damage, CNS degeneration, dermatitis, weakness, convulsions, coma, and death, these effects are not confirmed in humans. Liver cancer is confirmed in animals, but has not been documented in humans. These conflicting reports appear due to the lack of documented chronic toxicity in workers and data showing that DDT and its metabolites are retained in the body fat for long time periods, thus providing a basis for the *possibility* of chronic toxicity.

**Other:** Solvents such as kerosine are added to DDT as a vehicle and, depending on the type involved, may be more toxic than DDT itself.

### Section 4 - First Aid Measures

**Inhalation:** Remove exposed person to fresh air and support breathing as needed.

**Eye Contact:** *Do not* allow victim to rub or keep eyes tightly shut. Gently lift eyelids and flush immediately and continuously with flooding amounts of water until transported to an emergency medical facility. Consult a physician immediately.

**Skin Contact:** *Quickly* remove contaminated clothing. Rinse away any loose material and wash exposed area with soap and water. For reddened or blistered skin, consult a physician. Carefully dispose of contaminated clothing because it may pose a fire hazard.

**Ingestion:** Never give anything by mouth to an unconscious or convulsing person. Contact a poison control center. Unless the poison control center advises otherwise, have the *conscious and alert* person drink 1 to 2 glasses of water to dilute. *Do not* induce vomiting. Gastric lavage should be performed promptly.

*After first aid, get appropriate in-plant, paramedic, or community medical support.*

**Notes to Physicians:** Effects may be delayed; keep under observation.

**Special Precautions/Procedures:** Amobarbital or pentobarbital is recommended for the relief of central neurological manifestations; tribromoethanol and paraldehyde are recommended for allaying prolonged convulsions.

### Section 5 - Fire-Fighting Measures

**Flash Point:** DDT itself is noncombustible but is dissolved in a variety of solvents. The average quoted Flash Point is 162 °F (72.2 °C) although the specific vehicle is not identified.

**Flash Point Method:** CC

**Autoignition Temperature:** None reported

**LEL:** None reported

**UEL:** None reported

**Flammability Classification:** Class IIIA Combustible Liquid (varies depending on vehicle)

**Extinguishing Media:** For small fires, use dry chemical, water spray, or regular foam. For large fires, use water spray, fog, or regular foam.


**Unusual Fire or Explosion Hazards:** Container may explode in heat of fire.

**Hazardous Combustion Products:** Chloride fumes and carbon oxide gases.

**Fire-Fighting Instructions:** Do not release runoff from fire control methods to sewers or waterways. Fight fire from maximum distance. Stay away from ends of tanks.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode. Structural fire fighters' protective clothing is *not* effective.

Genium



### Section 6 - Accidental Release Measures

**Spill/Leak Procedures:** Notify safety personnel, isolate area, deny entry, and stay upwind. Shut off all ignition sources. Cleanup personnel should protect against contamination.

**Small Spills:** For dry spills, carefully scoop up material or vacuum (with an approved filter). Damp mop any residue. For small solution spills, take up with earth, sand, vermiculite, or other absorbent material and place in suitable containers for disposal.

**Large Spills**

**Containment:** Dike far ahead of liquid spill for later reclamation or disposal. Do not release into sewers or waterways.

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

### Section 7 - Handling and Storage

**Handling Precautions:** Use non-sparking tools to open containers. Keep dry chemical extinguishers on hand in case of fire.

**Storage Requirements:** Prevent physical damage to containers. Store in a cool, dry, well-ventilated area away from heat, ignition sources, and incompatibles (Sec. 10). *Do not* store in aluminum or iron containers.

### Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:** To prevent static sparks, electrically ground and bond all equipment used with and around DDT.

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PEL

Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source. (103)

**Administrative Controls:** Consider preplacement and periodic medical exams of exposed workers with emphasis on the liver and central nervous system.

**Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For any detectable concentration, use a SCBA with a full facepiece and operated in pressure demand or other positive-pressure mode, or any supplied-air respirator with a full facepiece and operated in pressure demand or other positive-pressure mode with an auxiliary SCBA. For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. *Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.* If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

**Protective Clothing/Equipment:** Wear chemically protective gloves, boots, aprons, and gauntlets made of butyl rubber to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Because contact lens use in industry is controversial, establish your own policy.

**Safety Stations:** Make available in the work area emergency eyewash stations, safety/quick-drench showers, and washing facilities.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

### Section 9 - Physical and Chemical Properties

**Physical State:** Solid

**Appearance and Odor:** White to gray crystals or powder which is odorless or has a slight aromatic odor.

**Odor Threshold:** 5.0725 mg/m<sup>3</sup>

**Vapor Pressure:**  $5.5 \times 10^{-6}$  mm Hg at 68 °F (20 °C)

**Formula Weight:** 354.48

**Specific Gravity (H<sub>2</sub>O=1, at 4 °C):** 0.98 to 0.99

**Water Solubility:** 0.0012 ppm

**Other Solubilities (g DDT/100 mL):** acetone 58, 95% alcohol 2, benzene 78, benzyl benzoate 42, carbon tetrachloride 45, chlorobenzene 74, cyclohexanone 116, dibutyl phthalate 33, o-dichlorobenzene 68, dichlorodifluoromethane 2, dioxane 100, ethyl ether 28, gasoline 10, isopropanol 3, kerosine 8 to 10, methylated naphthalenes 40 to 60, mineral oil 5, morpholine 75, peanut oil 11, pine oil 0 to 16, tetralin 61, tributyl phosphate 50, and xylene 60.

**Boiling Point:** 365 °F (185 °C)

**Melting Point:** 227 °F (108.3 °C)

### Section 10 - Stability and Reactivity

**Stability:** DDT is stable at room temperature in closed containers under normal storage and handling conditions. It biodegrades very slowly.

**Polymerization:** Hazardous polymerization does not occur.

**Chemical Incompatibilities:** Strong oxidizers, alkaline materials, iron and aluminum salts.

**Conditions to Avoid:** Exposure to heat, ignition sources, and incompatibles.

**Hazardous Decomposition Products:** Thermal oxidative decomposition of DDT can produce carbon dioxide.

### Section 11 - Toxicological Information

#### Toxicity Data:

**Eye Effects:** None reported.

**Skin Effects:** None reported.

**Acute Oral Effects:**

Human, oral, LD<sub>Lo</sub>: 500 mg/kg caused convulsions, cardiac arrhythmias, and respiratory changes.

Rat, oral, LD<sub>50</sub>: 87 mg/kg; details not reported

**Carcinogenicity:** Rat, oral, TD<sub>Lo</sub>: 1225 mg/kg given for 7 continuous weeks caused liver tumors.

**Mutagenicity:** *E. coli*: 15 μmol/L caused DNA damage.

**Teratogenicity:** Rat, oral, TD<sub>Lo</sub>: 112 mg/kg given to a 56 day old male caused paternal effects (spermatogenesis, testes, epididymis, sperm duct).

\* See NIOSH. RTECS (KJ3325000), for additional toxicity data.

### Section 12 - Ecological Information

**Ecotoxicity:** Glass shrimp (*Palaemonetes kadiakensis*), LC<sub>50</sub> = 2.3 mcg/L/96 hr at 69.8 °F (21 °C); Japanese quail, 2 month old male, (*Coturnix japonica*), LD<sub>50</sub> = 841 mg/kg; bluegill (*Lepomis macrochirus*), LC<sub>50</sub> = 28.7 mcg/L/36 hr.

**Environmental Degradation:** In water, DDT will adsorb strongly to sediments, significantly bioconcentrate in fish, and will be subject to considerable evaporation with an estimated half-life of several hr to almost 50 hr from certain waters. It may biodegrade when high concentrations of required microbes (*Escherichia*, *Hydrogenomonas*, and *Saccharomyces*) are present. On land, DDT will adsorb strongly and should not appreciably leach to groundwater. It may evaporate (half-life of 100 days) and is subject to photooxidation from soil. DDT may significantly biodegrade in flooded soils or under anaerobic conditions provided high populations of the required microbes are present. Half-life ranges from 2 to >15 yr. In the air, DDT is subject to direct photooxidation and reaction with photochemically produced hydroxyl radicals (est. half-life = 2 days). Wet and dry deposition are significant mechanisms for removal from air.

### Section 13 - Disposal Considerations

**Disposal:** DDT is a good candidate for rotary kiln or liquid injection incineration (furnace with afterburner and alkali scrubber). 60 to 80% removal of DDT from contaminated soils has been achieved in 10 min. by super critical-carbon dioxide extraction. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

**Container Cleaning and Disposal:** Triple rinse containers. Containers in good condition should be returned to the manufacturer and those that are not reusable should be punctured and transported to a scrap metal facility for recycling, disposal, or burial in a designated landfill.

### Section 14 - Transport Information

#### DOT Transportation Data (49 CFR 172.101):

**Shipping Name:** Organochlorine pesticides, solid toxic, n.o.s.

**Shipping Symbols:** —

**Hazard Class:** 6.1

**ID No.:** UN2761

**Packing Group:** III

**Label:** Keep Away From Food

**Special Provisions (172.102):** —

**Packaging Authorizations**

a) Exceptions: 173.153

b) Non-bulk Packaging: 173.213

c) Bulk Packaging: 173.240

**Quantity Limitations**

a) Passenger, Aircraft, or Railcar: 100 kg

b) Cargo Aircraft Only: 200 kg

**Vessel Stowage Requirements**

a) Vessel Stowage: A

b) Other: 40

### Section 15 - Regulatory Information

#### A Regulations:

RCRA Hazardous Waste Number (40 CFR 261.33): U061

Listed as a RCRA Hazardous Waste Classification (40 CFR 261.33)

Listed as a CERCLA Hazardous Substance (40 CFR 302.4) per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); and CWA, Sec. 307(a)

CERCLA Reportable Quantity (RQ), 1 lb (0.454 kg)

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

#### OSHA Regulations:

Listed as an Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A)

### Section 16 - Other Information

**References:** 73, 101, 103, 124, 126, 127, 132, 133, 136, 139, 148, 153, 167, 168, 169, 176, 180, 183

**Prepared By** ..... M Gannon, BA

**Industrial Hygiene Review** ..... PA Roy, MPH, CIH

**Medical Review** ..... T Thoburn, MD, MPH

**Disclaimer:** Judgments as to the suitability of information herein for the purchaser's purposes are necessarily the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, Genium Publishing Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use.

DATE 6/24/92

MATERIAL SAFETY DATA SHEET

PAGE 1

SECTION I - GENERAL INFORMATION

(REORDER PRODUCT BY THIS NO.)

CATALOG NO 48972

PRODUCT NAME DIELDRIN

DATA SHEET NO I489720

DIELDRIN

FORMULA MIXTURE

FORMULA WEIGHT

CAS NRTECS

SYNONYM ANALYTICAL STANDARD IN ISOCTANE

MANUFACTURER SUPELCO INC. PHONE 814-359-3441

ADDRESS SUPELCO PARK, BELLEFONTE, PA 16823-0048

SECTION II - HAZARDOUS INGREDIENTS OF MIXTURES

CHEMICAL NAME

COMMON NAME - PERCENTAGE - CAS #

(FORMULA) - PEL(UNITS) - TLV(UNITS)

LD50 VALUE - CONDITIONS

3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-2,7:3,6

-DIMETHANO-NAPH{2,3-6}OXIRENE

DIELDRIN

0.02

60-57-1

C12H8Cl6O

0.25 MG/M3 0.25

MG/M3

46

MG/KG ORAL RAT

SEE FOOTNOTE(4,9)

PENTANE, 2,2,4-TRIMETHYL-

ISO-OCTANE

99.98

540-84-1

C8H18

N/A

N/A

FOOTNOTES

4 CLASSIFIED BY IARC AS A CLASS 3 CARCINOGEN.  
THIS MATERIAL IS NOT LISTED ON THE TSCA (TOXIC SUBSTANCES CONTROL ACT) INVENTORY. THIS MATERIAL IS INTENDED FOR R&D USE ONLY AND MAY NOT BE USED FOR DRUG, HOUSEHOLD, OR OTHER PURPOSES. IT IS SUBJECT TO TSCA REGULATIONS AT CER 40 PART 720.36 WHICH DEAL WITH THE EXEMPTION OF CHEMICALS USED IN RESEARCH AND DEVELOPMENT FROM PMN (PREMANUFACTURE NOTIFICATION) REQUIREMENTS. IN ADDITION, THE BURDEN OF SAFE USE OF THE MATERIAL RESTS WITH YOU AND, THEREFORE, IT SHOULD BE HANDLED ONLY BY QUALIFIED PERSONS TRAINED IN LABORATORY PROCEDURES AND GOOD SAFETY PRACTICES.

SECTION III - PHYSICAL DATA

BOILING POINT 99 C MM MELTING POINT -116 C  
VAPOR PRESSURE 41 MM C VAPOR DENSITY 3.90 C (AIR=1)  
SPECIFIC GRAVITY .690 G/ML C (WATER=1) PERCENT VOLATILE BY VOLUME 100  
WATER SOLUBILITY 0 EVAPORATION RATE >1 (ETHER=1)  
APPEARANCE CLEAR COLORLESS LIQUID

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT 10 F CLOSED CUP FLAMMABLE LIMITS LEL 1.1 UEL 6.0

EXTINGUISHING MEDIA

CO2

DATE 6/24/92

MATERIAL SAFETY DATA SHEET

PAGE 2

CATALOG NO 48972

(REORDER PRODUCT BY THIS NO.)

PRODUCT NAME DIELDRIN

DATA SHEET NO I489720

DIELDRIN

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

\* CONTINUED \*

FOAM

DRY CHEMICAL

## SPECIAL FIRE FIGHTING PROCEDURES

WEAR SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING A CHEMICAL FIRE.

## UNUSUAL FIRE AND EXPLOSION HAZARDS

CAN REACT VIGOROUSLY WITH REDUCING MATERIALS.

SECTION V - HEALTH HAZARD DATA

LD50 N/A

TLV N/A

PEL N/A

## EMERGENCY AND FIRST AID PROCEDURES

EYES

FLUSH EYES WITH WATER FOR 15 MINUTES.

SKIN

FLUSH SKIN WITH LARGE VOLUMES OF WATER.

INHALATION

IMMEDIATELY MOVE TO FRESH AIR.

GIVE OXYGEN IF BREATHING IS LABORED

IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION

INGESTION

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

NEVER TRY TO MAKE AN UNCONSCIOUS PERSON VOMIT

DO NOT INDUCE VOMITING.

## EFFECTS OF OVEREXPOSURE

CONTAINS LOW CONCENTRATION(S) OF MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

SUCH CONCENTRATION(S) IS/ARE SUBSTANTIALLY BELOW OSHA-HCS THRESHOLDS WHICH WOULD REQUIRE LISTING HEREIN AS A COMPONENT OF THIS MIXTURE.

IRRITATES EYES

IRRITATES SKIN

IRRITATES NOSE AND THROAT

SECTION VI - REACTIVITY DATA

STABILITY STABLE.

DATE 6/24/92

MATERIAL SAFETY DATA SHEET

PAGE 3

CATALOG NO 48972

(REORDER PRODUCT BY THIS NO.)

PRODUCT NAME DIELDRIN

DATA SHEET NO I489720

DIELDRIN

SECTION VI - REACTIVITY DATA

\* CONTINUED \*

CONDITIONS TO AVOID

N/A

INCOMPATIBILITY

REDUCING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS

N/A

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

CONDITIONS TO AVOID

N/A

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

TAKE UP WITH ABSORBENT MATERIAL.

VENTILATE AREA.

ELIMINATE ALL IGNITION SOURCES.

WASTE DISPOSAL METHOD

COMPLY WITH ALL APPLICABLE FEDERAL, STATE, OR LOCAL REGULATIONS

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFIC TYPE)

WEAR FACE MASK WITH ORGANIC VAPOR CANISTER.

PROTECTIVE GLOVES

WEAR GLOVES.

EYE PROTECTION

WEAR PROTECTIVE GLASSES.

DATE 6/24/92

MATERIAL SAFETY DATA SHEET

PAGE 4

CATALOG NO 48972

(REORDER PRODUCT BY THIS NO.)

PRODUCT NAME DIELDRIN

DATA SHEET NO I489720

DIELDRIN

SECTION VIII - SPECIAL PROTECTION INFORMATION

\* CONTINUED \*

VENTILATION

USE ONLY IN WELL VENTILATED AREA.

SPECIAL

N/A

OTHER PROTECTIVE EQUIPMENT

N/A

SECTION IX - SPECIAL PRECAUTIONS

STORAGE AND HANDLING

REFRIGERATE IN SEALED CONTAINER.  
KEEP AWAY FROM HEAT.  
STORE IN DRY, WELL VENTILATED AREA.  
KEEP AWAY FROM IGNITION SOURCES.

OTHER PRECAUTIONS

AVOID EYE OR SKIN CONTACT.  
AVOID BREATHING VAPORS.

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, SUPELCO, INC. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

LAST REVISED 1/30/90



Genium Publishing Corporation  
One Genium Plaza  
Schenectady, NY 12304-4690 USA  
(518) 377-8854

Sheet No. 683  
Polychlorinated Biphenyls (PCBs)

Issued: 11/88 Revision: A, 9/92

**Section 1. Material Identification**

**Polychlorinated Biphenyls** ( $C_{12}H_{10-n}Cl_n$ ,  $n=3, 4, 5$ ) **Description:** A class of nonpolar chlorinated hydrocarbons with a biphenyl nucleus (two benzene nuclei connected by a single C-C bond) in which any or all of the hydrogen atoms have been replaced by chlorine. Commercial PCBs are mixtures of chlorinated biphenyl isomers with varying degrees of chlorination. Prepared industrially by the chlorination of biphenyl with anhydrous chlorine in the presence of a catalyst such as ferric chloride or iron filings. Except for limited research and development applications, PCBs have not been produced in the US since 1977. When large quantities of PCBs were manufactured in the US, they were marketed under the tradename Aroclor (Monsanto) and were characterized by four digit numbers. The first two digits indicating biphenyls (12), triphenyls (54), or both (25, 44); the last two digits indicating the weight percent of chlorine. PCBs' thermal stability, nonflammability, and high dielectric capability made them very useful in electrical equipment. Formerly used as additives in hydraulic fluids, heat transfer systems, lubricants, cutting oils, printer's ink, fire retardants, asphalt, brake linings, automobile body sealants, plasticizers, adhesives, synthetic rubber, floor tile, wax extenders, dedusting agents, pesticide extenders, and carbonless reproducing paper. PCBs are still used in certain existing electrical capacitors and transformers that require enhanced electrical protection to avoid heating from sustained electric faults.

R	1	NFPA 
I	4	
S	3*	
K	1	
* Skin absorption		
HMIS		
H 2+		
F 1		
R 0		
PPE†		
† Sec. 3		
‡ Chronic Effects		

**Other Designations:** CAS No. 1336-36-3, Aroclor, Clophen, Dykexol, chlorinated biphenyls, chlorinated diphenyl, chlorinated diphenylene, chloro biphenyl, chloro-1,1-biphenyl, Chloranol, Fenclor, Inerteen, Kaneclor, Montar, Noflamol, Phenoclor, Pyralene, Pyranol, Santotherm, Sovol, Therminol FR-1

**Cautions:** PCBs are potent liver toxins that may be absorbed through skin. Potentially, chronic or delayed toxicity is significant because PCBs accumulate in fatty tissue and may reasonably be anticipated to be carcinogens. PCBs are a bioaccumulative environmental hazard. When burned, decomposition products may be more hazardous than the PCBs.

**Section 2. Ingredients and Occupational Exposure Limits**

PCBs, contain various levels of polychlorinated dibenzofurans and chlorinated naphthalenes as contaminants

**1991 OSHA PELs, Skin**

8-hr TWA (Chlorodiphenyl, 42% chlorine): 1 mg/m<sup>3</sup>  
8-hr TWA (Chlorodiphenyl, 54% chlorine): 0.5 mg/m<sup>3</sup>

**1990 DFG (Germany) MAK, Danger of Cutaneous Absorption**

TWA (Chlorodiphenyl, 42% chlorine): 0.1 ppm (1 mg/m<sup>3</sup>)  
Category III: Substances with systemic effects, onset of effect > 2 hr., half-life > shift length (strongly cumulative)  
Short-term Level: 1 ppm, 30 min., average value, 1 per shift  
TWA (Chlorodiphenyl, 54% chlorine): 0.05 ppm (0.5 mg/m<sup>3</sup>)  
Category III: (see above)  
Short-term Level: 0.5 ppm, 30 min., average value, 1 per shift

**1985-86 Toxicity Data\***

Rat, oral, TD: 1250 mg/kg administered intermittently for 25 weeks produced liver tumors.  
Mammal, oral, TD<sub>01</sub>: 325 mg/kg administered to female for 30 days prior to mating and from the 1st to the 36th day of gestation produced effects on newborn (stillbirth; live birth index; viability index).

**1990 NIOSH REL**

TWA (Chlorodiphenyl, 42% chlorine): 0.001 mg/m<sup>3</sup>  
TWA (Chlorodiphenyl, 54% chlorine): 0.001 mg/m<sup>3</sup>

**1992-93 ACGIH TLVs, Skin \***

TWA (Chlorodiphenyl, 42% chlorine): 1 mg/m<sup>3</sup>  
TWA (Chlorodiphenyl, 54% chlorine): 0.5 mg/m<sup>3</sup>

\* These guidelines offer reasonably good protection against systemic intoxication, but may not guarantee that chloroacne won't occur.  
† See NIOSH, RTECS (TQ1350000), for additional reproductive, tumorigenic, and toxicity data.

**Section 3. Physical Data\***

**Boiling Point:** 644-707 °F (340-375 °C)  
**Melting Point:** 42%: -2.2 °F (-19 °C); 54%: 14 °F (-10 °C)  
**Vapor Pressure:** 1 mm Hg at 100 °F (38 °C); 10<sup>-6</sup> to 10<sup>-3</sup> mm at 20 °C  
**Molecular Weight:** 188.7 to 398.5

**Specific Gravity:** 1.3 to 1.8 at 20 °C  
**Water Solubility:** Low solubility (0.007 to 5.9 mg/L)  
**Other Solubilities:** Most common organic solvents, oils, and fats; slightly soluble in glycerol and glycols.

**Appearance and Odor:** PCBs vary from mobile oily liquids to white crystalline solids and hard non-crystalline resins, depending upon chlorine content.

\* Physical and chemical properties vary widely according to degree and to the position of chlorination.

**Section 4. Fire and Explosion Data**

**Flash Point:** 286-385 °F (141-196 °C) OC\* | **Autoignition Temperature:** 464 °F (240 °C) | **LEL:** None reported | **UEL:** None reported

**Extinguishing Media:** Use extinguishing media suitable to the surrounding fire. Use dry chemical, foam, carbon dioxide (CO<sub>2</sub>), or water spray. Water spray may be ineffective. Use water spray to cool fire-exposed containers or transformers. Do not scatter PCBs with high-pressure water streams. **Unusual Fire or Explosion Hazards:** Combustion products (hydrogen chloride, phosgene, polychlorinated dibenzofurans, and furans) are more hazardous than the PCBs themselves. **Special Fire-fighting Procedures:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode. Approach fire from upwind to avoid highly toxic decomposition products. Structural firefighter's protective clothing will provide limited protection. Do not release runoff from fire control methods to sewers or waterways. Dike for later disposal.

\* Flash points shown are a range for various PCBs. Some forms do not have flash points.

**Section 5. Reactivity Data**

**Stability/Polymerization:** PCBs are very stable materials but are subject to photodechlorination when exposed to sunlight or UV (spectral region above 290 nanometers). Hazardous polymerization cannot occur. **Chemical Incompatibilities:** PCBs are chemically inert and resistant to oxidation, acids, and bases. **Conditions to Avoid:** Avoid heat and ignition sources. **Hazardous Products of Decomposition:** Thermal oxidative decomposition [1112-1202 °F (600-650 °C)] of PCBs can produce highly toxic derivatives, including polychlorinated dibenzo-para-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs), hydrogen chloride, phosgene and other irritants.

**Section 6. Health Hazard Data**

**Carcinogenicity:** The IARC<sup>(164)</sup> and NTP<sup>(165)</sup> list PCBs as an IARC probable carcinogen (overall evaluation is 2A; limited human data; sufficient animal data) and NTP anticipated carcinogen, respectively. **Summary of Risks:** PCBs are potent liver toxins that can be absorbed through broken skin in toxic amounts without immediate pain or irritation. PCBs have low acute toxicity, but can accumulate in fatty tissue and severe effects may develop later. Generally, toxicity increases with a higher chlorine content; PCB-oxides are more toxic. The toxic action on the liver also increases with simultaneous exposure to other liver toxins, e.g. chlorinated solvents, alcohol, and certain drugs. Pathological pregnancies (abnormal pigmentations, abortions, stillbirths, and underweight births) have been associated with increased PCB serum levels in mothers; PCBs can be passed in breast milk. PCBs can affect the reproductive system of adults. **Medical Conditions Aggravated by Long-Term Exposure:** Skin, liver, and respiratory disease. **Target Organs:** Skin, liver, eyes, mucous membranes, and respiratory tract. **Primary Entry Routes:** Inhalation, dermal contact, ingestion. **Acute Effects:** Exposure to PCB vapor or mist is severely irritating to the skin, eyes, nose, throat, and upper respiratory tract. Intense acute exposure to high concentrations may result in eye, lung, and liver injury. Systemic effects include nausea, vomiting, increased blood pressure, fatigue, weight loss, jaundice, edema and abdominal pain. Cognitive, neurobehavior and psychomotor impairment and memory loss have also been seen after acute exposure. **Chronic Effects:** Repeated exposure to PCBs can cause chloroacne; redness, swelling, dryness, thickening and darkening of the skin and nails; swelling and burning of the eyes, and excessive eye discharge; distinctive hair follicles; gastrointestinal disturbances; neurological symptoms including headache, dizziness, depression, nervousness, numbness of the extremities, and joint and muscle pain; liver enlargement; menstrual changes in women; and chronic bronchitis. Cancer, primarily liver, is also a possible result of exposure, but data is inconclusive. **FIRST AID Eyes:** Do not allow victim to rub or keep eyes tightly shut. Rinsing eyes with medical oil (olive, mineral) initially may remove PCB and halt irritation better than water rinsing alone. Gently lift eyelids and flush immediately and continuously with flooding amounts of water until transported to an emergency medical facility. Consult a physician immediately. **Skin:** Quickly remove contaminated clothing. Rinse with flooding amounts of water for at least 15 min. Wash exposed area with soap and water. Multiple soap and water washings are necessary. Avoid the use of organic solvents to clean the skin. For reddened or blistered skin, consult a physician. **Inhalation:** Remove exposed person to fresh air and support breathing as needed. **Ingestion:** In most cases, accidental PCB ingestion will not be recognized until long after vomiting would be of any value. Never give anything by mouth to an unconscious or convulsing person. Vomiting of the pure substance may cause aspiration. Consult a physician. **Note to Physicians:** Monitor patients for increased hepatic enzymes, chloroacne, and eye, gastrointestinal, and neurologic symptoms listed above. Diagnostic tests include blood levels of PCBs and altered liver enzymes.

**Section 7. Spill, Leak, and Disposal Procedures**

**Spill/Leak:** Notify safety personnel, evacuate all unnecessary personnel, provide adequate ventilation, and isolate hazard area. Cleanup personnel should protect against vapor inhalation and skin or eye contact. For small spills, take up with sand or other noncombustible material and place into containers for later disposal. For larger spills, dike far ahead of spill to contain for later disposal. Follow applicable OSHA regulations (29 CFR 1910.120). **Environmental Transport:** PCBs have been shown to bio-concentrate significantly in aquatic organisms. **Ecotoxicity:** Bluegill, TLM: 0.278 ppm/96 hr. Mallard Duck, LD<sub>50</sub>: 2000 ppm. **Environmental Degradation:** In general, the persistence of PCBs increases with an increase degree of chlorination. **Soil Absorption/Mobility:** PCBs are tightly absorbed in soil and generally do not leach significantly in most aqueous soil systems. However, in the presence of organic solvents, PCBs may leach rapidly through the soil. Volatilization of PCBs from soil may be slow, but over time may be significant. **Disposal:** Approved PCB disposal methods include: incineration with scrubbing, high-efficiency boilers, landfills, and EPA-approved alternative disposal methods. Each disposal method has various criteria. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

**OPA Designations**

RA Hazardous Waste (40 CFR 261.33): Not listed  
 RA Extremely Hazardous Substance (40 CFR 355): Not listed  
 Listed as a SARA Toxic Chemical (40 CFR 372.65)

**OSHA Designations**  
 Listed as an Air Contaminant (29 CFR 1910.1000, Table Z-1-A)

Listed as a CERCLA Hazardous Substance\* (40 CFR 302.4): Final Reportable Quantity (RQ), 1 lb (0.454 kg) [\* per CWA, Sec. 311(b)(4) and 307(a)]

**Section 8. Special Protection Data**

**Goggles:** Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Because contact lens use in industry is controversial, establish your own policy. **Respirator:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. Minimum respiratory protection should include a combination dust-fume-mist and organic vapor cartridge or canister or air-supplied, depending upon the situation. For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. **Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.** If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas. **Other:** Wear chemically protective gloves, boots, aprons, and gauntlets to prevent all skin contact. Butyl rubber, neoprene, Teflon, and fluorocarbon rubber have break through times greater than 8 hrs. **Ventilation:** Provide general and local exhaust ventilation systems to maintain airborne concentrations below the OSHA PEL (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.<sup>(103)</sup> **Safety Stations:** Make available in the work area emergency eyewash stations, safety/quick-drench showers, and washing facilities. **Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Segregate contaminated clothing in such a manner so that there is no direct contact by laundry personnel. Implement quality assurance to ascertain the completeness of the cleaning procedures. Remove this material from your shoes and clean PPE. **Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Section 9. Special Precautions and Comments**

**Storage Requirements:** Store in a closed, labelled, container in a ventilated area with appropriate air pollution control equipment. **Engineering Controls:** To reduce potential health hazards, use sufficient dilution or local exhaust ventilation to control airborne contaminants and to maintain concentrations at the lowest practical level. **Administrative Controls:** Inform employees of the adverse health effects associated with PCBs. Limit access to PCB work areas to authorized personnel. Consider preplacement and periodic medical examinations with emphasis on the skin, liver, lung, and reproductive system. Monitor PCB blood levels. Consider possible effects on the fetus. Keep medical records for the entire length of employment and for the following 30 yrs.

**Transportation Data (49 CFR 172.101)**

DOT Shipping Name: Polychlorinated biphenyls  
 DOT Hazard Class: 9  
 No.: UN2315  
 Packing Group: II  
 DOT Label: CLASS 9

**Packaging Authorizations**  
 a) Exceptions: 173.155  
 b) Non-bulk Packaging: 173.202  
 c) Bulk Packaging: 173.241

**Quantity Limitations**  
 a) Passenger Aircraft or Railcar: 100 L  
 b) Cargo Aircraft Only: 220 L  
**Vessel Stowage Requirements**  
 a) Vessel Stowage: A  
 b) Other: 34

Special Provisions (172.102): 9, N81

MSDS Collection References: 26, 73, 89, 100, 101, 103, 124, 126, 127, 132, 133, 136, 163, 164, 168, 169, 174, 175, 180

Prepared by: MJ Wurth, BS; Industrial Hygiene Review: PA Roy MPH, CIH; Medical Review: AC Darlington, MD



PRODUCT NAME: PREMIUM UNLEADED GASOLINE  
MARATHON MSDS NO: 114142001

THE FOLLOWING INFORMATION IS FURNISHED SUBJECT TO THE DISCLAIMER ON THE BOTTOM OF THIS FORM.

**SECTION 1 - PRODUCT IDENTIFICATION**

PRODUCT NAME: PREMIUM UNLEADED GASOLINE

MANUFACTURER / DISTRIBUTOR:  
MARATHON OIL COMPANY  
539 SOUTH MAIN STREET  
FINDLAY, OH  
45840

SYNONYMS:  
GASOLINE, PREMIUM UNLEADED; PREMIUM UNLEADED  
GASOLINE; SUPER UNLEADED GASOLINE; SUPER-  
LEAD FREE GASOLINE

EMERGENCY PHONE NUMBERS:  
(419) 422-2121 (MARATHON)  
(800) 424-9300 (CHEMTREC)

CHEMICAL FAMILY: PETROLEUM HYDROCARBON  
CHEMICAL FORMULA: MIXTURE

CAS NO: MIXTURE  
PRODUCT CODE:

**SECTION 2 - PHYSICAL PROPERTIES**

BOILING POINT  
90-437 F

MELTING POINT  
N.A. F

SPECIFIC GRAVITY(CH20=1)  
0.71-0.77

WATER SOLUBILITY IN WATER  
NEGLECTIBLE

VAPOR DENSITY(AIR=1)  
3-4

VAPOR PRESSURE  
414-776 MM HG @ 100F

PH INFORMATION: PH: N.A. AT CONC.  
APPEARANCE: RED OR CLEAR LIQUID

ODOR: GASOLINE ODOR

**SECTION 3 - FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT  
-50 F

AUTOIGNITION TEMP  
C.I.A. 495 F

EXPLOSIVE LIMITS (C BY VOLUME IN AIR)  
LOWER/UPPER: 1.4/ 7.5

HAZARD CLASSIFICATION: HEALTH: 2 FIRE: 4 REACTIVITY: 1 OTHER:

**EXTINGUISHING MEDIA:**

CLASS B FIRE EXTINGUISHING MEDIA SUCH AS HALON, CO2, OR DRY  
CHEMICAL CAN BE USED. FIRE FIGHTING SHOULD BE ATTEMPTED ONLY BY  
THOSE WHO ARE ADEQUATELY TRAINED.

**SPECIAL FIRE FIGHTING INSTRUCTIONS:**

FLASHBACK MAY OCCUR ALONG VAPOR TRAIL. AVOID USE OF SOLID WATER  
STREAMS. WATER MAY BE INEFFECTIVE IN EXTINGUISHING LOW FLASH POINT  
FIRES, BUT CAN BE USED TO COOL EXPOSED SURFACES. AVOID EXCESSIVE  
WATER SPRAY APPLICATION.

PRODUCT NAME: PREMIUM UNLEADED GASOLINE  
MARATHON MARK NO: 11474331

**SECTION 3 - FIRE AND EXPLOSION HAZARD DATA (CONT'D)**

STABILITY: THE MATERIAL IS STABLE AT 70 F., 76CM Hg PRESSURE  
CONDITIONS TO AVOID:

HAZARDOUS DECOMPOSITION PRODUCTS:  
CARBON MONOXIDE, ALDEHYDES, AROMATIC HYDROCARBONS

INCOMPATIBLE MATERIALS:  
STRONG OXIDIZERS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

**SECTION 4 - PRODUCT COMPOSITION AND EXPOSURE LIMITS**

EXPOSURE LIMITS FOR PRODUCT:	TLV		SOURCE	
PREMIUM UNLEADED GASOLINE	300.00	PPM	(C) (R) (T)	ACGIH
	500.00	PPM	(C) (R) (T)	ACGIH
	300.00	PPM	(C) (R) (T)	OSHA
	500.00	PPM	(C) (R) (T)	OSHA
COMPONENTS:	PERCENT RANGE	TLV	SOURCE	
SATURATED HYDROCARBONS (PARAFFINS & CYCLOPARAFFINS)	55.00- 70.00	0.00	( )	( )
UNSATURATED HYDROCARBONS (OLEFINS)	1.00- 10.00	0.00	( )	( )
AROMATIC HYDROCARBONS (INCLUDING BENZENE, TOLUENE, XYLENE, ETHYLBENZENE AND TRIMETHYLBENZENE)	20.00- 40.00	0.00	( )	( )
ETHYL BENZENE	1.00- 1.00	100.00	PPM	(C) (R) (T) ACGIH
		125.00	PPM	(C) (R) (T) ACGIH
		100.00	PPM	(C) (R) (T) OSHA
		125.00	PPM	(C) (R) (T) OSHA
1,2,4-TRIMETHYLBENZENE	2.00- 5.00	25.00	PPM	(C) (R) (T) ACGIH
		25.00	PPM	(C) (R) (T) OSHA
TOLUENE	3.00- 15.00	100.00	PPM	(C) (R) (T) ACGIH
		150.00	PPM	(C) (R) (T) ACGIH
		100.00	PPM	(C) (R) (T) OSHA
		150.00	PPM	(C) (R) (T) OSHA
XYLENE	5.00- 15.00	100.00	PPM	(C) (R) (T) ACGIH
		150.00	PPM	(C) (R) (T) ACGIH
		100.00	PPM	(C) (R) (T) OSHA
		150.00	PPM	(C) (R) (T) OSHA

**PRODUCT NAME: PREMIUM UNLEADED GASOLINE**  
**PARATHON MSDS NO: 224PAR002**
**SECTION 4 - PRODUCT COMPOSITION AND EXPOSURE LIMITS (CONT'D)**

COMPONENTS:	PERCENT RANGE	TLV	SOURCE
METHYL TERTIARY BUTYL ETHER	.01- 15.00	0.00	( )
BENZENE	.50- 3.50	10.00 PPM	( ) OSHA
		1.00 PPM	( ) OSHA
		5.00 PPM	( ) OSHA

**OSHA ACTION LEVEL 0.50 PPM (3 HR TWA)**
**\*\*\***
**COMPLEX MIXTURE OF PARAFFINIC, CYCLOPARAFFINIC, OLFINIC AND AROMATIC HYDROCARBONS (PREDOMINANTLY C4-C12).**
**\*\*\***
**CONTAINS SMALL AMOUNTS OF DYE AND OTHER ADDITIVES (<0.02%) WHICH ARE NOT CONSIDERED HAZARDOUS AT THE CONCENTRATIONS USED.**
**SECTION 5 - POTENTIAL HEALTH EFFECTS**
**EYE:**
**EYE IRRITATION MAY RESULT FROM CONTACT WITH THE LIQUID OR EXPOSURE TO VAPOR CONCENTRATIONS ABOVE THE TLV.**
**SKIN:**
**PROLONGED OR REPEATED LIQUID CONTACT CAN DEBAT THE SKIN AND LEAD TO IRRITATION AND/OR DERMATITIS.**
**INHALATION:**
**EXPOSURE TO VAPOR CONCENTRATIONS EXCEEDING 1000 PPM CAN CAUSE RESPIRATORY IRRITATION, HEADACHE, DIZZINESS, NAUSEA AND LOSS OF COORDINATION. HIGHER CONCENTRATIONS MAY CAUSE LOSS OF CONSCIOUSNESS, CARDIAC SENSITIZATION, COMA AND DEATH RESULTING FROM RESPIRATORY FAILURE.**
**INGESTION:**
**INGESTION MAY RESULT IN NAUSEA, VOMITING, DIARRHEA AND RESTLESSNESS. ASPIRATION (BREATHING) OF VOMITUS INTO THE LUNGS MUST BE AVOIDED AS EVEN SMALL QUANTITIES IN THE LUNGS CAN PRODUCE CHEMICAL PNEUMONITIS AND PULMONARY EDEMA/HEMORRHAGE.**



PRODUCT NAME: PREMIUM UNLEADED GASOLINE  
MARATHON MSDS NO: 11942001

SECTION 5 - POTENTIAL HEALTH EFFECTS (CONT)

ADDITIONAL TOXICITY INFORMATION:

TWO YEAR INHALATION TOXICITY STUDIES WITH FULLY VAPORIZED GASOLINE (57, 292 & 2056 PPM) PRODUCED KIDNEY DAMAGE AND KIDNEY TUMORS IN MALE RATS BUT NOT IN FEMALE RATS OR MALE AND FEMALE MICE. FEMALE MICE DEVELOPED A SLIGHTLY HIGHER INCIDENCE OF LIVER TUMORS COMPARED TO CONTROLS AT THE HIGHEST EXPOSURE LEVEL. RESULTS FROM SUBSEQUENT SCIENTIFIC STUDIES SUGGEST THAT THE KIDNEY DAMAGE AND PROBABLY THE KIDNEY TUMOR RESPONSE ARE UNIQUE TO THE MALE RAT. THE BIOLOGICAL SIGNIFICANCE OF THE MOUSE LIVER TUMOR RESPONSE IN TERMS OF HUMAN HEALTH IS QUESTIONABLE.

REPEATED OR PROLONGED EXPOSURE TO BENZENE EVEN AT RELATIVELY LOW CONCENTRATIONS MAY CAUSE SERIOUS INJURY TO BLOOD-FORMING ORGANS. SIGNIFICANT CHRONIC EXPOSURE TO BENZENE VAPOR HAS BEEN REPORTED TO PRODUCE VARIOUS BLOOD DISORDERS, RANGING FROM ANEMIA TO LEUKEMIA (CANCER) IN MAN. BENZENE PRODUCED TUMORS IN RATS AND MICE IN LIFETIME CHRONIC TOXICITY STUDIES, BUT THE RESPONSE HAS NOT BEEN CONSISTENT ACROSS SPECIES, STRAIN, SEX OR ROUTE OF EXPOSURE. ANIMAL STUDIES ON BENZENE HAVE DEMONSTRATED INTAKE TOXICITY, TESTICULAR EFFECTS AND ALTERATIONS IN REPRODUCTIVE CYCLES, EVIDENCE OF CHROMOSOMAL DAMAGE OR OTHER CHROMOSOMAL CHANGES, AND EMBRYO/FETOTOXICITY, BUT NOT TERATOGENICITY.

EMERGENCY FIRST AID PROCEDURES

EYE:

FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. IF SYMPTOMS OR IRRITATION OCCUR, CALL A PHYSICIAN.

SKIN:

WASH WITH SOAP AND LARGE AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. IF SYMPTOMS OR IRRITATION OCCUR, CALL A PHYSICIAN.

INHALATION:

MOVE PERSON TO FRESH AIR. IF NOT BREATHING OR IF NO HEARTBEAT, GIVE ARTIFICIAL RESPIRATION OR CARDIOPULMONARY RESUSCITATION (CPR). IMMEDIATELY CALL A PHYSICIAN.

INGESTION:

DO NOT INDUCE VOMITING. DO NOT GIVE LIQUIDS. IMMEDIATELY CALL A PHYSICIAN.

SECTION 6 - SPECIAL PROTECTION INFORMATION

VENTILATION:

LOCAL OR GENERAL EXHAUST REQUIRED IN ENCLOSED AREAS OR WITH INADEQUATE VENTILATION.



PRODUCT NAME: PREMIUM UNLEADED GASOLINE  
MARATHON MSDS NO: 119FJL2001

SECTION 6 - SPECIAL PROTECTION INFORMATION (CONT'D)

RESPIRATORY PROTECTION:

APPROVED ORGANIC VAPOR CHEMICAL CARTRIDGE OR SUPPLIED AIR RESPIRATORS SHOULD BE WORN FOR EXPOSURES EXCEEDING THE TLY OR STEL. OBSERVE RESPIRATOR PROTECTION FACTOR CRITERIA CITED IN ANSI Z99.2 (1983). SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED FOR FIRE FIGHTING.

PROTECTIVE GLOVES:

NEDPRENE, NITRILE, VITON OR PVA GLOVES FOR REPEATED OR PROLONGED SKIN EXPOSURE.

OTHER PROTECTIVE EQUIPMENT:

USE EXPLOSION-PROOF EQUIPMENT.

SECTION 7 - SPILL OR LEAK PROCEDURES

ENVIRONMENTAL EFFECTS:

LIQUID CAN BE TOXIC TO AQUATIC LIFE.

STEPS TO BE TAKEN IN CASE OF SPILL, LEAK OR RELEASE:

KEEP PUBLIC AWAY. SHUT OFF SOURCE OF LEAK IF POSSIBLE TO DO SO WITHOUT HAZARD. ELIMINATE ALL IGNITION SOURCES. ADVISE NATIONAL RESPONSE CENTER (800-424-3832) IF PRODUCT HAS ENTERED A WATER COURSE. ADVISE LOCAL AND STATE EMERGENCY SERVICES AGENCIES, IF APPROPRIATE. CONTAIN LIQUID WITH SAND OR SOIL. RECOVER AND RETURN FREE LIQUID TO SOURCE. USE SUITABLE SORBENTS TO CLEAN UP RESIDUAL LIQUID.

WASTE DISPOSAL METHOD:

DISPOSE OF CLEANUP MATERIALS IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION 8 - HANDLING AND STORAGE PRECAUTIONS

PRODUCT SHOULD BE HANDLED AND STORED IN ACCORDANCE WITH INDUSTRY ACCEPTED PRACTICES. IN THE ABSENCE OF SPECIFIC LOCAL CODE REQUIREMENTS, NFPA OR OSHA REQUIREMENTS SHOULD BE FOLLOWED. USE APPROPRIATE GROUNDING AND BONDING PRACTICES. STORE IN PROPERLY CLOSED CONTAINERS THAT ARE APPROPRIATELY LABELED. DO NOT EXPOSE TO HEAT, OPEN FLAME, OXIDIZERS OR OTHER SOURCES OF IGNITION. AVOID SKIN CONTACT. EXERCISE GOOD PERSONAL HYGIENE INCLUDING REMOVAL OF SOILED CLOTHING AND PROPER WASHING WITH SOAP AND WATER.



PRODUCT NAME: PREMIUM UNLEADED GASOLINE  
MARATHON MSDS NO: 114MAR201

SECTION 9 - HAZARD WARNING

DANGER:  
EXTREMELY FLAMMABLE  
HARMFUL OR FATAL IF SWALLOWED  
CONTAINS BENZENE WHICH MAY CAUSE  
CANCER OR BE TOXIC TO BLOOD-FORMING ORGANS.

SECTION 10 - COMMENTS.



---

**FIRE AND EXPLOSION DATA---SECTION III**

---

**Special Fire Fighting Procedures:**

Do not use water except as fog.

**Unusual Fire and Explosion Hazards:**

none

**Flashpoint:** (Method Used) Cleveland open cup greater than 190°C (360°F)

**Flammable limits %:** not applicable

**Extinguishing agents:**

Drychemical or Waterfog or CO<sub>2</sub> or Foam

Closed containers exposed to fire may be cooled with water.

---

**HEALTH HAZARD DATA---SECTION IV**

---

**Permissible concentrations (air):**

If used in applications where a mist may be generated, observe a TWA/PEL of 5 mg/m<sup>3</sup> for mineral oil mist (OSHA and ACGIH).

**Chronic effects of overexposure:**

Prolonged or repeated skin contact may cause dermatitis (skin irritation)

**Acute toxicological properties:**

no data available

**Emergency First Aid Procedures:**

**Eyes:** Immediately flush with large quantities of water for at least 15 minutes and call a physician.

**Skin Contact:** Remove excess with cloth or paper. Wash thoroughly with soap and water.

**Inhalation:** Remove victim to fresh air. Call a physician.

**If Swallowed:** Contact a physician immediately.

---

**SPECIAL PROTECTION INFORMATION---SECTION V**

---

**Ventilation Type Required (Local, mechanical, special):**

Local if necessary to maintain allowable PEL (permissible exposure limit) or TLV (threshold limit value)

**Respiratory Protection (Specify type):**

Use NIOSH/MSHA certified respirator with dual organic vapor/mist and particulates cartridge if vapor concentration exceeds permissible exposure limit.

**Protective Gloves:**

nitrile type

**Eye Protection:**

chemical safety goggles

**Other Protective Equipment:**

none

(Continued on next page)

**HANDLING OF SPILLS OR LEAKS---SECTION VI****Procedures for Clean-Up:**

Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand, or vermiculite. Sweep up and dispose as solid waste in accordance with local, state, and federal regulations.

**Waste Disposal:**

Dispose of in accordance with all applicable federal, state and local regulations.

**SPECIAL PRECAUTIONS---SECTION VII****Precautions to be taken in handling and storage:**

Do not handle or store at temperatures over

**Maximum Storage Temperature: 38°C (100°F)**

**TRANSPORTATION DATA---SECTION VIII**

**D.O.T.:** Not Regulated

**Reportable Quantity:** not applicable

**Freight Classification:** Petroleum Lubricating Oil

**Special Transportation Notes:**

none

**ENVIRONMENTAL/SAFETY REGULATIONS---SECTION IX****Section 311 (Title III Superfund Amendment and Reauthorization Act):**

This product does not contain any chemical in sufficient quantity to be subject to the reporting requirements of Section 311 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

**COMMENTS****STATE REGULATORY INFORMATION:**

Pennsylvania Worker And Community Right To Know Act: This product contains the following ingredient(s).

Hydrocarbon oils CAS. NO. 8020-23-6

The additive mixtures in this product have been declared a trade secret by the additive manufacturers.

(Continued on next page)

KENDALL NON-DETERGENT MOTOR OIL, ALL SAE GRADES

(COMMENTS continued)

Prepared by: Robert Kallam  
Title: Group Supervisor, Lubricants Testing, Maintenance, and Safety  
Original Date: 05/18/81 Sent to: SCOTT DUNNBAR  
Revision Date: 04/01/93 OHM  
Supersedes: 04-05-90 53335 TRIANGLE PARK, SUITE 450  
Date Sent: 10/21/93 NORCROSS GA 30092

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.



Material Safety Data Sheet

U.S. Department of Labor

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standards must be consulted for specific requirements.

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1213-0072

IDENTITY (As Used on Label and List) ALCONOX Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked as "N/A".

Section I

Manufacturer's Name: ALCONOX, INC. Emergency Telephone Number: (212) 473-1300
Address (Number, Street, City, State, and ZIP Code): 215 PARK AVENUE SOUTH NEW YORK, N.Y. 10003
Telephone Number for Information: (212) 473-1300
Date Prepared: JULY 1, 1989
Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Table with 5 columns: Hazardous Components (Specific Chemical Identity; Common Name(s)), OSHA PEL, ACSDH TLV, Other Limits Recommended, % (optional). Content: THERE ARE NO INGREDIENTS IN ALCONOX WHICH APPEARED ON THE OSHA STANDARD 29 CFR 1910 SUBPART Z.

Section III - Physical/Chemical Characteristics

Table with 4 columns: Property, Value, Property, Value. Rows: Boiling Point (N.A.), Vapor Pressure (mm Hg) (N.A.), Vapor Density (AIR = 1) (N.A.), Solubility in Water (APPRECIABLE (GREATER THAN 10 PER CENT)).

Appearance and Color: WHITE POWDER INTERSPERSED WITH GREEN COLORED FLAKES - BRASS

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used): NONE
Flammable Limits: LFL: N.A., UFL: N.A.
Extinguishing Media: WATER, CO2, DRY CHEMICAL, FOAM, SAND/FLUOR
Special Fire Fighting Procedures: FOR FIRES INVOLVING THIS MATERIAL DO NOT ENTER WITHOUT PROTECTIVE EQUIPMENT AND SELF CONTAINED BREATHING APPARATUS
Unusual Fire and Explosion Hazards: NONE

No. 3

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid	None
	Stable	XX	

Incompatibility (Materials to Avoid) AVOID STRONG ACIDS

Hazardous Decomposition or Byproducts MAY RELEASE CO GAS ON HEATING

Hazardous Polymerization	May Occur	Conditions to Avoid	NONE
	Will Not Occur	XX	

Section VI - Health Hazard Data

Release of Energy	Inhalation?	YES	Skin?	NO	Ingestion?	YES
-------------------	-------------	-----	-------	----	------------	-----

Health Hazards (Acute and Chronic) INHALATION OF POWDER MAY IRRITATE LOCALLY IRRITATING OR MUCCOUS MEMBRANES. INGESTION MAY CAUSE DISCOMFORT AND/OR DIARRHEA.

Carcinogenicity	NIPT	NO	ARC Monographs?	NO	CSHA Regulated?	NO
-----------------	------	----	-----------------	----	-----------------	----

Signs and Symptoms of Exposure EXPOSURE MAY IRRITATE MUCCOUS MEMBRANES. MAY CAUSE SNEEZING.

Medical Conditions Generally Aggravated by Exposure RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY POWDER

Emergency and First Aid Procedures ES-FLUSH WITH ABUNDANT OF WATER FOR 15 MINUTES. SWALLOWED WITH GLENNY OF WATER. INGESTION-DRAIN LARGE QUANTITIES OF WATER, GET MEDICAL ATTENTION FOR DISCOMF.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled MATERIAL FORMS PROFUSELY. SPOWED AND RECOVERED AS MUCH AS POSSIBLE. RINSE CONTAINERS TO REMOVE MATERIAL IS COMPLETELY BIODEGRADABLE.

Waste Disposal Methods SMALL QUANTITIES MAY BE DISPOSED OF IN SEWER. LARGE QUANTITIES SHOULD BE DISPOSED OF ACCORDING TO LOCAL REQUIREMENTS FOR NON-HAZARDOUS WASTE.

Precautions to Be Taken in Handling and Storage STORE IN A DRY AREA TO PREVENT CAKING.

Other Precautions NO SPECIAL REQUIREMENTS OTHER THAN THE GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES EMPLOYED WITH ANY INDUSTRIAL CHEMICAL.

Section VIII - Control Measures

Respiratory Protection (Specify Type) DUST MASK

Ventilation	Local Exhaust	None	Source	N.A.
	Mechanical (General)	N.A.	Control	N.A.

Protective Gloves USEFUL-NOT REQUIRED Eye Protection USEFUL-NOT REQUIRED

Other Protective Clothing or Equipment NOT REQUIRED

Work Hygiene Practices NO SPECIAL PRACTICES REQUIRED

## MATERIAL SAFETY DATA SHEET

IDENTITY: SIGNE SAVERS brand ANTI-FOG LIQUID

CATALOG #24, 25, 6a, 6b, 6S6S, 6S70, 143060, 6S69, 60101

## SECTION 1: MANUFACTURER'S NAME AND ADDRESS

Bausch & Lomb  
1400 N. Goodman St.  
Rochester, NY 14609

(800) 553-8340

MEDICAL EMERGENCY 8AM/4PM  
MON.-FRI. 8AM/5PM  
Other times: Call Local Poison Center

(800) 553-8340

ALL OTHER QUESTIONS

Date Prepared: February 26, 1992

## SECTION 2: HAZARDOUS INGREDIENTS

<u>Ingredient</u>	<u>(CAS#)</u>	<u>%</u>	<u>PEL</u>	<u>UNITS</u>	<u>TLV</u>	<u>UNITS</u>	<u>STEL</u>	<u>UNITS</u>	<u>STEL</u>
Isopropanol (67-63-0)		12	400	PPM	400	PPM	300	PPM	-
Sodium Lauryl Sulfate (151-21-1)		2	None	-	None	-	None	-	-
Diglycylsena Glycol Monomethyl		2	100	PPM	100	PPM	150	PPM	X
Ether (14590-34-3)									

## SECTION 3: PHYSICAL DATA

Boiling Point (C): 100  
 Vapor Pressure (mm Hg): 10  
 Vapor Density: (air=1): Not Determined  
 Solubility: soluble in water  
 pH: not determined  
 Appearance and Odor: Purple liquid, odor of rubbing alcohol

Specific Gravity: 1.0  
 Melting Point: N/A  
 Evaporation Rate: Less/1  
 Percent Volatile by Weight: <1%

## SECTION 4: FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): 105 Open Cup Flammable Limits: not determined  
 Extinguishing Media: CO2, Foam, Dry Chemical, Water Fog  
 Fire Fighting Procedures: Use self contained breathing apparatus.

Usual Fire and Explosion Hazards: None.

-2-

**SECTION 5: REACTIVITY DATA**

Stability: Stable

Incompatibility: Hydrogen &amp; Galladium, Nitroform, Chloro, Potassium-Tern-Sulfoxide, Aluminum, Aluminum Isopropoxide, Oxetanedehyde, Oxidants, Phosgene

Hazardous Decomposition Products: CO, CO2, SiO2

Hazardous Polymerization: Will not occur

Conditions to avoid: Sources of ignition, heat, open flame

**SECTION 6: HEALTH HAZARD DATA**

Route(s) of Entry:

Inhalation: Irritation, central nervous system depression

Skin Contact: Defatting, dermatitis possible.

Ingestion: nausea, vomiting, headache, dizziness, coma possible, abdominal pain, vomiting, diarrhea

Health Hazards (Acute and Chronic):

Carcinogenicity: NTP: N/A IARC Monographs: N/A  
OSHA Regulated: N/A

Signs and Symptoms of Exposure: N/A

Medical Conditions Generally Aggravated by Exposure: N/A

Emergency and First Aid Procedures:

Inhalation: Move to fresh air, get medical help.

Skin Contact: Wash with soap and water.

Ingestion: Gastric lavage, give fluids, get medical help.

Eye Contact: Flush with water for 15 minutes, get medical help.

**SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE**

Spill Procedure: Remove sources of ignition, absorb with vermiculite.

Waste Disposal: As per local, state and Federal regulation.

Spill Reporting Information (49 CFR 171.3, 49 CFR 117)

Hazardous Substance: None

Reportable Quantity: None

Concentration of Hazardous Substance: N/A

Reportable Quantity of Product: N/A

Precautions to be taken in handling and storing:

Store in a cool, dry, well ventilated place.

SECTION 3: CONTROL MEASURES

Respiratory Protection: NIOSH Approved Respirator if exposure exceeds the permissible exposure limit (PEL)

Ventilation: Sufficient to keep exposure below the PEL, general room air circulation sufficient for normal use of product.

Eye and Face Protection: Safety Glasses and whatever is required by other occupational conditions.

Protective Clothing: None required for normal use of product.

Work/Hygienic Practices: N/A

Approved by: *[Signature]*

The above information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



7200 Junction City  
 Pleasanton, California 94566  
 Tel. (510) 367-6700

# Data Sheet

No. 5

HEALTH	3
FLAMMABILITY	3
REACTIVITY	1
PERSONAL	3

<b>Product:</b>	REGULAR CLOROX BLEACH	
<b>Description:</b>	CLEAR, LIGHT YELLOW LIQUID WITH CHLORINE ODOR	
<b>Other Designations</b>	<b>Manufacturer</b>	<b>Emergency Telephone No.</b>
EPA Reg. No. 5810-1 Sodium hypochlorite solution Liquid chlorine bleach Clorox Liquid Bleach	The Clorox Company 1201 Broadway Oakland, CA 94612	NEED YOUR SUPERVISOR Rocky Mountain Prison Center (800) 448-1074 For Transportation Emergencies Contact (800) 424-2500

**II Health Hazards Data**

Causes severe but temporary eye injury. May irritate skin. May cause nausea and vomiting if ingested. Exposure to vapor or mist may irritate nose, throat and lungs. The following medical conditions may be aggravated by exposure to high concentrations of vapor or mist: heart conditions or chronic respiratory problems such as asthma, chronic bronchitis or obstructive lung disease. Under normal consumer use conditions the likelihood of any adverse health effects are low.

**FIRST AID:** **EYE CONTACT:** Immediately flush eyes with plenty of water. If irritation persists, see a doctor. **SKIN CONTACT:** Remove contaminated clothing. Wash area with water. **INGESTION:** Drink a glassful of water and call a physician. **INHALATION:** If breathing problems develop remove to fresh air.

**III Hazardous Ingredients**

Ingredients	Concentration	Worker Exposure Limit
Sodium hypochlorite CAS # 7681-92-9	5.25%	not established

None of the ingredients in this product are on the IARC, NTP or OSHA carcinogen list. Occasional clinical reports suggest a low potential for sensitization upon exaggerated exposure to sodium hypochlorite if skin damage (e.g. irritation) occurs during exposure. Routine clinical tests conducted on intact skin with Clorox Liquid Bleach found no sensitization in the test subjects.

**IV Special Protection and Precautions**

**Personal Protection:** Wear safety glasses. With repeated or prolonged use wear gloves.

**Engineering Controls:** Use general ventilation to minimize exposure to vapor or mist.

**Work Practices:** Avoid eye and skin contact and inhalation of vapor or mist.

Keep out of the reach of children.

**V Transportation and Regulatory Data**

**U.S. DOT Hazard Class:** Not regulated

**U.S. DOT Proper Shipping Name:** Hypochlorite solution with not more than 7% available chlorine. Not regulated per 49CFR 172.101(c)(12)(iv).

**Section 313 (Title III Superfund Amendment and Reauthorization Act)**  
 As a consumer product, this product is exempt from supplier notification requirements under Section 313 Title III of the Superfund Amendment and Reauthorization Act of 1986 (reference 40 CFR Part 372).

**VI Spill or Leak Procedures**

**Small Spills (<5 gallons)**  
 1) Absorb, containment, and landfill in accordance with local regulations.  
 2) Wash down residual to sanitary sewer.\*

**Large Spills (>5 gallons)**  
 1) Absorb, containment, and landfill in accordance with local regulations.  
 Wash down residual to sanitary sewer.\* - OR - (2) Pump residual to waste drum(s) and dispose in accordance with local regulations; wash down residual to sanitary sewer.\*

\* Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

**VII Reactivity Data**

Stable under normal use and storage conditions. Strong oxidizing agent. Reacts with other household chemicals such as toilet bowl cleaners, rust removers, vinegar, acids or ammonia containing products to produce hazardous gases, such as chlorine and other chlorinated species. Prolonged contact with metal may cause pitting or discoloration.

**VIII Fire and Explosion Data**

Not flammable or explosive. In a fire, may contribute to general nature and release of sodium chloride.

**IX Physical Data**

Boiling point ..... 212°F (100°C) decomposed  
 Specific Gravity (H<sub>2</sub>O) ..... 1.205  
 Solubility in Water ..... complete  
 pH ..... 11.4

EXXON COMPANY, U.S.A.

A DIVISION OF EXXON CORPORATION

DATE ISSUED: 09/11/92  
SUPERSEDES DATE: 12/02/91

## MATERIAL SAFETY DATA SHEET

EXXON COMPANY, U.S.A. P.O. BOX 2130 HOUSTON, TX 77252-2130

## A. IDENTIFICATION AND EMERGENCY INFORMATION

PRODUCT NAME  
EXXON DIESEL 2

PRODUCT CODE  
072700 - 00737

PRODUCT CATEGORY  
Petroleum Distillate Fuel

PRODUCT APPEARANCE AND ODOR  
Clear liquid, yellow color  
Faint petroleum hydrocarbon odor

MEDICAL EMERGENCY TELEPHONE NUMBER  
(713) 636-3424

## B. COMPONENTS AND HAZARD INFORMATION

COMPONENTS	CAS NO. OF COMPONENTS	APPROXIMATE CONCENTRATION
Fuels, diesel, no. 2	62476-14-6	100%

All components of this product are listed on the U.S. TSCA Inventory.

See Section 5 for Health and Hazard Information.

See Section 6 for additional Environmental Information.

## HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS)

Health	Flammability	Reactivity	HAZARD BASIS
1	2	0	Recommended by Exxon

EXPOSURE LIMIT FOR TOTAL PRODUCT  
100 ppm (900 µg/m<sup>3</sup>) for an 8-hour  
workday

HAZARD BASIS  
Recommended by Exxon

C. PRIMARY ROUTES OF ENTRY  
AND EMERGENCY AND FIRST AID PROCEDURES

## EYE CONTACT

If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists, call a physician.

## SKIN

In case of skin contact, remove any contaminated clothing and wash skin with soap and water. Launder or dry-clean clothing before reuse. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.

## INHALATION

Overexposure may cause gasping, nausea and disorientation.

Vapor pressure is very low. Vapor inhalation under ambient conditions is normally not a problem. If overcome by vapor from hot product, remove from exposure and call a physician immediately. If breathing is irregular or has stopped, start resuscitation, administer oxygen, if available.

**INGESTION**

If ingested, DO NOT induce vomiting; call a physician immediately.

**D. FIRE AND EXPLOSION HAZARD INFORMATION****FLASH POINT (MINIMUM)**

COMBUSTIBLE - Per DOT 49 CFR 173.115  
60°C (140°F)  
ASTM D 93, Pensky Martens Closed Cup

**AUTOIGNITION TEMPERATURE**

Greater than 304°C (400°F)

NOTE: Nonmarine product may be 55°C (135°F)  
minimum flash to meet No. 2 Diesel Fuel Oil  
(ASTM D 975). Seasonal blends may be as low  
as 38°C (100°F).

**NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) - HAZARD IDENTIFICATION**

Health	Flammability	Reactivity	HAZID	
0	2	0	0	Recommended by the National Fire Protection Association

**HANDLING PRECAUTIONS**

This liquid is volatile and gives off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode.

Keep product away from ignition sources, such as heat, sparks, pilot lights, static electricity, and open flames.

**FLAMMABLE OR EXPLOSIVE LIMITS (APPROXIMATE PERCENT BY VOLUME IN AIR)**

Estimated values: Lower Flammable Limit 0.8% Upper Flammable Limit 7%

**EXTINGUISHING MEDIA AND FIRE FIGHTING PROCEDURES**

Foam, water spray (fog), dry chemical, carbon dioxide and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires involving this type of product, depending on size or potential size of fire and circumstances related to the situation. Plan fire protection and response strategy through consultation with local fire protection authorities or appropriate specialists.

The following procedures for this type of product are based on the recommendations in the National Fire Protection Association's "Fire Protection Guide on Hazardous Materials", Eighth Edition (1984):

Use dry chemical, foam or carbon dioxide to extinguish the fire. Water may be ineffective, but water should be used to keep fire-exposed containers cool. If a leak or spill has ignited, use water spray to disperse the vapors and to protect men attempting to stop a leak. Water spray may be used to flush spills away from exposures. Minimize breathing of gases, vapor, fumes or decomposition products. Use supplied-air breathing equipment for enclosed or confined spaces or as otherwise needed.

NOTE: The inclusion of the phrase "water may be ineffective" is to indicate that although water can be used to cool and protect exposed material, water may not extinguish the fire unless used under favorable conditions by experienced fire fighters trained in fighting all types of flammable liquid fires.

**DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS**

Fumes, smoke, carbon dioxide, aldehydes and other decomposition products. In the case of immediate combustion.

**"EMPTY" CONTAINER WARNING**

"Empty" containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. "Empty" drums should be completely drained, properly bunged and promptly returned to a drum recycler. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. For work on tanks refer to Combustional Safety and Health Administration regulations, ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, recapping, welding, or other contemplated

operations.

## E HEALTH AND HAZARD INFORMATION

### VARIABILITY AMONG INDIVIDUALS

Health studies have shown that many petroleum hydrocarbons and synthetic lubricants pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

### EFFECTS OF OVEREXPOSURE (Signs and symptoms of exposure)

Prolonged or repeated liquid contact with the skin will dry and chafe the skin, leading to possible irritation and dermatitis.

High vapor concentrations (greater than approximately 1000 ppm, attainable at temperatures well above ambient) are irritating to the eyes and the respiratory tract, and may cause headaches, dizziness, anorexia, drowsiness, unconsciousness, and other central nervous system effects, including death.

### NATURE OF HAZARD AND TOXICITY INFORMATION

Prolonged or repeated skin contact with this product tends to remove skin oils, possibly leading to irritation and dermatitis; however, based on human experience and available toxicological data, this product is judged to be neither a "corrosive" nor an "irritant" by GSHA criteria.

Product contacting the eyes may cause eye irritation.

Lifetime skin painting studies conducted by the American Petroleum Institute, Exxon and others have shown that similar products boiling between 175-170°C (350-700°F) usually produce skin tumors and/or skin cancer in laboratory rats. The degree of carcinogenic response was weak to moderate with a relatively long latent period. The implications of these results for humans have not been determined.

Limited studies on oils that are very active carcinogens have shown that washing the animals' skin with soap and water between applications greatly reduces tumor formation. These studies demonstrate the effectiveness of cleaning the skin after contact.

Potential risks to humans can be minimized by observing good work practices and personal hygiene procedures generally recommended for petroleum products. See Section I for recommended protection and precautions.

Contains light hydrocarbon components. Lifetime studies by the American Petroleum Institute have shown that kidney damage and kidney cancer can occur in male rats after prolonged inhalation exposures at elevated concentrations of total gasoline. Kidneys of mice and female rats were unaffected. The U.S. EPA Risk Assessment Forum has concluded that the male rat kidney tumor results are not relevant for humans. Total gasoline exposure also produced liver tumors in female rats only. The implication of these data for humans has not been determined. Certain components, such as normal hexane, may also affect the nervous system at high concentrations (e.g., 1000-1500 ppm).

Product has a low order of acute oral and dermal toxicity, but minute amounts absorbed into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

This product is judged to have an acute oral LD50 (rat) greater than 5 g/kg of body weight, and an acute dermal LD50 (rabbit) greater than 2.16 g/kg of body weight.

Inhalation of components of exhaust from burning, such as carbon monoxide, may cause death at high concentrations.

Long-term repeated exposure of laboratory animals to whole diesel exhaust has resulted in an increased incidence of lung cancer.

Exposure to exhaust from burning and diesel exhaust should be minimized.

### PRE-EXISTING MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY EXPOSURE

Petroleum Solvents/Petroleum Hydrocarbons - Skin contact may aggravate an existing dermatitis.

**F. PHYSICAL DATA**

The following data are approximate or typical values and should not be used for precise design purposes.

<b>BOILING RANGE</b> 160-180°C (320-350°F)	<b>VAPOR PRESSURE</b> Less than 1 mm Hg @ 30°C
<b>SPECIFIC GRAVITY (15.6 C/15.6 C)</b> 0.86	<b>VAPOR DENSITY (AIR = 1)</b> Greater than 5
<b>MOLECULAR WEIGHT</b> Approximately 210 average	<b>PERCENT VOLATILE BY VOLUME</b> 100
<b>pH</b> Essentially neutral	<b>EVAPORATION RATE @ 1 ATM. AND 25 C (77 F)</b> (n-BUTYL ACETATE = 1) 0.02
<b>POUR, CONGELLING OR MELTING POINT</b> -18°C (0°F) Pour Point by ASTM D 97	<b>SOLUBILITY IN WATER @ 1 ATM. AND 25 C (77 F)</b> Negligible; less than 0.1%
<b>VISCOSITY</b> 2.7 cSt @ 40°C	

**G. REACTIVITY**

This product is stable and will not react violently with water. Hazardous polymerization will not occur. Avoid contact with strong oxidants such as liquid chlorine, concentrated oxygen, sodium hypochlorite, calcium hypochlorite, etc., as this presents a serious explosion hazard.

**H. ENVIRONMENTAL INFORMATION**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Shut off and eliminate all ignition sources. Keep people away. Recover free product. Add sand, earth or other suitable absorbent to spill area. Minimize breaching vapors. Minimize skin contact. Ventilate confined spaces. Close all windows and doors. Keep product out of sewers and watercourses by diking or impounding. Advise authorities if product has entered or may enter sewers, watercourses, or extensive land areas. Assume conformity with applicable governmental regulations. Continue to observe precautions for volatile, combustible vapors from absorbed material.

THE FOLLOWING INFORMATION MAY BE USEFUL IN COMPLYING WITH VARIOUS STATE AND FEDERAL LAWS AND REGULATIONS UNDER VARIOUS ENVIRONMENTAL STATUTES:

**REPORTABLE QUANTITY (RQ), EPA REGULATION 40 CFR 302 (CERCLA Section 102)**  
No RQ for product or any constituent greater than 1% or 0.1% (carcinogen).

**THRESHOLD PLANNING QUANTITY (TPQ), EPA REGULATION 40 CFR 305 (SARA Sections 301-304)**  
No TPQ for product or any constituent greater than 1% or 0.1% (carcinogen).

**TOXIC CHEMICAL RELEASE REPORTING, EPA REGULATION 40 CFR 372 (SARA Section 313)**  
No toxic chemical is present greater than 1% or 0.1% (carcinogen).

**HAZARDOUS CHEMICAL REPORTING, EPA REGULATION 40 CFR 370 (SARA Sections 311-312)**

	Acute	Chronic	Fire	Pressure	Reactive	
<b>EPA HAZARD CLASSIFICATION CODE:</b>	Hazard	Hazard	Hazard	Hazard	Hazard	Not Applicable
	XXX	XXX	XXX	XXX	XXX	

## L PROTECTION AND PRECAUTIONS

### VENTILATION

Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air.

### RESPIRATORY PROTECTION

Use supplied-air respiratory protection in confined or enclosed spaces, if needed.

### PROTECTIVE GLOVES

Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.

### EYE PROTECTION

Use splash goggles or face shield when eye contact may occur.

### OTHER PROTECTIVE EQUIPMENT

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin contact.

### WORK PRACTICES / ENGINEERING CONTROLS

Keep containers closed when not in use. Do not store near heat, sparks, flame or strong oxidants.

In order to prevent fire or explosion hazards, use appropriate equipment.

Information on electrical equipment appropriate for use with this product may be found in the latest edition of the National Electrical Code (NFPA-70). This document is available from the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts 02269.

### PERSONAL HYGIENE

Minimize breathing vapor, mist or fumes. Avoid prolonged or repeated contact with skin. Remove contaminated clothing; launder or dry-clean before re-use. Remove contaminated shoes and thoroughly clean before re-use; discard if oil-soaked. Cleanse skin thoroughly after contact, before breaks and meals, and at end of work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

## J TRANSPORTATION AND OSHA RELATED LABEL INFORMATION

### TRANSPORTATION INCIDENT INFORMATION

For further information relative to spills resulting from transportation incidents, refer to latest Department of Transportation Emergency Response Guidebook for Hazardous Materials Incidents, DOT # 5800.1.

### DOT IDENTIFICATION NUMBER

Fuel Oil, No. 2 / Combustible Liquid / NA 1993

### OSHA REQUIRED LABEL INFORMATION

In compliance with hazard and right-to-know requirements, the following OSHA Hazard Warnings should be found on a label, bill of lading or invoice accompanying this shipment.

**DANGER!**

**COMBUSTIBLE**

**LONG-TERM, REPEATED EXPOSURE MAY  
CAUSE SKIN CANCER**

Note: Product label will contain additional non-OSHA related information.

believed, accurate and reliable as of the date issued. Exxon does not warrant or guarantee their accuracy or reliability, and Exxon shall not be liable for any loss or damage arising out of the use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

The Environmental Information included under Section H hereof as well as the Hazardous Materials Identification System (HMIS) and National Fire Protection Association (NFPA) ratings have been included by Exxon Company, U.S.A. in order to provide additional health and hazard classification information. The ratings recommended are based upon the criteria supplied by the developers of these rating systems, together with Exxon's interpretation of the available data.

**FOR ADDITIONAL INFORMATION ON HEALTH EFFECTS CONTACT:**

DIRECTOR OF INDUSTRIAL HYGIENE  
 EXXON COMPANY, U.S.A.  
 KELLOGG TOWER, ROOM 220  
 P. O. BOX 2180  
 HOUSTON, TX 77252-2180  
 (713) 636-2447

**FOR OTHER PRODUCT INFORMATION CONTACT:**

MANAGER, MARKETING TECHNICAL SERVICES  
 EXXON COMPANY, U.S.A.  
 ROOM 2222  
 P. O. BOX 2180  
 HOUSTON, TX 77252-2180  
 (713) 636-3349

**ANSUL**

ANSUL FIRE PROTECTION  
MARNETTE, WI 54143-2542

17-325; 17-325-2; 17-325-3 <sup>No. 7</sup>  
MATERIAL SAFETY DATA SHEET

FORAY

QUICK IDENTIFIER (In Plant Common Name)

Manufacturer's Name:	ANSUL FIRE PROTECTION, WORMALD U.S., INC.	Emergency Telephone No.:	(715) 735-7411
Address:	One Stanton Street, Marnette, WI 54143-2542	Other Information Same As:	Label
Prepared By:	Safety and Health Department	Date Prepared:	June 1, 1989

**SECTION 1 — IDENTITY**

Common Name: (used on label) (Trade Name and Synonyms)	FORAY Dry Chemical Extinguishing Agent	CAS No.:	N/A
Chemical Name:	N/A This is a Mixture	Chemical Family:	Mixture
Formula:	N/A		

**SECTION 2 — INGREDIENTS**

PART A — HAZARDOUS INGREDIENTS				
Principal Hazardous Component(s) (chemical and common name(s)):	%	CAS No.	ACGIH TLV	Acute Toxicity Data
Muscovite Talc	Less than 5	12001-26-2	20 mppcf*	NDA
Magnesium Aluminum Silicate	Less than 10	8031-18-3	10 mg/M <sup>3</sup>	NDA
*Million particles per cubic foot				

PART B — OTHER INGREDIENTS				
Other Component(s) (chemical and common name(s)):	%	CAS No.		Acute Toxicity Data
Monoammonium Phosphate	Greater than 75	7722-76-1		NDA
Ammonium Sulfate	Greater than 10	7783-20-2		NDA
Methyl Hydrogen Polysiloxane	Less than 1	63148-57-2		NDA
Yellow Pigment	Less than 0.1	5468-75-7		NDA

**SECTION 3 — PHYSICAL AND CHEMICAL CHARACTERISTICS (Fire and Explosion Data)**

Boiling Point:	N/A	Specific Gravity (H <sub>2</sub> O = 1):	N/A	Vapor Pressure (mm Hg):	N/A
Percent Volatile by Volume (%):	N/A	Vapor Density (Air = 1):	N/A	Evaporation Rate ( = 1):	N/A
Solubility in Water:	Slight	Reactivity in Water:	Unreactive		
Appearance and Odor:	Yellow colored powder, no characteristic odor				
Flash Point:	None	Flammable Limits in Air % by Volume:	N/A	Extinguisher Media:	N/A
Special Fire Fighting Procedures:	NONE — THIS IS AN EXTINGUISHING AGENT				
Unusual Fire and Explosion Hazards:	None				

**SECTION 4 — PHYSICAL HAZARDS**

Stability:	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>	Conditions to Avoid:	N/A
Incompatibility (Materials to Avoid):	Strong alkalis, Mg		
Hazardous Decomposition Products:	NH <sub>3</sub> and/or PO <sub>x</sub> may be evolved		
Hazardous Polymerization:	May Occur <input type="checkbox"/> Will Not Occur <input checked="" type="checkbox"/>	Conditions to Avoid:	N/A

**SECTION 5 — HEALTH HAZARDS**

Threshold Limit Value:	OSHA nuisance dust limit of 15 mg/M <sup>3</sup> or ACGIH nuisance dust value of 10 mg/M <sup>3</sup> for the eight hour time-weighted average.		
Routes of Entry: Eye Contact:	Mildly irritating for a short period of time.		
Skin Contact:	May be mildly irritating.		
Inhalation:	Treat as a mineral dust, irritant to the respiratory tract.		
Ingestion:	Not an expected route of entry.		
Signs and Symptoms:	Acute Overexposure:	Transient cough, shortness of breath.	
	Chronic Overexposure:	Chronic fibrosis of the lung, pneumoconiosis.	
Medical Conditions Generally Aggravated by Exposure:	Reactive airway		
Chemical Listed as Carcinogen or Potential:	National Toxicology Program:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	I.A.R.C. Monographs: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
		OSHA: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	

**SECTION 6 — EMERGENCY AND FIRST AID PROCEDURES**

Eye Contact:	Flush with large amounts of water; if irritation persists, seek Medical attention.
Skin Contact:	Wash with soap and water; if irritation persists, seek Medical attention.
Inhalation:	Remove victim to fresh air. Seek Medical attention if discomfort continues.
Ingestion:	If patient is conscious, give large amounts of water and induce vomiting. Seek Medical help.

**SECTION 7 — SPECIAL PROTECTION INFORMATION**

Respiratory Protection (Specify Type):	Dust mask where dustiness is prevalent, or TLV exceeded. Mechanical filter respirator if exposure is prolonged.		
Ventilation:	Local Exhaust:	Discretionary	Mechanical (General): Recommended
Protective Gloves:	N/A	Eye Protection:	Recommended as mechanical barrier for prolonged exposure.
Other Protective Clothing or Equipment:	If irritation occurs, long sleeves and impervious gloves should be worn.		

**SECTION 8 — SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES**

Precautions to be Taken in Handling and Storage:	Should be stored in original container or Ansul fire extinguisher.
Other Precautions:	Do not mix agents.
Steps to be Taken in Case Material is Released or Spilled:	Sweep up.
Waste Disposal Methods:	Dispose of in compliance with local, state, and federal regulations.

**HAZARDOUS MATERIAL IDENTIFICATION SYSTEM RATINGS**

HAZARD INDEX:	
4 Severe Hazard	<u>1</u> HEALTH
3 Serious Hazard	<u>0</u> FLAMMABILITY
2 Moderate Hazard	<u>0</u> REACTIVITY
1 Slight Hazard	
0 Minimal Hazard	

N/A = Not Applicable      NDA = No Data Available

WITCO MATERIAL SAFETY DATA SHEET


AMALIE MULTI-PURPOSE LS GEAR LUBRICANT

PAGE 1

Product Code: 473 6752

NFPA HAZARD RATING

- 4 - Extreme
- 3 - High
- 2 - Moderate
- 1 - Slight
- 0 - Insignificant



DIVISION AND LOCATION---SECTION I

Division: AMALIE REFINING COMPANY

Location: BRADFORD, PENNSYLVANIA  
ONE AMALIE WAY, BRADFORD, PA, 16701

Emergency Telephone Number: (814) 368-6111

Transportation Emergency: CHEMTREC 1-(800) 424-9300 (U.S. and Canada)

CHEMICAL AND PHYSICAL PROPERTIES---SECTION II

Chemical Name:

petroleum hydrocarbon plus additives

Formula: not applicable

Hazardous Decomposition Products:

- carbon monoxide and carbon dioxide from burning.
- oxides of phosphorous from burning
- oxides of sulfur

Incompatibility (Keep away from):

strong oxidizers such as hydrogen peroxide, bromine, and chromic acid.

Toxic and Hazardous Ingredients:

none

Form: liquid

Odor: pungent, sulfur-type

Appearance: viscous liquid

Color: green to brown

Specific Gravity (water=1): .89

Boiling Point: greater than 330°C (625°F)

Melting Point: -18°C (0°F)

Solubility in Water (by weight %): 0 at 20°C

Volatile (by weight %): 0

Evaporation Rate: 0

Vapor Pressure (mm Hg at 20°C): 0

Vapor Density (air=1): not volatile

pH (as is): not applicable

Stability: Product is stable under normal conditions

Viscosity SUS at 100°F: Less than 100

(Continued on next page)

WITCO MATERIAL SAFETY DATA SHEET

AMALIE MULTI-PURPOSE LS GEAR LUBRICANT

PAGE 2

Product Code: 473 6752

FIRE AND EXPLOSION DATA---SECTION III

Special Fire Fighting Procedures:

Do not use water except as fog.

Unusual Fire and Explosion Hazards:

none

Flashpoint: (Method Used) Cleveland open cup greater than 190°C (375°F)

Flammable limits %: not applicable

Extinguishing agents:

Drychemical or Waterfog or CO2 or Foam

Closed containers exposed to fire may be cooled with water.

HEALTH HAZARD DATA---SECTION IV

Permissible concentrations (air):

If used in applications where a mist may be generated, observe a TWA/PEL of 5 mg/m<sup>3</sup> for mineral oil mist (OSHA and ACGIH).

Chronic effects of overexposure:

Prolonged or repeated skin contact may cause dermatitis (skin irritation)

Acute toxicological properties:

no data available

Emergency First Aid Procedures:

Eyes: Immediately flush with large quantities of water for at least 15 minutes and call a physician.

Skin Contact: Remove excess with cloth or paper. Wash thoroughly with soap and water.

Inhalation: Remove victim to fresh air. Call a physician.

If Swallowed: Call a physician immediately. DO NOT induce vomiting. (Vomiting may cause aspiration into lungs resulting in chemical pneumonia.)

SPECIAL PROTECTION INFORMATION---SECTION V

Ventilation Type Required (Local, mechanical, special):

Local if necessary to maintain allowable PEL (permissible exposure limit) or TLV (threshold limit value)

Respiratory Protection (Specify type):

Use NIOSH/MSHA certified respirator with dual organic vapor/mist and particulates cartridge if vapor concentration exceeds permissible exposure limit.

Protective Gloves:

neoprene type

Eye Protection:

chemical safety goggles

Other Protective Equipment:

none

WITCO MATERIAL SAFETY DATA SHEET

AMALIE MULTI-PURPOSE LS GEAR LUBRICANT

PAGE 3

Product Code: 473 6752

HANDLING OF SPILLS OR LEAKS---SECTION VI

Procedures for Clean-Up:

Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand, or vermiculite. Sweep up and dispose as solid waste in accordance with local, state, and federal regulations.

Waste Disposal:

Dispose of in accordance with all applicable federal, state and local regulations.

SPECIAL PRECAUTIONS---SECTION VII

Precautions to be taken in handling and storage:

Do not handle or store at temperatures over

Maximum Storage Temperature: 38°C (100°F)

TRANSPORTATION DATA---SECTION VIII

D.O.T.: Not Regulated

Reportable Quantity: not applicable

Freight Classification: Petroleum Lubricating Oil

Special Transportation Notes:

none

COMMENTS

\* STATE REGULATORY INFORMATION:

Pennsylvania Worker And Community Right To Know Act: This product contains the following ingredient(s).

Hydrocarbon oils CAS. NO. 8020-83-5

The additive mixtures in this product have been declared a trade secret by the additive manufacturers.

Prepared by: Robert Kallam

Title: Group Supervisor, Lubricants Testing, Maintenance, and Safety

Original Date: 05/20/81 Sent to: DAVID DABOJEN

Revision Date: 04-12-90 OHM CORP

Supersedes: 07-19-89 2910 WEST BEAVER ST

Date Sent: 10/30/92 JACKSONVILLE FL 32205

(Continued on next page)

WITCO MATERIAL SAFETY DATA SHEET

No. 8

AMALIE MULTI-PURPOSE LS GEAR LUBRICANT

PAGE 4

Product Code: 473 6752

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

WITCO MATERIAL SAFETY DATA SHEET


Kendall C-315 Grease

PAGE 1

Product Code: J63 7834

NFPA HAZARD RATING

4 - Extreme  
 3 - High  
 2 - Moderate  
 1 - Slight  
 0 - Insignificant



DIVISION AND LOCATION---SECTION I

Division: KENDALL REFINING COMPANY  
Location: BRADFORD, PENNSYLVANIA  
 77 N. KENDALL AVE., BRADFORD, PA, 16701  
Emergency Telephone Number: (814) 363-6111  
Transportation Emergency: CHEM TREC 1-(800) 424-9300 (U.S. and Canada)

CHEMICAL AND PHYSICAL PROPERTIES---SECTION II

Chemical Name:  
 petroleum hydrocarbon and calcium stearate

Formula: not applicable

Characteristic Decomposition Products:  
 carbon monoxide and carbon dioxide from burning.

Incompatibility (Keep away from):  
 strong oxidizers such as hydrogen peroxide, bromine, and chromic acid.

Toxic and Hazardous Ingredients:  
 none

Form: semi-solid      Color: mineral oil  
Appearance: grease      Color: black

Specific Gravity (water=1): .94

Boiling Point: greater than 260°C (500°F)

Melting Point: not applicable

Solubility in Water (by weight %): negligible

Volatile (by weight %): negligible

Evaporation Rate: negligible

Vapor Pressure (mm Hg at 20°C): negligible

Vapor Density (air=1): not applicable

PH (as is): not applicable

Stability: Product is stable under normal conditions

Viscosity SUS at 100°F: Greater than or = to 100

FIRE AND EXPLOSION DATA---SECTION III

Special Fire Fighting Procedures:  
 Do not use water except as fog.

Usual Fire and Explosion Hazards:  
 none

W I T C O M A T E R I A L S A F E T Y D A T A S H E E T

Randall C-915 Grease

PAGE 2

Product Code: J63 7834

(Section III continued)

Flashpoint: (Method Used) ASTM D92 greater than 210°C (410°F)

Flammable limits %: not applicable

Extinguishing agents:

- Drychemical or Waterfog or CO<sub>2</sub> or Foam or Sand/Earth
- Water may cause frothing.
- Closed containers exposed to fire may be cooled with water.

HEALTH HAZARD DATA---SECTION IV

Permissible concentrations (air):  
not applicable

Chronic effects of overexposure:  
Extended skin contact may cause dermatitis to some individuals.

Acute toxicological properties:  
no data available

Emergency First Aid Procedures:

- Eyes: Immediately flush with large quantities of water for at least 15 minutes and call a physician.
- Skin Contact: Remove excess with cloth or paper. Wash thoroughly with soap and water.
- Inhalation: Remove victim to fresh air. Call a physician.
- If Swallowed: Contact a physician immediately.

SPECIAL PROTECTION INFORMATION---SECTION V

Ventilation Type Required (Local, mechanical, special):  
none required

Respiratory Protection (Specify type):  
none required

Protective Gloves:  
rubber

Eye Protection:  
chemical safety goggles

Other Protective Equipment:  
none

HANDLING OF SPILLS OR LEAKS---SECTION VI

Procedures for Clean-Up:  
Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand, or vermiculite. Sweep up and dispose as solid waste in accordance with local, state, and federal regulations.

Site Disposal:  
Dispose of in accordance with all applicable federal, state and local regulations.

(Continued on next page)

No. 9

W I T C O — M A T E R I A L — S A F E T Y — D A T A — S H E E T

Mendall C-915 Grease

PAGE 3

Product Code: J63 7834

SPECIAL PRECAUTIONS—SECTION VII

Precautions to be taken in handling and storage:

Do not handle or store at temperatures over

Maximum Storage Temperature: 32°C (100°F)

TRANSPORTATION DATA—SECTION VIII

D.O.T.: Not Regulated

Reportable Quantity: not applicable

Flame Classification: Petroleum Lubricating Grease

Special Transportation Notes:

*Robert Keller*

Prepared by: L.D. DROMGOLD

Title: MANAGER, NEW PRODUCTS

Original Date: 06/18/82 Sent to: CHRIS MCKEEMAN

Revision Date: 11/13/85 OHM CORPORATION

Supersedes : 05/11/84 16406 US ROUTE 224E

Date Sent : 07/28/89 FINDLAY OH 45840

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

# GO-JO® HAND CLEANSER with Fine Italian PUMICE

## HEALTH HAZARD DATA:

Routes of Entry:  
 Inhalation       Skin       Eye       Ingestion

Carcinogenicity:  
 None Known       NTP       IARC       OSHA Regulated

### Signs and Symptoms of Exposure:

EYE CONTACT - Irritation. SKIN CONTACT - Prolonged contact may result in contact dermatitis which is characterized by dryness, itching, and redness. INGESTION - Ingestion of small quantities is usually nonfatal unless aspiration occurs. Aspiration may lead to chemical pneumonitis which is characterized by pulmonary edema, and hemorrhage and may be fatal.

Medical Conditions Generally Aggravated by Exposure:  
None Known

### Emergency and First Aid Procedures:

EYE CONTACT - DO NOT RUB EYES. Flush with water for 15 minutes, if irritation persists, consult physician.  
INGESTION - DO NOT INDUCE VOMITING. Contains mineral oil. Contact Physician or Poison Control Center immediately.

## PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be Taken in Case Material is Released or Spilled:  
Absorb and collect for disposal. Flush area with water to reduce possible slippery floor hazard.

### Waste Disposal Method:

According to all local, state, and federal regulations.

### Precautions to be Taken in Handling and Storage:

Avoid eye contact and store at ambient conditions.

### Other Precautions:


KEEP OUT OF REACH OF CHILDREN!

## CONTROL MEASURES:

Respiratory & Ventilation / Gloves & Eye Protection:  
None Required if used as directed.

Other Protective Clothing or Equipment:  
None Required if used as directed.

Work/Hygienic Practices:  
Routine

PREPARED BY:   
Ronald A. Williams,  
Administrative Scientist

DATE: 9/23/91  
SUPERSEDES: 8/30/90

**NOTICE:** The information herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information. The user assumes all liability for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.



# Genium Publishing Corporation

1145 Catalyn Street  
Schenectady, NY 12303-1836 USA  
(518) 377-8854

Sheet No. 68  
Calcium Hypochlorite

Issued: 7/80 Revision: A, 11/89

## Section 1. Material Identification

**Calcium Hypochlorite Description:** Calcium hypochlorite dihydrate precipitates from chlorinated lime slurry and caustic soda and is dried under vacuum to produce calcium hypochlorite. Used as a disinfectant (for swimming pools), bleaching agent (paper towels), fungicide, deodorant, oxidizing agent, bactericide, and algicide; in sugar refining and potable water purification.

**Other Designations:** Calcium oxychloride (improperly called); losantin; hypochlorous acid; calcium salt; HTH® (high-test hypochlorite); lime chloride; Ca(OCl)<sub>2</sub>; CAS No. 7778-54-3.

**Manufacturer:** Contact your supplier or distributor. Consult the latest *Chemicalweek Buyers' Guide* (Genium ref. 73) for a suppliers list.

R 1	NFPA	
I -	Nonfire	Fire
S 3	0	0
K -	1	2
	oxy	oxy
	HMIS	HMIS
	H 1	H 2
	F 0	F 0
	R 2	R 2
	PPG*	PPG*
	* Sec. 8	

## Section 2. Ingredients and Occupational Exposure Limits

Calcium hypochlorite\*

<b>OSHA PEL</b>	<b>ACGIH TLV, 1988-89</b>	<b>NIOSH REL, 1987</b>	<b>Toxicity Data</b>
None established	None established	None established	Rat, oral, LD <sub>50</sub> : 850 mg/kg

\* Concentration is usually stated in terms of weight % of available chlorine (see ASTM D2022). This material contains 39% or less available chlorine. Calcium hypochlorite mixture, dry, contains more than 39% available chlorine. HTH® contains about 70% available chlorine. Solid materials with less than 39% available chlorine include chloride of lime and bleaching powder, which contain much chloride ion, water, and possibly other impurities, for example, Ca(OCl)Cl·2H<sub>2</sub>O. The presence of magnesium hypochlorite in material of high available chlorine level may reduce its stability.

## Section 3. Physical Data

<b>Boiling Point:</b> None reported	<b>Specific Gravity (H<sub>2</sub>O = 1 at 39 °F (4 °C)):</b> 2.35
<b>Melting Point:</b> Decomposes at 212 °F (100 °C)	<b>Water Solubility:</b> Soluble
<b>Molecular Weight:</b> 142.98 g/mol	
<b>Appearance and Odor:</b> White nonhygroscopic (doesn't absorb moisture from the air) granules or tablets with a strong chlorine odor.	

## Section 4. Fire and Explosion Data

<b>Flash Point:</b> None reported	<b>Autoignition Temperature:</b> None reported	<b>LEL:</b> None reported	<b>UEL:</b> None reported
<b>Extinguishing Media:</b> Use a water spray to cool fire-exposed containers of this material and drench the area with large amounts of water from a safe position. <i>Never use a dry chemical or CO<sub>2</sub>.</i>			
<b>Unusual Fire or Explosion Hazards:</b> When heated in a fire situation, containers can rupture violently! Contaminating or mixing calcium hypochlorite with foreign materials (combustibles, grease, chemicals, fuels) can cause fires of great intensity. Its solid form is moderately explosive when heated.			
<b>Special Fire-fighting Procedures:</b> Wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in the pressure-demand or positive-pressure mode. Full protective clothing is also necessary. Fight massive fires using unmanned hose holders. If this is impossible, let fire burn and withdraw from hazardous areas.			

## Section 5. Reactivity Data

**Stability/Polymerization:** Calcium hypochlorite is stable at room temperature in suitable closed containers when kept dry and free from contamination. Hazardous polymerization cannot occur.

**Chemical Incompatibilities:** Calcium hypochlorite is a powerful oxidizing agent that readily ignites combustibles. Violent reactions or explosions can occur, for example, with amines, carbon tetrachloride and heat, carbon or charcoal and heat, ethyl alcohol, metal oxides, mercaptans, sulfur, turpentine, strong reducing agents, organic matter, combustible materials, nitromethane, ammonium chloride, N,N-dichloromethylamine and heat, acetic acid and potassium cyanide, ethanol, isobutanethiol, methanol, 1-pro-panethiol, and rust. Reacts with water or steam to produce toxic and corrosive fumes or HCl and Cl<sup>-</sup> (Sec. 6). Potentially explosive with sodium carbonate, starch, and sodium hydrogen sulfate. Reaction with nitrogenous bases or acetylene forms explosive products. Ignites on contact with glycerine algicide and hydroxy compounds (e.g., glycerol, diethylene glycol monomethyl ether, and phenol), and organic sulfur compounds. Material containing over 60% available chlorine ignites on contact with lubricating oil (addition of about 20% or more water prevents this). On contact with acids it forms hypochlorous acid and liberates Cl<sub>2</sub> gas. It forms the highly explosive NCl<sub>3</sub> with urea.

**Hazardous Products of Decomposition:** Rapid exothermic (heat-producing) decomposition above 347 °F(175 °C) releases oxygen and chlorine. When heated to decomposition, calcium hypochlorite emits highly toxic hydrochloric acid (HCl) fumes and explodes.

**Section 6. Health Hazard Data**

**Carcinogenicity:** Neither the NTP, IARC, nor OSHA lists calcium hypochlorite as a carcinogen.

**Summary of Risks:** This strong oxidizing agent can irritate and damage all the tissue it contacts, with the degree of injury depending on the dose, available chlorine level, and exposure time. The chlorine this compound generates is the primary toxic agent. Both the powder and solutions produce chlorine levels corrosive to body tissues. Inhaling its vapor is extremely irritating and toxic. Possible injuries include: conjunctivitis, blepharitis (inflammation of the margins of the eyelids), corneal ulcerations, gingivitis, contact dermatitis, and tooth damage. **Medical Conditions Aggravated by Long-Term Exposure:** Repeated contact can severely damage tissue. **Target Organs:** Skin, eyes, respiratory system, stomach. **Primary Entry:** Inhalation, ingestion. **Acute Effects:** Skin contact can produce irritation and vesicular eruptions. Dust inhalation irritates the respiratory tract and may cause pulmonary edema. Ingestion irritates the mouth, throat, and stomach, and gastric acid liberates hypochlorous acid. Fatalities can result from severe complications of local injury, shock, toxemia, hemorrhage, wall perforation, and obstruction. **Chronic Effects:** Eczematoid dermatitis may result from repeated skin contact. Eye contact can cause severe eye damage.

**FIRST AID**

**Eyes:** Flush immediately, including under the eyelids, gently but thoroughly with flooding amounts of running water for at least 15 min. **Skin:** After rinsing affected area with flooding amounts of water, wash it with soap and water. **Inhalation:** Remove exposed person to fresh air and support breathing as needed. **Ingestion:** Never give anything by mouth to an unconscious or convulsing person. If ingested, promptly rinse mouth of conscious person with water before giving large amounts of milk or water to drink, followed by milk of magnesia. **After first aid,** get appropriate in-plant, paramedic, or community medical attention and support.

**Section 7. Spill, Leak, and Disposal Procedures**

**Spill/Leak:** Notify safety personnel of spills. Remove combustibles and ignition sources. Those involved in cleanup need protection against contact with the solid and dust inhalation. Prevent dust generation and prevent direct discharge into sewers or waterways since this material, in low concentrations, is toxic to aquatic life. Recover uncontaminated solid material in clean, dry containers. Cover other spilled material with weak reducing agents (3M H<sub>2</sub>SO<sub>4</sub> with bisulfites or ferrous salts), slurry it with water, and then flush it with water to a suitable holding tank. Wash spill site well with soap solution containing a weak reducing agent.

**Disposal:** Use reducing agents to destroy available chlorine. Adjust this reduced liquid's pH to neutral and decant. Discharge neutral liquid, diluting with much water. Dispose of neutral sludge (if any) in a landfill. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

**OSHA Designations**

Air Contaminant (29 CFR 1910.1000, Subpart Z): Not listed

**EPA Designations**

RCRA Hazardous Waste (40 CFR 261.33): Not listed

Listed as a CERCLA Hazardous Substance\* (40 CFR 302.4), Reportable Quantity (RQ): 10 lb (4.54 kg) [\* per Clean Water Act, Sec. 311(b)(4)]

SARA Extremely Hazardous Substance (40 CFR 355): Not listed

SARA Toxic Chemical (40 CFR 372.65): Not listed

**Section 8. Special Protection Data**

**Goggles:** Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133).

**Respirator:** Wear a NIOSH-approved respirator if necessary. Follow OSHA respirator regulations (29 CFR 1910.134). For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Use a dust respirator as required for dusty conditions.

**Warning:** Air-purifying respirators do *not* protect workers in oxygen-deficient atmospheres.

**Other:** Wear impervious neoprene gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact.

**Ventilation:** Provide general and local explosion-proof ventilation systems to maintain airborne concentrations that promote worker safety and productivity. Local exhaust ventilation is preferred since it prevents contaminant dispersion into the work area by eliminating it at its source (Genium ref. 103).

**Safety Stations:** Make available in the work area emergency eyewash stations, safety/quick-drench showers, and washing facilities.

**Contaminated Equipment:** Never wear contact lenses in the work area; soft lenses may absorb, and all lenses concentrate, irritants. Launder contaminated clothing before wearing. Remove this material from your shoes and equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Section 9. Special Precautions and Comments**

**Storage Requirements:** Store away from combustible and incompatible materials (Sec. 5) in closed containers in a cool, dry, well-ventilated low fire-risk area. Since traces of water may ignite or detonate this material, prevent contamination and protect containers from physical damage. Do not drop, roll, or skid containers.

**Engineering Controls:** Calcium hypochlorite, a powerful oxidizing agent, is a dangerous fire hazard when it contacts organic materials. Mix it only with water. These water solutions are unstable, but undergo a slow decomposition. Proper storage and shipping are essential; separate this material from ammonium compounds and heat sources.

**Transportation Data (49 CFR 172.101, .102)**

DOT Shipping Name: Calcium hypochlorite mixture, dry  
(containing more than 39% available chlorine)

IMO Shipping Name: Calcium hypochlorite mixtures, dry,  
with more than 39%, available chlorine (8.3% available oxygen)

DOT Hazard Class: Oxidizer

IMO Hazard Class: 5.1

ID No.: UN1748

IMO Label: Oxidizer

DOT Label: Oxidizer

IMDG Packaging Group: 2

DOT Packaging Requirements: 49 CFR 173.217

DOT Packaging Exceptions: 49 CFR 173.153

**MSDS Collection References:** 1, 31, 34, 35, 90, 91, 101, 109, 126

**Prepared by:** MJ Allison, BS; **Industrial Hygiene Review:** DJ Wilson, CIH; **Medical Review:** Warren Silverman, MD

No. 11

**MATERIAL NAME:** DOVE LIGHT DUTY LIQUID DISHWASHING DETERGENT  
**SUPPLIER:** LEVER BROTHERS COMPANY 390 PARK AVENUE NY, NY 10022  
**EMERGENCY PHONE:** 212 688-6000  
**SYNONYMS:** N.A.  
**COMMENTS:** Confidential  
**OSHA TSCA STATUS:** N.A. **CAS NO.:** N.A.  
**DOT HAZARD CLASS:** N.A.  
**DOT SHIPPING NAME:** N.A.

NFPA CODE HEALTH: 2 FLAMM: 0 REACT: 0	EXPOSURE LIMITS				
		OSHA PEL: N.A.		ACGIH TWA: N.A.	
	LEVER TLV: N.A.		ACGIH STEL: N.A.		
HAZARDOUS COMPONENTS	CAS NUMBER		OSHA PEL	ACGIH: TWA	STEL
None					

**PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE AND ODOR:** Liquid  
**pH:** 6.2-6.6 **SOLUBILITY:** Soluble in Water  
**BOILING POINT:** N.D. **FREEZING POINT:** N.D.  
**SPECIFIC GRAVITY:** 1.035-1.055 **VAPOR PRESSURE:** N.D.  
**FLASHING POINT:** N.A. **VAPOR DENSITY:** N.D.  
**SPILL OR LEAK PROCEDURES:** Flush small amounts to sanitary sewer. For 5 gallons or more, use absorbent material.

**FIRE, EXPLOSION, REACTIVITY DATA**

**FLASH POINT:** N.A.  
**FLAMMABLE LIMITS:** N.A.  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None  
**EXTINGUISHING MEDIA:** Normal  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of nitrogen and sulfur  
**FIRE FIGHTING PROCEDURES:** Normal  
**NFPA CLASS:** N.D.  
**SPECIAL PRECAUTIONS:** N.D.  
**INCOMPATIBILITIES (materials to avoid):** Chlorine containing compounds  
**STABILITY:** Stable

**DISPOSAL DATA**

**DISPOSAL SHIPPING NAME:** N.A.  
**EPA HAZARD CODE:** N.A.  
**EPA HAZARD WASTE #:** N.A.  
**DOT HAZARD WASTE ID #:** N.A.  
**DISPOSAL:** Dispose in accordance with Federal, State and Local Regulations.

N.A. = NOT APPLICABLE

N.D. = NOT DETERMINED

MATERIAL NAME: DOVE LIGHT DUTY LIQUID DISHWASHING DETERGENT

No. 11

## ACUTE TOXICITY INFORMATION

LD<sub>50</sub>: Nontoxic  
 INHALATION: N.D.  
 SKIN: N.D.  
 EYE IRRITATION: Irritant to eyes by FNSA test standards.  
 Minimal eye effects in humans with similar products.  
 SKIN IRRITATION: Nonirritant  
 SKIN SENSITIZATION: Nonsensitizer  
 PRIMARY ROUTES OF ENTRY: Eye

## CHRONIC EXPOSURE EFFECTS

TARGET ORGANS: Eye  
 CARCINOGEN: (NTP, IARC & OSHA LIST) None  
 MEDICAL CONDITION AGGRAVATED BY EXPOSURE: None Known

## SYMPTOMS AND EFFECTS OF EXPOSURE

EYE: May cause discomfort, lacrimation and erythema.  
 SKIN: Possible irritation from prolonged or repeated contact.  
 INGESTION: May produce nausea, abdominal discomfort and diarrhea.  
 Spontaneous emesis may occur if ingested in sufficient amount.  
 INHALATION: May produce irritation of respiratory tract.

## EMERGENCY AND FIRST AID TREATMENT

EYE: Immediately rinse eyes with water. Remove contact lenses, if any, then continue rinsing for 5 to 10 minutes.  
 SKIN: Remove contaminated clothing and rinse skin with water.  
 INGESTION: Drink a glass of water or milk. Vomiting need not be induced, but ingestion of large quantities may produce spontaneous vomiting.  
 INHALATION: Move person to fresh air.  
 COMMENTS: Call a physician if symptoms persist or amount swallowed was large.

## PERSONAL SAFETY MEASURES AND EQUIPMENT

EYES: Safety glasses with side shields.  
 RESPIRATOR: Not normally needed.  
 GLOVES: Impermeable gloves if needed.  
 VENTILATION: Local exhaust if needed.

-----  
 While Lever Brothers Co. believes that the data contained herein comply with 29CFR 1910.1200, they are not to be taken as a warranty or representation for which Lever Brothers Co. assumes legal responsibility. They are offered solely for your consideration and verification. This MSDS is not prepared for consumer use situations.  
 -----

**AGA**

AGA Gas Inc.  
6225 Oaktree Blvd.  
P.O. Box 94737  
Cleveland, Ohio 44101-4737

Telephone  
(216) 642-6600

MATERIAL No. 12  
SAFETY  
DATA SHEET

PRODUCT NAME Compressed Air	CAS # N/A
TRADE NAME AND SYNONYMS Compressed Air; Air; Compressed Air, Breathing Quality	DOT ID No. UN 1002
CHEMICAL NAME AND SYNONYMS See last page.	DOT Hazard Class Nonflammable gas
ISSUE DATE AND REVISIONS 25 November 1985	Formula See last page. Chemical Family N/A

### HEALTH HAZARD DATA

TIME WEIGHTED AVERAGE EXPOSURE LIMIT None listed (ACGIH, 1985-86)
SYMPTOMS OF EXPOSURE Air is nontoxic and necessary to support life. Inhalation of air in a high pressure environment such as underwater diving, caissons or hyperbaric chambers can result in symptoms similar to overexposure to pure oxygen. These include tingling of fingers and toes, abnormal sensations, impaired coordination and confusion. Decompression sickness pains or "bends" are possible following rapid decompression.
TOXICOLOGICAL PROPERTIES High pressure effects (greater than two atmospheres of oxygen) are on the central nervous system. Improper decompression results in the accumulation of nitrogen in the blood.
RECOMMENDED FIRST AID TREATMENT Facilities or practices at which air is breathed in a high pressure environment should be prepared to deal with the illnesses associated with decompression (bends or caisson disease). Decompression equipment may be required.

Information contained in this material safety data sheet is offered without charge for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on tests and data which we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and no warranty of any kind is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe any patent of this Company or others covering any process, composition or matter or use.  
Since the Company shall have no control of the use of the product described herein, the Company assumes no liability for loss or damage incurred from the proper or improper use of such product.

## HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES

1A

## PHYSICAL DATA

BOILING POINT -317.8°F (-194.3°C)	LIQUID DENSITY AT BOILING POINT 54.56 lb/ft <sup>3</sup> (874 kg/m <sup>3</sup> )
VAPOR PRESSURE @ 70°F (21.1°C): Above the critical temp. of -221.1°F (-140.6°C)	GAS DENSITY AT 70°F, 1 atm .0749 lb/ft <sup>3</sup> (1.200 kg/m <sup>3</sup> )
SOLUBILITY IN WATER Very slightly	FREEZING POINT N/A
EVAPORATION RATE N/A	SPECIFIC GRAVITY (AIR=1) 1.0
APPEARANCE AND ODOR Colorless, odorless gas	

## FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) N/A	AUTO IGNITION TEMPERATURE N/A	FLAMMABLE LIMITS - BY VOLUME LSL N/A UEL N/A	
EXTINGUISHING MEDIA Nonflammable gas	ELECTRICAL CLASSIFICATION Nonhazardous		
SPECIAL FIRE FIGHTING PROCEDURES N/A			

## UNUSUAL FIRE AND EXPLOSION HAZARDS

Compressed air at high pressures will accelerate the burning of materials to a greater rate than they burn at atmospheric pressure.

## REACTIVITY DATA

STABILITY Unstable	CONDITIONS TO AVOID	
Stable	X	N/A
INCOMPATIBILITY (Materials to avoid) None		
HAZARDOUS DECOMPOSITION PRODUCTS None		
HAZARDOUS POLYMERIZATION May Occur	CONDITIONS TO AVOID	
Will Not Occur	X	N/A

## SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

N/A

WASTE DISPOSAL METHOD

N/A

RESPIRATORY PROTECTION (Specify type)			
N/A			
VENTILATION	LOCAL EXHAUST	N/A	SPECIAL
	MECHANICAL (Gen.)	N/A	OTHER
N/A			N/A
PROTECTIVE GLOVES			
Any material			
EYE PROTECTION			
Safety goggles or glasses			
OTHER PROTECTIVE EQUIPMENT			
Safety shoes			

## SPECIAL PRECAUTIONS\*

SPECIAL LABELING INFORMATION	
DOT Shipping Name: Air, compressed	DOT Hazard Class: Nonflammable gas
DOT Shipping Label: Nonflammable gas	I.D. No.: UN 1002
SPECIAL HANDLING RECOMMENDATIONS	
<p>Valve protection caps must remain in place unless container is secured with valve outlet piped to use point. Do not drag, slide or roll cylinders. Use a suitable hand truck for cylinder movement. Use a pressure reducing regulator when connecting cylinder to lower pressure (&lt;3,000 psig) piping or systems. Do not heat cylinder by any means to increase the discharge rate of product from the cylinder. Use a check valve or trap in the discharge line to prevent hazardous back flow into the cylinder.</p> <p>For additional handling recommendations, consult the Compressed Gas Association's Pamphlets P-1, G-7 and G-7.1.</p>	
SPECIAL STORAGE RECOMMENDATIONS	
<p>Protect cylinders from physical damage. Store in cool, dry, well-ventilated area away from heavily trafficked areas and emergency exits. Do not allow the temperature where cylinders are stored to exceed 130F (54C). Cylinders should be stored upright and firmly secured to prevent falling or being knocked over. Full and empty cylinders should be segregated. Use a "first in-first out" inventory system to prevent full cylinders being stored for excessive periods of time.</p> <p>For additional storage recommendations, consult the Compressed Gas Association's Pamphlets P-1, G-7, and G-7.1.</p>	
SPECIAL PACKAGING RECOMMENDATIONS	
<p>Dry air is noncorrosive and may be used with all materials of construction. Moisture causes metal oxides which are formed with air to be hydrated so that they increase in volume and lose their protective role (rust formation). Concentrations of SO<sub>2</sub>, Cl<sub>2</sub>, salt, etc. in the moisture enhances the rusting of metals in air.</p>	
OTHER RECOMMENDATIONS OR PRECAUTIONS	
<p>Compressed gas cylinders should not be refilled except by qualified producers of compressed gases. Shipment of a compressed gas cylinder which has not been filled by the owner or with his (written) consent is a violation of Federal Law (49CFR).</p>	

CHEMICAL FORMULA: (Continued)

Atmospheric air which is compressed is composed of the following concentrations of gases:

<u>Gas</u>	<u>Molar %</u>
Nitrogen	78.09
Oxygen	20.94
Argon	0.93
Carbon Dioxide	0.033*
Neon	$18.18 \times 10^{-4}$
Helium	$5.239 \times 10^{-4}$
Krypton	$1.139 \times 10^{-4}$
Hydrogen	$0.5 \times 10^{-4}$
Xenon	$0.086 \times 10^{-4}$
Radon	$6 \times 10^{-18}$
Water vapor	Varying concentrations

\*Concentrations may have slight variations.

Compressed air is also produced by reconstitution using only oxygen and nitrogen. This product contains 79 molar percent nitrogen and 21 molar percent oxygen plus trace amounts of other atmospheric gases which are present in the oxygen and nitrogen.

# Material Safety Data Sheet

from Genium's Reference Collection  
 Genium Publishing Corporation  
 1145 Catalyn Street  
 Schenectady, NY 12303-1836 USA  
 (518) 377-3855



No. 674

No. 13

ISOBUTYLENE

Issued: November 1988

## SECTION 1. MATERIAL IDENTIFICATION 27

Material Name: ISOBUTYLENE

Description (Origin/Uses): Obtained from refinery streams by absorption on 65% sulfuric acid (H<sub>2</sub>SO<sub>4</sub>) at 59°F (15°C). Used primarily to produce diisobutylene, nitrates, butyl rubber, and other polymers; also used to produce antioxidants for foods, plastics, and packaging food supplements.



NFPA

Other Designations: Isobutane; 2-Methylpropene; gamma-Butylene; CH<sub>2</sub>=C(CH<sub>3</sub>)<sub>2</sub>; CAS No. 0115-11-7

HMIS		
H	1	R 1
F	4	I 1
R	0	S 1
PPG*		K 4

Manufacturers: Contact your supplier or distributor. Consult the latest edition of the *Chemicalweek Buyers' Guide* (Genium ref. 73) for a list of suppliers.

\*See sect. 3

## SECTION 2. INGREDIENTS AND HAZARDS

Isobutylene, CAS No. 0115-11-57

%

### EXPOSURE LIMITS

OSHA PEL  
 None Established  
 ACGIH TLV, 1988-89  
 None Established  
 NIOSH REL  
 None Established  
 Toxicity Data\*  
 Rat, Inhalation, LC<sub>50</sub>: 620 g/m<sup>3</sup> (4 Hrs)  
 Mouse, Inhalation, LC<sub>50</sub>: 415 g/m<sup>3</sup> (2 Hrs)

\*Monitor NIOSH, RTECS (UD0890000), for additional data.

## SECTION 3. PHYSICAL DATA

Boiling Point: -19.6°F (-6.9°C)

Melting Point: -220°F (-140°C)

Vapor Density (Air = 1): 1.9

Specific Gravity (H<sub>2</sub>O = 1): Ca 0.6

Molecular Weight: 56 Grams/Mole

Solubility in Water (%): Insoluble\*

% Volatile by Volume: 100

Appearance and Odor: A colorless, extremely flammable gas; odor not listed.

\*Isobutylene is very soluble in alcohol, ether, and sulfuric acid.

## SECTION 4. FIRE AND EXPLOSION DATA

Flash Point\*

Autoignition Temperature: 369°F (465°C)

LEL: 1.3% v/v

UEL: 9.6% v/v

Extinguishing Media: Isobutylene gas is an extremely flammable gas that has a substantial explosive air-gas range. For isobutylene fires, the recommended fire-fighting technique is to stop the flow of gas instead of extinguishing the fire. If the flames are extinguished and the isobutylene gas continues to escape or leak, an explosive air-gas mixture can form quickly and ignite without warning. A resulting explosion could cause greater damage than that which would be caused by allowing the fire to burn itself out. If the fire must be extinguished to allow safe access to shutoff valves, recommended extinguishing agents include CO<sub>2</sub> and dry chemical. Unusual Fire or Explosion Hazards: In many cases, the preferred strategy is to allow the flames to continue to burn and to cool the surroundings with water spray to prevent ignition of nearby combustibles. Isobutylene gas is heavier than air and can collect in low-lying, confined spaces. Potentially explosive air-gas mixtures are especially likely to build up in such an area, so enter it with extreme caution whether or not it is presently involved in a fire. Possible sources of ignition must not be brought into any area suspected of containing substantial concentrations of isobutylene gas. Special Fire-fighting Procedures: Wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in the pressure-demand or positive-pressure mode.

\*Sax (Genium ref. 5) reports a flash point of -105°F (-76°C) for isobutylene.

## SECTION 5. REACTIVITY DATA

Stability/Polymerization: Isobutylene is stable in closed, pressurized containers during routine operations at room temperature.

Hazardous polymerization cannot occur. Chemical Incompatibilities: Isobutylene can react dangerously with strong oxidizing materials.

Conditions to Avoid: Prevent exposing isobutylene to any source of ignition such as an open flame, sparks, lighted tobacco products, or steam lines. Hazardous Products of Decomposition: Isobutylene fires can produce toxic gases such as carbon monoxide (CO) or lower-molecular-weight hydrocarbons. Comments: The extreme flammability of isobutylene means that any reactions involving this material, including nonhazardous ones, must be performed carefully in order to prevent fires and/or explosions.

## SECTION 6. HEALTH HAZARD INFORMATION

Carcinogenicity: Isobutylene is not listed as a carcinogen by the NTP, IARC, or OSHA.

Summary of Risks: Isobutylene is a simple asphyxiant. As such it will not cause significant physiological responses, but it can displace the minimum required atmospheric oxygen level. Significant displacement by isobutylene results in an oxygen-deficient atmosphere with no adequate warning properties. Asphyxiation fatalities can occur especially in confined, low-lying, poorly ventilated spaces because isobuty-

**SECTION 6. HEALTH HAZARD INFORMATION, cont.**

Gas is almost twice as dense as air itself (see sect. 3). Medical Conditions Aggravated by Long-Term Exposure: None reported. Target Organs: None reported. Primary Entry: Inhalation. Acute Effects: Initial symptoms of the effects of simple asphyxiant are rapid respiration and air hunger, diminished mental alertness, and impaired muscular coordination. Continuing lack of oxygen causes faulty judgment, depression of all sensations, rapid fatigue, and emotional instability. As the asphyxia continues, nausea, vomiting, prostration, loss of consciousness, and, finally, convulsions, deep coma, and death can occur. Chronic Effects: None reported. FIRST AID: Inhalation. Would-be rescuers need to be concerned about their own safety when entering confined, poorly ventilated, oxygen-deficient areas. Self-contained breathing equipment must be readily available for rescuers. Station standby workers outside the immediate area so that they can summon additional help if it is needed. Remove the exposed person to fresh air; restore and/or support his or her breathing as needed. Have qualified medical personnel administer oxygen as required. Comments: The extreme flammability of isobutylene gas warrants special attention even during rescue operations. Rescue personnel must not smoke. All emergency lamps and floodlights that must be lowered into enclosed areas for rescue operations must be explosion proof. Obtain this equipment before any emergency occurs and make it accessible to emergency-response personnel. Get medical help (in plant, paramedic, community) for all exposures. Seek prompt medical assistance for further treatment, observation, and support after first aid.

**SECTION 7. SPILL, LEAK, AND DISPOSAL PROCEDURES**

Spill/Leak: Treat any isobutylene gas leak as an emergency. If the leaking gas has not yet ignited, use water spray to direct flammable gas-air mixtures away from sources of ignition. Extinguish all sources of ignition as quickly as possible; however, if the leaking gas is burning, do not attempt to extinguish the flames until the source of the isobutylene gas is located and sealed. Otherwise, flammable isobutylene gas-air mixtures can explode without warning and cause widespread damage that might not have occurred if the original fire had been allowed to burn itself out. If it is necessary to extinguish isobutylene flames in order to gain access to a shutoff valve, use dry chemical or carbon dioxide as extinguishing agents. Waste Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow Federal, state, and local regulations.

**OSHA Designations**

Air Contaminant (29 CFR 1910.1000 Subpart Z): Not Listed

EPA Designations (40 CFR 302.4): Not Listed

**SECTION 8. SPECIAL PROTECTION INFORMATION**

Respirators: Follow OSHA respirator regulations (29 CFR 1910.134). For emergency or nonroutine operations (leaks or cleaning reactor vessels and storage tanks), wear an SCBA. Warning: Air-purifying respirators will not protect workers in oxygen-deficient atmospheres, which lack warning properties; to work in them safely requires that an SCBA be worn. Ventilation: Install and operate general and local exhaust, explosion-proof ventilation systems powerful enough to maintain airborne levels of this material below the lower explosive limit in section 4. Local exhaust ventilation is preferred because it prevents dispersion of the contaminant into the general work area by eliminating it at its source. Consult the latest edition of Gemium reference 103 for detailed recommendations. Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work areas. Contaminated Equipment: Contact lenses pose a special hazard; soft lenses may absorb irritants, and all lenses concentrate them. Do not wear contact lenses in any work area. Comments: Practice good personal hygiene; always wash thoroughly after using this material and before eating, drinking, smoking, using the toilet, or applying cosmetics. Keep it off your clothing and equipment. Avoid transferring it from your hands to your mouth while eating, drinking, or smoking. Do not eat, drink, or smoke in any work area. Do not inhale isobutylene vapor.

**SECTION 9. SPECIAL PRECAUTIONS AND COMMENTS**

Storage/Segregation: Store isobutylene in closed, pressurized containers in a cool, dry, well-ventilated area away from sources of ignition, combustible materials, and strong oxidizers. Protect containers from physical damage. Engineering Controls: Make sure all engineering systems (production, transportation) are of maximum explosion-proof design. Electrically ground and bond all containers, pipelines, etc., used in shipping, transferring, reacting, production, and sampling operations to prevent static sparks. Comments: Isobutylene is an extremely explosive and flammable gas. It must not be exposed to any possible source of ignition in work or storage areas.

**Transportation Data (49 CFR 172.101-2)**

DOT Shipping Name: Liquefied Petroleum Gas

DOT Hazard Class: Flammable Gas

ID No. UN1055

DOT Label: Flammable Gas

DOT Packaging Requirements: 49 CFR 173.304, 314, 315

DOT Packaging Exceptions: 49 CFR 173.306

IMO Shipping Name: Isobutylene

IMO Hazard Class: 2.1

IMO Label: Flammable Gas

References: 1, 5, 34-94, 116, 117, 120, 122.

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Gemium Publishing Corp. extends no warranties, makes no representations and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Prepared by P. Iggo, BS

Industrial Hygiene Review: DJ Wilson, CH

Medical Review: W Silverman, MD



**Genium Publishing Corp.**  
 One Genium Plaza  
 Schenectady, NY 12304-4690  
 (518) 377-8854

*Material Safety Data Sheets Collection*

**Isopropyl Alcohol**      **MSDS No. 324**  
 \*\*Note: 2 pages  
 Date of Preparation: 9/85      Revision: A. 10/93

**Section 1 - Chemical Product and Company Identification** 42

**Product/Chemical Name:** Isopropyl Alcohol  
**Chemical Formula:** (CH<sub>3</sub>)<sub>2</sub>CHOH  
**CAS No.:** 67-63-0  
**Synonyms:** Dimethyl carbinol, 2-hydroxypropane, IPA, Isohol, Lutesol, isopropanol, Prochol, 2-propanol, *sec*-propyl alcohol, rubbing alcohol, Spector.  
**Derivation:** Treating propylene with sulfuric acid and then hydrolyzing or direct hydration of propylene using superheated steam. Most commonly available as rubbing alcohol (70% IPA).  
**General Use:** As a solvent for gums, shellac, and essential oils, chemical intermediates, dehydrating agent, vehicle for germicidal compounds, de-icing agent for liquid fuels; for denaturing ethyl alcohol, preserving pathological specimens; in extraction of alkaloids, quick-drying inks and oils, and an ingredient of skin lotions, cosmetics, window cleaner, liquid soaps, and pharmaceuticals.  
**Vendors:** Consult the latest *Chemical Week Buyers' Guide*, (73)

**Section 2 - Composition / Information on Ingredients**

Isopropyl alcohol, 100% vol. Most commonly sold as 70% isopropyl alcohol (rubbing alcohol).

<b>OSHA PELs</b>	<b>NIOSH REL</b>	<b>DFG (Germany) MAK</b>
8-hr TWA: 400 ppm (980 mg/m <sup>3</sup> )	10-hr TWA: 400 ppm (980 mg/m <sup>3</sup> )	TWA: 400 ppm (980 mg/m <sup>3</sup> )
STEL: 500 ppm (1225 mg/m <sup>3</sup> ) *	STEL: 500 ppm (1225 mg/m <sup>3</sup> )	Category II: Substances with systemic effects
<b>ACGIH TLVs</b>	<b>IDLH Level</b>	Half-life: < 2 hr
TWA: 400 ppm (983 mg/m <sup>3</sup> )	12,000 ppm	Peak Exposure Limit: 800 ppm, 30 min. average value, 4/shift
STEL: 500 ppm (1230 mg/m <sup>3</sup> )		
* Vacated 1989 Final Rule Limits		

**Section 3 - Hazards Identification**

☆☆☆☆☆ **Emergency Overview** ☆☆☆☆☆

Isopropyl alcohol is a highly flammable, volatile liquid. It is considered more toxic than ethyl alcohol, but less toxic than methyl alcohol. Inhalation can cause irritation of the eyes and respiratory tract and central nervous system depression at high concentrations. Repeated skin contact may cause dermatitis. Systemic toxicity appears to occur mostly in cases of heavy ingestion or inhalation. There is recent evidence that skin absorption may be more likely to cause systemic effects than previously thought.

**Potential Health Effects**

**Primary Entry Routes:** Inhalation, ingestion, skin contact/absorption.

**Target Organs:** Eyes, skin, respiratory system.

**Acute Effects**

**Inhalation:** Vapor inhalation is irritating to the respiratory tract and can cause central nervous system depression at high concentrations. Volunteers exposed to 400 ppm for 3 to 5 min experienced mild eye and respiratory irritation. At 800 ppm, irritation was not severe, but most people found the air uncomfortable to breathe.

**Eye:** Exposure to the vapor or direct contact with the liquid causes irritation and possible corneal burns.

**Skin:** Some irritation may occur after prolonged exposure.

**Ingestion:** Accidental ingestions have provided the most information on isopropyl alcohol toxicity. Symptoms include nausea and vomiting, headache, facial flushing, dizziness, lowered blood pressure, mental depression, hallucinations and distorted perceptions, difficulty breathing, respiratory depression, stupor, unconsciousness, and coma. Kidney insufficiency including oliguria (reduced urine excretion), anuria (absent urine excretion), nitrogen retention, and edema (fluid build-up in tissues) may occur. One post-mortem examination in a case of heavy ingestion showed extensive hemorrhagic tracheobronchitis, bronchopneumonia, and hemorrhagic pulmonary edema. Death can occur in 24 to 36 h post-ingestion due to respiratory paralysis.

**Carcinogenicity:** NTP and OSHA do not list isopropyl alcohol as a carcinogen. The IARC has studied IPA and has classified it as Class-3 (unclassifiable, inadequate human and animal evidence). There appears to be an association between the *manufacture* (strong acid process, rather than the alcohol itself) of isopropanol and paranasal cancer, but this may be due to the diisopropyl sulfate or isopropyl oil by-products.

**Medical Conditions Aggravated by Long-Term Exposure:** Dermatitis or respiratory or kidney disorders.

**Chronic Effects:** Repeated skin contact can cause drying of skin and delayed hypersensitivity reactions in some individuals.

<b>Wilson Risk Scale</b>
R 1
I 2
S 2*
K 3
*Skin absorption
<b>HMIS</b>
H 1
F 3
R 0
<b>PPG*</b>
*Sec 3

**Other:** Isopropyl alcohol is oxidized in the body to acetone where it is excreted by the lungs or kidneys. Some acetone may be further metabolized to acetate, formate, and finally carbon dioxide. Probable oral lethal dose is 240 mL.

### Section 4 - First Aid Measures

**Inhalation:** Remove exposed person to fresh air and support breathing as needed.

**Eye Contact:** *Do not* allow victim to rub or keep eyes tightly shut. Gently lift eyelids and flush immediately and continuously with flooding amounts of water until transported to an emergency medical facility. Consult a physician immediately.

**Skin Contact:** *Quickly* remove contaminated clothing. Rinse with flooding amounts of water for at least 15 min. Wash exposed area with soap and water. For reddened or blistered skin, consult a physician.

**Ingestion:** Never give anything by mouth to an unconscious or convulsing person. Contact a poison control center. Unless the poison control center advises otherwise, have the *conscious and alert* person drink 1 to 2 glasses of water to dilute. Vomiting may be contraindicated because of the rapid onset of central nervous system depression. Gastric lavage is preferred.

*After first aid, get appropriate in-plant, paramedic, or community medical support.*

**Note to Physicians:** Diagnostic test: acetone in urine.

### Section 5 - Fire Fighting Measures

**Flash Point:** 53 °F (12 °C)

**Flash Point Method:** CC

**Burning Rate:** 2.3 mm/min.

**Autoignition Temperature:** 750°F (399°C)

**LEL:** 2 % v/v

**UEL:** 12.7 % v/v at 200 °F

**Flammability Classification:** Class 1B Flammable Liquid

**Extinguishing Media:** Carbon dioxide, dry chemical, water *spray* (solid streams can spread fire), alcohol-resistant foam, or fog.

**Unusual Fire or Explosion Hazards:** Container may explode in heat of fire. Vapors may travel to an ignition source and flash back. Isopropyl alcohol poses an explosion hazard indoors, outdoors, and in sewers.

**Hazardous Combustion Products:** Carbon oxides and acrid smoke.

**Fire-Fighting Instructions:** If possible without risk, move container from fire area. Apply cooling water to container side until well after fire is out. Stay away from ends of tanks. For massive fire in cargo area, use monitor nozzles or unmanned hose holders; if impossible, withdraw and let fire burn. Withdraw immediately if you hear a rising sound from venting safety device; notice any tank discoloration due to fire. *Do not* release runoff from fire control methods to sewers or waterways.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode. Structural firefighters' protective clothing provides only limited protection.



### Section 6 - Accidental Release Measures

**Spill/Leak Procedures:** Notify safety personnel, isolate and ventilate area, deny entry, and stay upwind. Shut off ignition sources. Cleanup personnel should protect against vapor inhalation and skin/eye contact. Water spray may reduce vapor, but may not prevent ignition in closed spaces.

**Small Spills:** Take up with earth, sand, vermiculite, or other absorbent, noncombustible material and place in suitable containers.

**Large Spills**

**Containment:** For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

### Section 7 - Handling and Storage

**Handling Precautions:** Use non-sparking tools to open containers.

**Storage Requirements:** Store in a cool, dry, well-ventilated area away from heat, ignition sources, and incompatibles (Sec 10). Install electrical equipment of Class I, Group D.

### Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:** To prevent static sparks, electrically ground and bond all equipment used with and around IPA.

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne levels below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred since it prevents contaminant dispersion into the work area by controlling it at its source. (103)

**Administrative Controls:** Consider preplacement and periodic medical exams of exposed workers with emphasis on the skin, kidneys, and respiratory system. Be extra cautious when using IPA concurrently with carbon tetrachloride because animal studies have shown it enhances carbon tetrachloride's toxicity.

**Protective Clothing/Equipment:** Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Nitrile rubber (breakthrough time > 8 hr), Neoprene and Teflon (breakthrough time > 4 hr) are suitable materials for PPE. Do not use PVA, PVC or natural rubber (breakthrough time < 1 hr). Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Because contact lens use in industry is controversial, establish your own policy.

**Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For < 1000 ppm, use any powered, air purifying respirator with organic vapor cartridges or any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s). For < 10,000 ppm, use any supplied-air respirator (SAR) operated in continuous-flow mode. For < 12,000 ppm, use any air-purifying, full facepiece respirator (gas mask) with a chin-style, front-or back-mounted organic vapor canister or any SCBA or SAR with a full facepiece. For emergency or entrance into unknown concentrations, use any SCBA or SAR (with auxiliary SCBA) with a full facepiece and operated in pressure-demand or other positive-pressure mode. For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. *Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.* If respirators are used, OSHA requires a written respiratory protection program that includes at least medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

**Safety Stations:** Make available in the work area emergency eyewash stations, safety/quick-drench showers, and washing facilities.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove isopropyl alcohol from your shoes and clean personal protective equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using isopropyl alcohol, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Section 9 - Physical and Chemical Properties**

**Physical State:** Liquid  
**Appearance and Odor:** Colorless with a slight odor and bitter taste.  
**Odor Threshold:** 22 ppm\*  
**Vapor Pressure:** 44 mm Hg at 25 °F (7 °C)  
**Saturated Vapor Density (Air = 1.2 kg/m<sup>3</sup>, 0.075 lb/ft<sup>3</sup>):**  
 1.274 kg/m<sup>3</sup> or 0.080 lb/ft<sup>3</sup>  
**Formula Weight:** 60.09  
**Density (H<sub>2</sub>O = 1, at 4 °C):** 0.78505 at 68 °F (20 °C)  
**Water Solubility:** > 10 %  
**Ionization Potential:** 10.10 eV

**Other Solubilities:** Soluble in alcohol, ether, chloroform, and benzene. Insoluble in salt solutions.  
**Boiling Point:** 180.5 °F (82.5 °C)  
**Freezing Point:** -129.1 °F (-89.5 °C)  
**Viscosity:** 2.1 cP at 77 °F (25 °C)  
**Refraction Index:** 1.375 at 68 °F (20 °C)  
**Surface Tension:** 20.3 dyne/cm at 77 °F (25 °C)  
**Critical Temperature:** 455 °F (235 °C)  
**Critical Pressure:** 47 atm  
**Octanol/Water Partition Coefficient:** log Kow = 0.05

\* References range from 1 to as high as 610 ppm.

**Section 10 - Stability and Reactivity**

**Stability:** Isopropyl alcohol is stable at room temperature in closed containers under normal storage and handling conditions.

**Polymerization:** Hazardous polymerization does not occur.

**Chemical Incompatibilities:** Include acetaldehyde, chlorine, ethylene oxide, acids and isocyanates, hydrogen + palladium, nitroform, oleum, phosgene, potassium t-butoxide, oxygen (forms unstable peroxides), trinitromethane, barium perchlorate, tetrafluoroborate, chromium trioxide, sodium dichromate + sulfuric acid, aluminum, aluminum triisopropoxide, and oxidizers. Will attack some forms of plastic, rubber, and coatings.

**Conditions to Avoid:** Exposure to heat, ignition sources, and incompatibles.

**Hazardous Decomposition Products:** Thermal oxidative decomposition of isopropyl alcohol can produce carbon oxides and acid smoke.

**Section 11 - Toxicological Information**

**Toxicity Data:**

**Eye Effects:**  
 Rabbit, eye: 100 mg caused severe irritation.

**Skin Effects:**  
 Rabbit, skin: 500 mg caused mild irritation.

**Reproductive:**  
 Rat, inhalation: 3500 ppm/7 hr given from 1 to 19 days of pregnancy caused fetotoxicity.

**Acute Oral Effects:**  
 Human, oral, TD<sub>01</sub>: 223 mg/kg caused hallucinations, distorted perceptions, lowered blood pressure, and a change in pulse rate.  
 Human, oral, LD<sub>50</sub>: 3570 mg/kg caused coma, respiratory depression, nausea, and vomiting.  
 Rat, oral, LD<sub>50</sub>: 5045 mg/kg caused a change in righting reflex, and somnolence (general depressed activity).

\* See NIOSH, RTECS (NT3050000), for additional toxicity data.

**Section 12 - Ecological Information**

**Ecotoxicity:** Guppies (*Poecilia reticulata*) LC<sub>50</sub> = 7,060 ppm/7 days; fathead minnow (*Pimephales promelas*) LC<sub>50</sub> = 11,830 mg/L/1 hr. BOD = 133 %/5 days.

**Environmental Degradation:** On soil, IPA will volatilize or leach into groundwater. Biodegradation is possible but rates are not found in available literature. It will volatilize (est. half-life = 5.4 days) or biodegrade in water. It is not expected to bioconcentrate in fish. In the air, it reacts with photochemically produced hydroxyl radicals with a half-life of one to several yrs. Because it is soluble, removal by rain, snow or other precipitation is possible.

### Section 13 - Disposal Considerations

**Disposal:** Microbial degradation is possible by oxidizing isopropyl alcohol to acetone by members of the genus *Desulfotribrio*. Spray waste into incinerator (permit-approved facilities only) equipped with an afterburner and scrubber. Isopropyl alcohol can be settled out of water spills by salting with sodium chloride. Note: Salt may harm aquatic life, so weigh the benefits against possible harm before application. Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

**Container Cleaning and Disposal:** Triple rinse containers.

### Section 14 - Transport Information

#### DOT Transportation Data (49 CFR 172.101):

Shipping Name: Isopropanol or isopropyl alcohol	Packaging Authorizations	Quantity Limitations
Shipping Symbols: -	a) Exceptions: 173.150	a) Passenger, Aircraft, or Railcar: 5 L
Hazard Class: 3	b) Non-bulk Packaging: 173.202	b) Cargo Aircraft Only: 60 L
ID No.: UN1219	c) Bulk Packaging: 173.242	Vessel Stowage Requirements
Packing Group: II		a) Vessel Stowage: B
Label: Flammable Liquid		b) Other: -
Special Provisions (172.102): T1		

### Section 15 - Regulatory Information

#### EPA Regulations:

Listed as a RCRA Hazardous Waste Number (40 CFR 261.21)

RCRA Hazardous Waste Classification (40 CFR 261.21): Characteristic of Ignitability

Listed (Unlisted Hazardous Waste, Characteristic of Ignitability) as a CERCLA Hazardous Substance (40 CFR 302.4) per RA, Sec. 3001

RCRA Reportable Quantity (RQ), 100 lb (45.4 kg)

SARA 311/312 Codes: 1, 2, 3

Listed as a SARA Toxic Chemical (40 CFR 372.65); *only persons who manufacture by the strong acid process are subject; no supplier notification.*

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

#### OSHA Regulations:

Listed as an Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A)

### Section 16 - Other Information

**References:** 73, 103, 124, 126, 127, 132, 136, 139, 148, 153, 159, 164, 167, 168, 176, 187

Prepared By ..... M Gannon, BA  
 Industrial Hygiene Review ..... PA Roy, MPH, CIH  
 Medical Review ..... T Thoburn, MD, MPH

**Disclaimer:** Judgments as to the suitability of information herein for the purchaser's purposes are necessarily the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, Genium Publishing Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use.



Genium Publishing Corporation

1145 Carlyn Street  
 Schenectady, NY 12303-1836 USA  
 (513) 377-3854

Material Safety Data Sheets Collection

Sheet No. 440  
 Methane

Issued: 7/80 Revision: A. 3/89

**Section 1. Material Identification** 29

**Methane Description:** Widely distributed in nature, methane comprises 0.00022% by volume of the earth's atmosphere. American natural gas is mostly methane (85%). At temperatures greater than 2012 °F (1100 °C), pure carbon combines with pure hydrogen to form methane. Above 2732 °F (1500 °C), the amount of methane produced increases with temperature. Obtained from sodium acetate and sodium hydroxide or from aluminum carbide and water. Commercially prepared from natural gas or by fermentation of cellulose and sewage sludge. Constituent of illuminating and cooking gas. Used in the manufacture of hydrogen, hydrogen cyanide, ammonia, acrylene, formaldehyde, and many other organics.

**Other Designations:** Fire damp; marsh gas; methyl hydride; CH<sub>4</sub>; CAS No. 007-432-8.

**Manufacturer:** Contact your supplier or distributor. Consult the latest *Chemicalweek Buyers' Guide* (Genium ref. 73) for a suppliers list.

R	1
I	-
S	-
K	4

NFPA

HMS

H 1

F 4

R 0

PGC

• Sec. 3

**Section 2. Ingredients and Occupational Exposure Limits**

Methane, ca 100%	ACGIH TLV, 1988-89	NIOSH REL	Toxicity Data†
OSHA PEL None established	None established	None established	Not listed

† Check with your supplier to determine the exact composition of the purchased methane. Possible contaminants are ethane (C<sub>2</sub>H<sub>6</sub>), propane (C<sub>3</sub>H<sub>8</sub>), butane (C<sub>4</sub>H<sub>10</sub>), higher molecular weight alkanes, carbon dioxide (CO<sub>2</sub>), nitrogen (N<sub>2</sub>), and oxygen (O<sub>2</sub>).  
 † Monitor NIOSH RTECS (PA1490000), for future toxicity data.

**Section 3. Physical Data**

**Boiling Point:** -259 °F (-161.5 °C)      **Water Solubility:** Slight\*

**Vapor Density (Air = 1):** 0.544 at 32 °F (0 °C)      **Melting Point:** -296.5 °F (-182.5 °C)

**Molecular Weight:** 16 g/mol

**Appearance and Odor:** A colorless, odorless, tasteless, extremely flammable gas. Commercial methane's trace amounts of a suitable mercaptan compound give it natural gas's familiar rotten egg smell.

\*Soluble in alcohol and ether.

**Section 4. Fire and Explosion Data**

**Flash Point:** -213 °F (-136.11 °C)      |      **Autoignition Temperature:** 999 °F (537 °C)      |      **LEL:** 5% v/v\*      |      **UEL:** 15% v/v\*

**Extinguishing Media:** Methane's extreme flammability, extensive explosibility range, and very low flash point represent dangerous fire and explosion risks. Treat any fire situation involving rapidly escaping and burning methane gas as an emergency. Extinguish methane fires by shutting off the source of the gas. Use water sprays to cool fire-exposed containers and to protect the personnel attempting to seal the source of the escaping gas.

**Unusual Fire or Explosion Hazards:** Methane gas is very flammable with an extensive explosibility range. The best fire-fighting technique may be simply to let the burning gas escape from the pressurized cylinder, tank car, or pipelines. Never extinguish the burning gas without first locating and sealing its source. Otherwise, the still leaking gas could explosively re-ignite without warning and cause more damage than if it burned itself out.

**Special Fire-fighting Procedures:** Wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in the pressure-demand or positive-pressure mode.

\* The loudest methane-air explosions occur when 1 volume of methane is mixed with 10 volumes of air (or 2 volumes of oxygen). Warning: Air with more than 14% by volume methane burns noiselessly. Methane burns with a pale, faintly luminous, not always easily detected flame.

**Section 5. Reactivity Data**

**Stability/Polymerization:** Methane is stable at room temperature in closed, pressurized containers during routine operations. Hazardous polymerization cannot occur.

**Chemical Incompatibilities:** Genium reference 34 reports that methane can react violently with bromine pentafluoride, chlorine, chlorine dioxide, nitrogen trifluoride, liquid oxygen, and oxygen difluoride.

**Conditions to Avoid:** Never expose methane to ignition sources such as open flame, lighted cigarettes or pipes, uninsulated heating elements, or electrical or mechanical sparks. Prevent any accidental or uncontrollably rapid release of methane gas from high-pressure cylinders, tank cars, or pipelines.

**Hazardous Products of Decomposition:** Thermal oxidative degradation of methane can produce carbon dioxide and toxic carbon monoxide (CO).

**Section 6. Health Hazard Data**

**Carcinogenicity:** Neither the NTP, IARC, nor OSHA lists methane as a carcinogen. **Summary of Risks:** As a simple asphyxiant, methane does not cause significant physiological responses, but it can displace the minimum required atmospheric oxygen level. Significant displacement results in an oxygen-deficient atmosphere with no adequate warning properties. Asphyxiation can occur especially in confined, poorly ventilated, undisturbed spaces infrequently entered by workers. Frostbite (cryogenic damage) can result from contact with liquid methane's extremely low temperature. **Medical Conditions Aggravated by Long-Term Exposure:** None reported. **Target Organs:** None reported. **Primary Entry:** Inhalation. **Acute Effects:** The initial symptoms of simple asphyxiant gases's effects are rapid respiration and air hunger, diminished mental alertness, and impaired muscular coordination. Continuing lack of oxygen causes faulty judgement, depression of all sensations, rapid fatigue, emotional instability, nausea, vomiting, prostration, unconsciousness, and finally, convulsions, coma, and death. **Chronic Effects:** None reported.

**FIRST AID**

**Skin:** (Liquid methane): Promptly flush the affected area with lots of tepid/lukewarm water to reduce freezing of tissues. Never apply direct heat to frostbitten areas. Loosely apply dry, bulky dressings to protect the area from further injury. Get treatment from qualified medical personnel. **Inhalation:** Rescuers must consider their own safety when entering confined, poorly ventilated, oxygen-deficient areas. Self-contained breathing equipment must be readily available. Rescuers must use nonsparking tools and equipment; e.g., floodlights lowered into any incident area must be electrically grounded and bonded, shatter-resistant, and sparkproof. After first aid, get appropriate in-plant, paramedic, or community medical attention and support for inhalation exposures in oxygen-deficient atmospheres. Seek prompt medical assistance for further observation and treatment.

**Section 7. Spill, Leak, and Disposal Procedures**

**Spill/Leak:** Design and practice a methane spill control and countermeasure plan (SCCP). When a leak occurs, notify safety personnel, eliminate heat and ignition sources, evacuate unnecessary personnel, provide maximum explosion-proof ventilation, and implement the SCCP. Use only nonsparking tools and equipment. Locate and seal the source of the leaking gas. Use water sprays to protect the personnel attempting this shutdown. Large methane releases can result in spectacular explosions. If attempts to shut off the leaking gas are unsuccessful, evacuate the likely explosion area. **Disposal:** Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations. Remove leaking or defective cylinders to a safe, outside, posted, discharge location. Let the methane gas discharge at a moderate rate. When it is empty, return the cylinder to the supplier after it is properly tagged, labelled, or stenciled MT (empty) or defective.

**OSHA Designations**

Air Contaminant (29 CFR 1910.1000, Subpart Z): Not listed

**EPA Designations**

RCRA Hazardous Waste (40 CFR 261.55): Not listed

CERCLA Hazardous Substance (40 CFR 302.4): Not listed

SARA Extremely Hazardous Substance (40 CFR 355): Not listed

SARA Toxic Chemical (40 CFR 372.65): Not listed

**Section 8. Special Protection Data**

**Goggles:** Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). **Gloves:** To prevent skin contact, workers handling liquid methane should wear appropriate insulating gloves, safety glasses, and splash aprons, as required by the particular work conditions. **Respirator:** Wear a NIOSH-approved respirator if necessary. Follow OSHA respirator regulations (29 CFR 1910.134). For emergency or nonroutine operations (spills or cleaning reactor vessels and storage tanks), wear an SCBA. **Warning:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres; use self-contained breathing equipment there. **Ventilation:** Provide general and local explosion-proof ventilation systems to maintain airborne concentrations below the 5% v/v LEL (Sec. 4). Local exhaust ventilation is preferred since it prevents methane dispersion into the work area by eliminating it at its source (Genium ref. 103). Give special attention to proper ventilation of enclosed areas. **Safety Stations:** Make available in the work area emergency eyewash stations, safety/quick-drench showers, washing facilities, fire extinguishers, and oxygen bottles for emergency first-aid. **Contaminated Equipment:** Never wear contact lenses in the work area; soft lenses may absorb, and all lenses concentrate, irritants. Launder contaminated clothing before wearing. Remove this material from your shoes and equipment. **Other:** If appropriate, consider installing automatic sensing equipment that warns workers of oxygen-deficient atmospheres or of potentially explosive air-gas mixtures. All engineering systems in any methane gas storage, handling, or processing area must be explosion-proof so they have no spark potential or hot spots. Pressurized systems must use only approved valves, manifolds, flanges, and flame arrestors. **Comments:** Methane gas presents dangerous fire, explosion, and reactivity risks. Regularly inspect and service all the piping systems which transport methane gas in production and storage areas. Before use, thoroughly test methane lines with nitrogen gas for leaking, especially in enclosed areas.

**Section 9. Special Precautions and Comments**

**Storage Requirements:** Store methane in closed, pressurized cylinders, tank cars, pipelines, or other containers in a cool, dry, well-ventilated, fireproof area away from heat and ignition sources and incompatible chemicals (Sec. 5). Protect these containers from physical damage and heat. Shield them from direct sunlight. **Special Handling/Storage:** Electrically ground and bond all containers, tanks, cylinders, tank cars and pipelines used in methane shipping, receiving, or transferring operations. Never smoke in any work area where the possibility of exposure to methane gas (fire hazard) exists. Recommended storage containers include steel.

**Transportation Data (49 CFR 172.101-2)**

DOT Shipping Name: Methane

DMO Shipping Name: Methane, compressed

DOT Hazard Class: Flammable gas

DMO Hazard Class: 2.1

DOT ID No.: UN1971

DMO Label: Flammable gas

DOT Label: Flammable gas

DOT Packaging Requirements: 49 CFR 173.302

DOT Packaging Exceptions: 49 CFR 173.306

MSDS Collection References: 1, 5, 7, 34-34, 100, 116, 117, 119, 120, 122

Prepared by: PJ Igce, BS; Industrial Hygiene Review: DJ Wilson, CTH; Medical Review: MJ Hardies, MD



# LUBRIPLATE

## MATERIAL SAFETY DATA SHEET

No. 16

### Section I

PRODUCT NAME OR NUMBER HO-2A, HO-3, HO-4, HO-5 LUBRIPLATE Hydraulic Oils - HO-3, HO-4, HO-5	FORMULA Mineral Oil and Additives
Manufacturer's Name Fiske Brothers Refining Co.	Emergency Telephone Number 201-589-9150
Address, Street, City, State and ZIP Code 129 Lockwood St., Newark, NJ 07105	Telephone Number for Information 201-589-9150

### Section II - Hazardous Ingredients/Identify Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (approx)
Oil Misc in Air (Not Recommended in Normal Usage)	5mg/m <sup>3</sup>	5mg/m <sup>3</sup>		

Hazardous Material Identification System (HMIS): Health-1, Flammability-1, Reactivity-2

### Section III - Physical/Chemical Characteristics

Boiling Point	> 550 °F	Specific Gravity (H <sub>2</sub> O = 1)	0.8708 0.8894
Vapor Pressure (mm Hg)	< 0.01	Melting Point	Liquid
Vapor Density (AIR = 1)	> 5	Evaporation Rate (Butyl Acetate = 1)	< 0.01

Stability in Water

Negligible

Appearance and Color

Transparent amber liquid with mineral oil odor

### Section IV - Fire and Explosion Hazard Data

Flash Point (Petroleum Units)	C.O.C. - 415 °F - 565 °F	Flammable Limits	LE 0.9%	UEL 7.0%
-------------------------------	--------------------------	------------------	------------	-------------

Extinguishing Media

Foam, Dry Chemical, Carbon Dioxide or Water Spray (Fog)

Special Fire Fighting Procedures

Cool exposed containers with water. Use air-supplied breathing equipment for enclosed or confined spaces.

Unusual Fire and Explosion Hazards

Do not store or mix with strong oxidizers. Empty containers retain residue.

Do not cut, drill, grind, or weld, as they may explode.

### Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid	N/A
	Stable	X	

Incompatibility (Materials to Avoid)

Avoid contact with strong oxidizers like liquid chlorine, concentrated oxygen.

Hazardous Decomposition or Byproducts

MAY FORM SO<sub>2</sub>. If incomplete combustion, carbon monoxide.

Hazardous Reactions	May Occur	Conditions to Avoid	N/A
	Will Not Occur	X	

# Material Safety Data Sheet

From Gemini's Reference Collection  
 Gemini Publishing Corporation  
 1145 Catalyn Street  
 Schenectady, NY 12303-1836 USA  
 (518) 377-2255



GEMINI PUBLISHING CORP.

No. 523  
 n-PENTANE  
 (Revision A)

No. 17

Issued: October 1986  
 Revised: August 1987

## SECTION 1. MATERIAL IDENTIFICATION

**MATERIAL NAME:** n-PENTANE

**DESCRIPTION (Origin/Use):** Prepared by dehydration and subsequent hydrogenation of 2- and 3-pentanol. Found in petroleum and is a constituent of petroleum ether. Used as an industrial solvent.

**OTHER DESIGNATIONS:** Amyl Hydride; C<sub>5</sub>H<sub>12</sub>; NIOSH RTECS #RZ9450000;  
 CAS #0109-66-0

**MANUFACTURER/SUPPLIER:** Available from several suppliers, including:  
 Ashland Chemical Co., Industrial Chemicals & Solvents Division, PO Box 2219,  
 Columbus, OH 43216; Telephone: (614) 389-3844

**COMMENTS:** n-Pentane is a serious fire and explosion hazard.

HMIS  
 H 1  
 F 4 R 1  
 R 0 I -  
 PPE S 1  
 \*See sect. 8 K 4



## SECTION 2. INGREDIENTS AND HAZARDS

n-Pentane, CAS #0109-66-0; NIOSH RTECS #RZ9450000

% HAZARD DATA

H<sub>3</sub>C - CH<sub>2</sub> - CH<sub>2</sub> - CH<sub>2</sub> - CH<sub>3</sub>

NIOSH REL 1986  
 10-Hr TWA: 120 ppm (350 mg/m<sup>3</sup>)  
 15-Min Ceiling: 610 ppm (1800 mg/m<sup>3</sup>)  
 Current OSHA PEL-TWA: 1000 ppm (2950 mg/m<sup>3</sup>).  
 The 1987-88 ACGIH TLVs are TWA = 600 ppm (1800 mg/m<sup>3</sup>)  
 and STEL = 750 ppm (2250 mg/m<sup>3</sup>).  
 \*Immediately dangerous to life and health.

>99

**TOXICITY DATA**  
 Human, Inhalation, LC<sub>50</sub>:  
 150000 ppm  
 Human, Inhalation, TC<sub>50</sub>:  
 90000 ppm/5 Min.  
 Mouse, Intravenous, LD<sub>50</sub>:  
 446 mg/kg  
 IDLH\* Level: 15000 ppm

## SECTION 3. PHYSICAL DATA

Boiling Point - 97°F (36.1°C)      Specific Gravity - 0.626 at 68°F (20°C)  
 Vapor Pressure - 400 Torr at 65.3°F (18.5°C)      Melting Point - -202°F (-130°C)  
 Vapor Density (Air = 1) - 2.5      Evaporation Rate (n-BuAc = 1) - 23.6  
 Solubility in Water - 0.04% at 68°F (20°C)      Volatile, % - 100  
 Viscosity - 0.43 at 32°F (0°C)      Molecular Weight - 72.15 Grams/Mole

Appearance and odor: Clear, colorless, mobile liquid. Mild gasoline-like odor. Threshold odor concentration: 50% recognition at 990 ppm.

**COMMENTS:** n-Pentane's high vapor density, volatility, and evaporation rate will generate explosive and flammable concentrations of vapor.

## SECTION 4. FIRE AND EXPLOSION DATA

Flash Point and Method	Autoignition Temperature	Flammability Limits in Air	LOWER   UPPER	
			% by Volume	% by Volume
<-40°F (<-40°C)	500°F (260°C)	% by Volume	1.5%	7.8%

**EXTINGUISHING MEDIA:** Use carbon dioxide, dry chemical, or foam. Water is ineffective in putting out a fire involving n-pentane, and a water stream will spread flames; but a water spray should be used to cool fire-exposed containers to prevent pressure rupture. Also, water spray may be used to flush spills away from exposures to sources of ignition. This flammable liquid is a dangerous fire hazard and a dangerous explosion hazard. Fight fire from a safe distance. **UNUSUAL FIRE/EXPLOSION HAZARDS:** The heavier-than-air vapors of n-pentane may travel along low-lying surfaces to distant sources of ignition and then flash back to the original source of the material. **SPECIAL FIRE-FIGHTING PROCEDURES:** n-Pentane is an OSHA class 1A flammable liquid. Wear a self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode. This material is extremely flammable. Exercise due caution to protect against flashback.

## SECTION 5. REACTIVITY DATA

n-Pentane is stable. Hazardous polymerization cannot occur.

**CHEMICAL INCOMPATIBILITIES:** n-Pentane is incompatible with oxidizing agents.

**CONDITIONS TO AVOID:** Avoid sources of ignition such as sparks, excessive heat, open flame, and lighted tobacco products.

**PRODUCTS OF HAZARDOUS DECOMPOSITION** can include oxides of carbon.

**SECTION 6. HEALTH HAZARD INFORMATION**

n-Pentane is not listed as a carcinogen by the NTP, IARC, or OSHA.  
**SUMMARY OF RISKS:** Vapors of this material are mildly narcotic and may cause irritation to the respiratory passages. (It has been reported that human exposure at 5000 ppm for 10 minutes did not cause mucous membrane irritation.) Extremely high and sustained concentrations may cause central nervous system depression and narcosis. This material is a defatting agent; repeated or prolonged skin contact with its liquid may result in drying, cracking, and dermatitis. Eye contact may be irritating. Swallowed liquid and vapors (BP 97°F (36.1°C)) in the stomach. Aspiration into the lungs will cause dilution of alveolar air (asphyxiation hazard). **TARGET ORGANS:** Eyes, skin, respiratory system. **PRIMARY ENTRY:** Inhalation.  
**ACUTE EFFECTS:** Eyes, skin, and respiratory tract irritation; and possibly central nervous system depression. **CHRONIC EFFECTS:** Unknown. **MEDICAL CONDITIONS AGGRAVATED BY LONG-TERM EXPOSURE:** None reported.  
**FIRST AID:** **EYE CONTACT:** Immediately flush eyes, including under the eyelids, gently but thoroughly with plenty of running water for at least 15 minutes. Get medical help.\* **SKIN CONTACT:** Remove contaminated clothing. Flush affected area with water; wash with soap and water. Get medical help.\* **INHALATION:** Remove victim to fresh air. Restore and/or support his breathing as required. Get medical help.\* **INGESTION:** Do not induce vomiting. Never give anything by mouth to someone who is unconscious or convulsing. Get medical help.\*  
 \* GET MEDICAL ASSISTANCE - IN PLANT, PARAMEDIC, COMMUNITY. Get medical help for further treatment, observation, and support after first aid.

**SECTION 7. SPILL, LEAK, AND DISPOSAL PROCEDURES**

**SPILL/LEAK:** Notify safety personnel of n-pentane spills or leaks. If a spill or leak has not ignited, use water spray to disperse the gas or vapor and to protect those who are attempting to stop a leak. Keep upwind of a leak or spill. Remove sources of heat or ignition. Provide maximum explosion-proof ventilation. Cleanup personnel need protection against inhalation of vapors and contact with liquid. Flush waste to the ground and away from sensitive areas with a cold water spray. Small spills can be absorbed with vermiculite, picked up with nonsparking tools, or allowed to evaporate with good ventilation or in a hood or open area. Pick up large spills if it is safe to do so and place them into an appropriate container for recovery or disposal. Keep waste out of sewers or places where it can vaporize into confined spaces. **DISPOSAL:** Burn properly (because of material's low flash point) in an approved incinerator. Follow Federal, state, and local regulations. Aquatic Toxicity, TL<sub>50</sub> 96: 100-10 ppm. n-Pentane is reported in the 1980 EPA TSCA Inventory. EPA Hazardous Waste Number (40 CFR 261.21, Ignitability): D001. n-Pentane is not designated as a hazardous substance by the EPA (40 CFR 116.4). EPA Reportable Quantity (40 CFR 117.3): Not Listed.

**SECTION 8. SPECIAL PROTECTION INFORMATION**

**GOGGLES:** Wear chemical safety goggles or eyeglasses to prevent eye contact where splashing is possible.  
**GLOVES:** Wear rubber or neoprene gloves to prevent skin contact.  
**RESPIRATOR:** For emergency or nonroutine exposures above the TLV, use a NIOSH-approved respirator with an organic vapor canister or air-supplied or self-contained breathing apparatus below 5000 ppm.  
**VENTILATION:** Provide general and local explosion-proof exhaust ventilation to meet TLV requirements. The ventilation systems must be explosion proof and nonsparking.  
**SAFETY STATIONS:** Make eyewash stations, washing facilities, and safety showers available in areas of use and handling.  
**CONTAMINATED EQUIPMENT:** Contact lenses pose a special hazard; soft lenses may absorb irritants, and all lenses concentrate them.  
**OTHER PERSONAL PROTECTIVE EQUIPMENT:** Wear protective clothing appropriate to the work situation to prevent skin contact. Remove soiled clothing and launder it before wearing it again, because it is a health and fire hazard.  
**COMMENTS:** Practice good personal hygiene. Keep materials off of your clothes and equipment. Avoid transferring materials from hands to mouth while eating, drinking, or smoking.

**SECTION 9. SPECIAL PRECAUTIONS AND COMMENTS**

**STORAGE SEGREGATION:** Store n-pentane in tightly closed containers in a cool, well-ventilated area away from oxidizing agents and sources of heat and ignition. Protect containers from physical damage. **SPECIAL HANDLING/STORAGE:** Ground and bond containers during transfers to prevent the generation of static sparks. Use nonsparking tools. Use metal safety cans for handling small amounts. Storage and handling must be suitable for an OSHA Class IA flammable liquid. Do not smoke where this material is stored or used. **ENGINEERING CONTROLS:** The heavier-than-air n-pentane vapors may travel to distant sources of ignition and flash back. These vapors collect in low-lying areas; minimize sources of ignition there.  
**OTHER PRECAUTIONS:** Avoid breathing n-pentane vapors! Prevent its contact with skin and eyes! Do not eat this material! Institute exposure-monitoring and record-keeping requirements that have been proposed by NIOSH for alkanes.  
**TRANSPORTATION DATA (per 49 CFR 171.01-2):**  
 DOT Shipping Name: Pentane  
 DOT Hazard Class: Flammable Liquid  
 DOT Required Label: Flammable Liquid  
 DOT ID No. UN1265  
 IMO Class: 3.1  
 IMO Label: Flammable Liquid  
 Reference: 1-12, 14, 16, 23, 25, 27, 31, 34, 33, 42, 45, 47, 49, 54, 55, 53, 59, 63, 73, 75, 32, 37-94 CR

Suppliers as to the reliability of information herein for purchaser's purposes are declaratively purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, General Petroleum Corp. makes no warranties, makes no representations and assumes no responsibility as to the accuracy or reliability of such information for application to purchaser's added purposes or for consequences of its use.

Approvals *JOR*

Indust. Hygiene Safety *12/87*

Medical Review *7/11/87*



No. 18

Material Safety Data Sheet  
PRESTONE® Engine Starting Fluid

X. DEPARTMENT OF TRANSPORTATION

HAZARDOUS MATERIALS Engine Starting Fluid  
HAZARD CLASSIFICATION Flammable Gas  
IDENTIFICATION NUMBER UN1960  
LABEL(S) REQUIRED Flammable Gas

XI. ENVIRONMENTAL DATA

EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW INFORMATION

This product contains the following chemicals subject to SARA TITLE III, Section 313 reporting:

Chemical Name	CAS#	Weight %
None		

This MSDS is directed to professional users and bulk handlers of the product. Consumer products are labeled in accordance with Federal Hazardous Substances Act regulations.


While First Brands Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which First Brands Corporation assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

If more information is needed, please contact:

R. L. Lewis  
First Brands Corporation  
88 Long Hill Street  
East Hartford, CT 06108  
(203)728-6181



Material Safety Data Sheet  
PRESTONE® Engine Starting Fluid

<p>Any questions, please call:</p> <p>First Brands Corporation 83 Wooster Heights Road Building 301 Danbury, CT 06813-1911 Telephone: (203) 731-2300</p>	<p>EMERGENCY TELEPHONE (24 Hours)</p> <p>CHEMTREC (800) 424-9300 483-7818 in District of Columbia</p>	<p>NFPA HAZARD CODE</p> <p>4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant</p> 
--	---	---

I. IDENTIFICATION

PRODUCT NAME	PRESTONE® Engine Starting Fluid
TYPE	Automotive Engine Starting Fluid (Aerosol)
STOCK	AS237
FORMULA	13374-84

II. PHYSICAL DATA

BOILING POINT, 760 mm Hg	95°F
FREEZING POINT	less than -30°F
DENSITY (at 68°F)	5.6 lbs/gal
VAPOR DENSITY (Air = 1)	2.6
VAPOR PRESSURE (at 68°F)	305 mm Hg
AEROSOL CONTAINER PRESSURE (at 70°F psig)	85
VOLATILES BY VOLUME	99%
SOLUBILITY IN WATER, by Wgt.	4.5%
EVAPORATION RATE (Butyl Acetate = 1)	23
APPEARANCE AND ODOR	Clear liquid, ether odor

## III. HAZARDOUS INGREDIENTS

(includes IARC, NTP, OSHA and ACGIH listed carcinogens greater than 0.1%)

MATERIAL	*	CAS #	EXPOSURE LIMIT	SOURCE
Ethyl ether	40-70	60-29-7	400 ppm TWA 500 ppm STEL	(3) (3)
n-heptane	25-60	142-82-5	400 ppm TWA 500 ppm STEL	(3) (3)
Methylcyclohexane	25-60	108-87-2	400 ppm TWA	(3)
Carbon dioxide	5-10	124-38-9	10000 ppm TWA 5000 ppm TWA 30000 ppm STEL	(1) (2) (3)

## NON-HAZARDOUS INGREDIENTS &gt; |\*

None

None of the other ingredients is listed as a carcinogen or potential carcinogen by OSHA, NTP or IARC.

The source for exposure limits listed above are:

- (1) OSHA Permissible Exposure Limit (effective 9/89)
- (2) ACGIH Threshold Limit Value (1988-89 Edition)
- (3) Both the OSHA PEL and ACGIH TLV
- (4) Recommended by the Manufacturer

## IV. FIRE AND EXPLOSION HAZARD DATA

## FLASH POINT

Tag Open Cup: Not determined  
Pensky-Martens Closed Cup: -49°F

## AEROSOL FLAME EXTENSION

Greater than 18 inches

## FLASHBACK

Yes



**AEROSOL FIRE PROTECTION LEVEL**  
Level 3 Aerosol (NFPA 30B)

**FLAMMABLE LIMITS IN AIR, % BY VOLUME**  
LOWER: 1.35  
UPPER: 36.5

**AUTOIGNITION TEMPERATURE**  
180°C

**EXTINGUISHING MEDIA**  
Foam, alcohol foam, carbon dioxide, and dry chemical. Water may be unsuitable except as cooling medium.

**SPECIAL FIRE FIGHTING PROCEDURES**  
Use self-contained breathing apparatus. Toxic fumes may be emitted.

**UNUSUAL FIRE AND EXPLOSION HAZARDS**  
Extremely flammable contents, pressurized containers. Vapors are heavier than air and may travel or be moved by air currents and be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharges or other ignition sources at locations distant from product handling point.

## V. HEALTH HAZARD DATA

### EFFECTS OF SINGLE OVEREXPOSURE

- SWALLOWING** May cause signs and symptoms of systemic intoxication, with incoordination, blurred vision, headache, analgesia, unconsciousness and respiratory failure due to depression of the central nervous system. Due to high volatility, may rapidly distend the stomach, causing discomfort and may make breathing difficult. May also cause pneumonitis if aspirated.
- SKIN ABSORPTION** Significant absorption not expected.
- INHALATION** Acts as a narcotic or general anesthetic. May cause irritation of the respiratory tract with cough and also signs and symptoms of intoxication, with incoordination, blurred vision, headache, analgesia, unconsciousness, cardiac irregularities, and respiratory failure due to depression of the central nervous system. Breathing high vapor concentrations may cause heart rate irregularities, possibly fatal, particularly in persons with heart disease.
- SKIN CONTACT** May cause mild irritation, experienced as local redness.

**EYE CONTACT**

Exposure to liquid or high concentrations of vapor may cause irritation, experienced as redness, excess tearing, and possible swelling of the conjunctiva.

**EFFECTS OF REPEATED OVEREXPOSURE**

Repeated skin exposure can cause cracking and drying. Repeated inhalation may cause loss of appetite, exhaustion, headaches, drowsiness, dizziness, cardiac arrhythmia, central nervous system excitability, and psychic disturbances.

**OTHER EFFECTS OF OVEREXPOSURE**

May cause albuminuria and polycythemia.

**MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE**

Because of its irritating and defatting properties, this material may aggravate an existing dermatitis. Existing cardiac conditions may be aggravated if inhaled in high concentrations and may be fatal as a result of serious arrhythmia and cardiac decompensation.

**SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH HAZARDS**

None currently known.

**EMERGENCY AND FIRST AID PROCEDURES****SWALLOWING**

Give at least 2 glasses of milk or water if the patient is conscious. Do not induce vomiting. Call a physician immediately.

**SKIN**

Wash with soap and water.

**INHALATION**

Remove to fresh air. Give artificial respiration if not breathing. CPR may be required if cardiac arrest occurs. Oxygen may be given if necessary. Call a physician.

**EYES**

Immediately flush eyes with plenty of water for least 15 minutes. Seek medical attention, preferably an ophthalmologist.

**NOTES TO PHYSICIAN**

May produce arrhythmia, especially in a person with an irritable myocardium. Because of possible arrhythmogenic effects, sympathomimetics should be used with caution. Avoid the use of epinephrine.



Material Safety Data Sheet  
PRESTONE® Engine Starting Fluid

There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition. Artificial ventilation may be required if coma is deep and breathing shallow.

VI. REACTIVITY DATA

**STABILITY** Stable.

**HAZARDOUS POLYMERIZATION**  
Will not occur.

**CONDITIONS TO AVOID** Heat, sparks and open flames.

**INCOMPATIBILITY (Materials to Avoid)**  
Strong oxidizing agents.

**HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS**  
Extremely flammable. Will burn to form carbon dioxide, carbon monoxide. May form oxides of nitrogen.

VII. SPILL OR LEAK PROCEDURES

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**  
Wear appropriate personal protective equipment and remove all sources of ignition. Contain spill using absorbent material and collect material for disposal in a container suitable for flammable waste. See Section IV, "Unusual Fire and Explosion Hazards."

**WASTE DISPOSAL METHOD**  
Waste material is a RCRA hazardous waste due to ignitability if discarded in its purchased form. Incineration, treatment or landfilling should be carried out in accordance with applicable RCRA Federal, State, and Local regulations.

**VIII. SPECIAL PROTECTION INFORMATION**

(for manufacturing and bulk spill cleanup)

**RESPIRATORY PROTECTION**

Use NIOSH/MSHA approved chemical cartridge respirator for operations which may result in employee exposure above the Permissible Exposure Limit (PEL).

**VENTILATION**

Use local exhaust ventilation for operations which may result in employee exposure above the PEL.

**PROTECTIVE GLOVES**

None required under normal use. PVA (polyvinyl alcohol) gloves are recommended for operations which may result in repeated skin contact.

**EYE PROTECTION**

Safety glasses are considered adequate for normal use.

**OTHER PROTECTIVE EQUIPMENT**

None required

**IX. SPECIAL PRECAUTIONS****PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

- **DANGER:** Extremely flammable. Do not store near heat, sparks or open flame.
- Do not inhale vapors; use in well ventilated area.
- Avoid eye and prolonged skin contact.
- Do not drink or swallow contents.
- Contents under pressure; do not store at temperatures above 120°F.


**OTHER PRECAUTIONS**

Observe all requirements of plant, company or government regulations.

**KEEP OUT OF REACH OF CHILDREN.**



# WD-40.



## MATERIAL SAFETY DATA SHEET

### I. PRODUCT IDENTIFICATION

Manufacturer: WD-40 Company	Telephone:
Address: 1061 Cuddeby Place (92110) P.O. Box 80607 San Diego, California: 92138-6021	Emergency Only: 1 (800) 424-9300 (CHEMTREC) Information: (619) 275-1400 Chemical Name: Organic Mixture Trade Name: WD-40 Bulk Liquid

### II. HAZARDOUS INGREDIENTS

Chemical Name	CAS Number	%	Exposure Limit ACGIH/OSHA
Aliphatic Petroleum Distillates	8052-41-3	70	100 ppm (PEL)
Petroleum Base Oil	64742-85-3	> 20	5 mg/M <sup>3</sup> (TWA)
Non-hazardous Ingredients		< 10	

### III. PHYSICAL DATA

Boiling Point:	300°F (minimum)	Evaporation Rate:	Not determined
Vapor Density (air = 1):	Greater than 1	Vapor Pressure:	Not determined
Solubility in Water:	Insoluble	Appearance:	Cloudy light amber
Specific Gravity (H <sub>2</sub> O = 1):	0.80 @ 70°F	Odor:	Characteristic odor
Percent Volatile (volume):	74%	VCC:	576 grams per liter

### IV. FIRE AND EXPLOSION

Flash Point:	Tag Open Cup 110°F (minimum)
Flammable Limits:	(solvent portion) [Lair] 1.0% [Uair] 6.0%
Extinguishing Media:	CO <sub>2</sub> , Dry Chemical, Foam
Special Fire Fighting Procedures:	None
Unusual Fire and Explosion Hazards:	None

### V. HEALTH HAZARD / ROUTE(S) OF ENTRY

<b>Threshold Limit Value</b>	
Aliphatic Petroleum Distillates (Stoddard solvent) lowest TLV (ACGIH 100 ppm.)	
<b>Symptoms of Overexposure</b>	
Inhalation (Breathing):	May cause anesthesia, headache, dizziness, nausea and upper respiratory irritation.
Skin Contact:	May cause drying of skin and/or irritation.
Eye Contact:	May cause irritation, tearing and redness.
Ingestion (Swallowed):	May cause irritation, nausea, vomiting and diarrhea.
<b>First Aid Emergency Procedures</b>	
Ingestion (Swallowed):	Do not induce vomiting, seek medical attention.
Eye Contact:	Immediately flush eyes with large amounts of water for 15 minutes.
Skin Contact:	Wash with soap and water.
Inhalation (Breathing):	Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen.
<b>DANGER!</b>	
Aspiration Hazards:	If swallowed can enter lungs and may cause chemical pneumonia. Do not induce vomiting. Call Physician immediately.
<b>Suspected Cancer Agent:</b>	
Yes _____ No <input checked="" type="checkbox"/>	The components in this mixture have been found to be noncarcinogenic by NTP, IARC and CSFA.

**VI. REACTIVITY DATA**

Stability:	Stable <u>X</u>	Unstable _____
Conditions to avoid:	NA	
Incompatibility:	Strong oxidizing materials	
Hazardous decomposition products:	Thermal decomposition may yield carbon monoxide and/or carbon dioxide.	
Hazardous polymerization:	May occur _____	Will not occur <u>X</u>

**VII. SPILL OR LEAK PROCEDURES**

**Spill Response Procedures**  
Absorb small quantities with sand, earth, sawdust. Large quantities pump into tank.

**Waste Disposal Method**  
Incinerate liquid, bury saturated absorbent in land fill. Dispose of in accordance with local, state and federal regulations.

**VIII. SPECIAL HANDLING INFORMATION**

Ventilation:	Sufficient to keep solvent vapor less than TLV.
Respiratory Protection:	Advised when concentrations exceed TLV.
Protective Gloves:	Advised to prevent possible skin irritation.
Eye Protection:	Approved eye protection to safeguard against potential eye contact, irritation or injury.
Other Protective Equipment:	None required.

**IX. SPECIAL PRECAUTIONS**

Keep from open flame, do not take internally. Avoid excessive inhalation of spray particles. Keep from children.

**X. TRANSPORTATION DATA**

<b>Domestic Surface</b>	
Description:	Petroleum Distillate Mixture
Hazard Class:	Combustible Liquid
ID No.:	UN 1258
Label Required:	NONE, for containers less than 100 Gallons
<b>Domestic Air</b>	
Description:	Petroleum Distillate Mixture
Hazard Class:	Combustible Liquid
Label Required:	NONE, for containers less than 110 Gallons

SIGNATURE: R. Miles *R. Miles* TITLE: Technical Director

REVISION DATE: March 1980 SUPERSEDES: April 1985

NA = Not applicable      NCA = No data available      < = Less than      > = More than

We believe the statements, technical information and recommendations contained herein are reliable. However, the user is provided without warranty, expressed or implied. It is the user's responsibility to determine site conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using product, read label.

## APPENDIX D

### HEALTH AND SAFETY FORMS

Accident/Injury/Illness Report Form  
Accident/Injury/Illness Status Report Form  
Heavy Equipment Inspection Forms  
Instrument Calibration Logs  
Air Monitoring Instrument (Direct Reading) Logs  
Fire Extinguisher Checklist/Inventory Form  
Daily Safety Meeting Log  
Project Site Safety Inspection Checklist (weekly)  
Cardinal Safety Rules  
Activity Hazard Analysis



OHM Corporation

# ACCIDENT/INJURY/ILLNESS REPORT FORM

Form OHS-4  
H & S Dept.  
6/91

Accident                       Injury                       Illness  
 Property Damage               Yes                       No  
 Vehicle Involved               Yes                       No

Health & Safety Use Only	
Case #	_____
<input type="checkbox"/> First Aid Only	
<input type="checkbox"/> Medical Treatment	
<input type="checkbox"/> Lost Workdays - Restricted Activity	
<input type="checkbox"/> Lost Workdays - Away from Work	
<input type="checkbox"/> Fatality	

Exact Date and Time of Incident \_\_\_\_\_ a.m. \_\_\_\_\_ p.m.                      Shift  1st  2nd  3rd

OHM CORPORATION \_\_\_\_\_  
(Employee's Home Division/Regional Office/Subsidiary)

Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_

PROJECT IDENTIFICATION (Project Related Incidents Only)

Project No. \_\_\_\_\_ Project Start Date \_\_\_\_\_ Completion Date \_\_\_\_\_

Location (Full Address) \_\_\_\_\_

Telephone \_\_\_\_\_ Project Manager \_\_\_\_\_

## EMPLOYEE INFORMATION

Employee's Full Name \_\_\_\_\_ Employee No. \_\_\_\_\_

Full Time    Regular Part Time    Temporary    Non-Employee

Home Address \_\_\_\_\_

Date of Birth \_\_\_\_\_ Age \_\_\_\_\_ Social Security No. \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sex  M  F

Job Title \_\_\_\_\_ Department \_\_\_\_\_ Date Hired \_\_\_\_\_

Length of Employment    In Training,  \_\_\_\_\_ Mos.  \_\_\_\_\_ Yrs.    Time in Job Class    In Training,  \_\_\_\_\_ Mos.  \_\_\_\_\_ Yrs.

Name of Employee's Direct Supervisor \_\_\_\_\_

Supervision at Time of Accident    Directly Supervised    Indirectly Supervised    Not Supervised

Specific Location Where Incident Occurred \_\_\_\_\_  
\_\_\_\_\_  OHM Facility    Project Site    Other \_\_\_\_\_

To Whom Was Incident Reported? \_\_\_\_\_ When? \_\_\_\_\_

Witness Name/Address \_\_\_\_\_  
Witness Job Title/Reason in Area \_\_\_\_\_

Describe Employee's Job Duties Being Performed When Injured \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Describe Fully the Events Which Resulted in the Accident/Injury/Illness \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Use Extra Page if Needed)

Describe the Injury/Illness in Detail; Indicate Part of Body Affected \_\_\_\_\_

Name of Object/Substance Which Directly Injured Employee \_\_\_\_\_

Has/Will Employee Seek Treatment?  Yes  No Did Employee Die?  Yes  No

Name/Address of Hospital/Doctor \_\_\_\_\_

Describe Treatment Given \_\_\_\_\_

Was Employee Able To Return To Work?  Yes  No

If YES:  Regular Work  Work with Restricted Activities

Restriction \_\_\_\_\_

If NO: Date Lost Time Began \_\_\_\_\_ Date/Est. Date To Return \_\_\_\_\_

Personal Protective Equipment Used by Injured Employee \_\_\_\_\_

What Training or Instruction Had Been Given? \_\_\_\_\_

How Could This Accident Have Been Prevented? \_\_\_\_\_

Corrective Action \_\_\_\_\_

Are You Reporting This Incident as an Industrial Injury/Illness?  Yes  No

Signature \_\_\_\_\_ (Employee) Date \_\_\_\_\_

Signature \_\_\_\_\_ (Supvr/Manager) Date \_\_\_\_\_

Signature \_\_\_\_\_ (Safety Officer) Date \_\_\_\_\_

Signature \_\_\_\_\_ (Proj. Manager) Date \_\_\_\_\_

Signing This Report does Not Constitute Certification of an Industrial Claim

DISTRIBUTION Original To: Division Secretary at Employee's Home Office

Copy To:  Corporate Health & Safety  Regional Health & Safety Manager  
 Project Manager  Site Safety File



OHM Corporation

Form 0023  
H & S Dept.  
6/91

# INJURY/ILLNESS STATUS REPORT

Employee \_\_\_\_\_ Social Security No. \_\_\_\_\_

Home Address \_\_\_\_\_ Phone \_\_\_\_\_

Job Title \_\_\_\_\_ Home Division \_\_\_\_\_

Date/Time of Injury/Illness \_\_\_\_\_ a.m. Location:  OHM Facility  Project Site  
\_\_\_\_\_ p.m.  Other \_\_\_\_\_

Description of Injury/Illness \_\_\_\_\_

### AUTHORIZATION TO RELEASE INFORMATION

I hereby authorize all physicians, hospitals, clinics and all persons to discuss with, and release to OHM Corporation and its authorized agents, any information or copies thereof acquired in the course of my examination or treatment for the injury identified above. This authorization shall not extend to any other medical condition, past or present, unless the same is causally or historically relevant or related to the injury referred to above.

Employee Signature \_\_\_\_\_ Date \_\_\_\_\_

### PHYSICIANS OR MEDICAL PERSONNEL TO COMPLETE REMAINDER OF FORM

#### WORK STATUS

- Patient may return to work with no limitations  
\_\_\_\_\_ use \_\_\_\_\_
- Patient may return to work on \_\_\_\_\_ Date \_\_\_\_\_  
with limitations indicated. These restrictions are in effect until \_\_\_\_\_ or until Reevaluation Date \_\_\_\_\_  
on \_\_\_\_\_ Date \_\_\_\_\_
- Patient may work \_\_\_\_\_ hours in a work day.
- Patient is totally incapacitated at this time. Patient will be reevaluated on \_\_\_\_\_ Date \_\_\_\_\_

#### DEGREE

- Sedentary Work. Lifting 10 pounds maximum and occasionally lifting and/or carrying such articles as books, ledgers, and small tools. Although a sedentary job is defined as one which involves sitting, a certain amount of walking and standing is often necessary in carrying out job duties. Jobs are sedentary if walking and standing are required only occasionally and other sedentary criteria are met.
- Light Work. Lifting 20 pounds maximum with frequent lifting and/or carrying of objects weighing up to 10 pounds. Even though the weight lifted may be only a negligible amount, a job is in this category when it requires walking or standing to a significant degree or when it involves sitting most of the time with a degree of pushing and pulling of arm and/or leg controls.
- Medium Work. Lifting 50 pounds maximum with frequent lifting and/or carrying of objects weighing up to 25 pounds.
- Heavy Work. Lifting 100 pounds maximum with frequent lifting and/or carrying of objects weighing up to 50 pounds.
- Very Heavy Work. Lifting objects in excess of 100 pounds with frequent lifting and/or carrying of objects weighing 50 pounds or more.

#### LIMITATIONS

1. The patient may:
  - a. Stairwalk
    - None  1-4 hours
    - 4-6 hours  6-8 hours
  - b. Sit
    - 1-3 hours  3-5 hours
    - 5-8 hours
  - c. Drive
    - 1-3 hours  3-5 hours
    - 5-8 hours
2. Patient may use hands for repetitive:
  - Single grasping  Pushing & pulling
  - Fine manipulation
3. Patient may use feet for repetitive movement as in operating foot controls:
  - Yes  No
4. Patient is able to:
 

	Frequency	Occasionally	Not at All
a. Bend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Squat	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Climb	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### PHYSICIANS REPORT

Diagnosis \_\_\_\_\_

Prognosis \_\_\_\_\_

Other \_\_\_\_\_

- Referred to company physician
- Patient referred/admitted:

To Whom \_\_\_\_\_

Address \_\_\_\_\_

Phone \_\_\_\_\_

Date \_\_\_\_\_ Time \_\_\_\_\_

Date of this Report \_\_\_\_\_ Physician's Signature \_\_\_\_\_

Address \_\_\_\_\_ Phone \_\_\_\_\_

## HEAVY EQUIPMENT DAILY INSPECTION LOG

Equipment Description: \_\_\_\_\_  
(Name/Serial No./Model No.)

Date Mobilized: \_\_\_\_\_ Week Ending \_\_\_\_\_

Item Inspected/ Date Inspected	Mon./	Tues./	Wed./	Thurs./	Fri./	Sat./
Windshield						
Seat Belts						
Back-up Alarm						
Horn						
Brakes						
Fire Extinguisher						
Tires						
Hydraulics (Leaks)						
Steering Pin						
Inspected by:						

AIR MONITORING INSTRUMENT  
(LEL/O<sub>2</sub>/PID/FID/HCN/H<sub>2</sub>S)  
CALIBRATION/MAINTENANCE LOG

Type Instrument: \_\_\_\_\_

Date: \_\_\_\_\_

Model Number: \_\_\_\_\_

Performed By: \_\_\_\_\_

OEM or Serial No: \_\_\_\_\_

Battery Check: \_\_\_\_\_

Instrument Zero: \_\_\_\_\_

Alarm Check/Sec: \_\_\_\_\_

Maintenance Performed:

, sensor, lamp, battery replacement)

Comments:

Calibration Data

Calibration Standard: \_\_\_\_\_

Instrument Response: \_\_\_\_\_

Calibration Response: \_\_\_\_\_

Span Setting (PID/FID): \_\_\_\_\_

O<sub>2</sub> Calibration Setting: \_\_\_\_\_

Notes:

General Condition of Instrument: \_\_\_\_\_

Battery Last Charged: / / Duration of Charge: \_\_\_\_\_

Other:





OHM Corporation

### PORTABLE FIRE EXTINGUISHER CHECKLIST

Office/Shop Location \_\_\_\_\_

#### INVENTORY

Serial No.	Location	Serial No.	Location
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

#### Inspection Points

1. Fire extinguisher is in assigned location
2. Access is not obstructed
3. Fire extinguisher is fully charged
4. Lock-pin in place
5. Test tag attached and current

#### INSPECTIONS COMPLETED

Month	Initials	Month	Initials
January	_____	July	_____
February	_____	August	_____
March	_____	September	_____
April	_____	October	_____
May	_____	November	_____
June	_____	December	_____



OHM Corporation

### DAILY SAFETY MEETING LOG

Date: \_\_\_\_\_

Client: \_\_\_\_\_

Specific Location: \_\_\_\_\_

Job No.: \_\_\_\_\_

**SAFETY TOPICS PRESENTED:**

Protective Clothing/Equipment: \_\_\_\_\_

\_\_\_\_\_

Chemical Hazards: \_\_\_\_\_

\_\_\_\_\_

Physical Hazards: \_\_\_\_\_

\_\_\_\_\_

Emergency Procedures: \_\_\_\_\_

\_\_\_\_\_

Hospital/Clinic: \_\_\_\_\_

Phone: \_\_\_\_\_

Hospital Address: \_\_\_\_\_

EMS Phone: \_\_\_\_\_

Special Equipment: \_\_\_\_\_

\_\_\_\_\_

Other: \_\_\_\_\_

\_\_\_\_\_

**ATTENDEES:**

Name Printed:

Signature:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Meeting Conducted By:

\_\_\_\_\_

Name Printed

\_\_\_\_\_

Signature





OHM Corporation

OHM Corporation  
Project Site Safety Inspection Checklist

Project Name: \_\_\_\_\_  
Project Number: \_\_\_\_\_  
Project Location: \_\_\_\_\_  
Site Supervisor: \_\_\_\_\_  
Inspector's Name: \_\_\_\_\_

MEDICAL AND FIRST AID

YES NO

- 1. Are First Aid Kits accessible and identified? \_\_\_\_\_
- 2. Are emergency eye wash and safety showers available? \_\_\_\_\_
- 3. Are daily logs for first aid present and up to date? \_\_\_\_\_
- 4. Are First Aid Kits inspected weekly? \_\_\_\_\_

PERSONAL PROTECTIVE EQUIPMENT

- 1. Have levels of personnel protection been established? \_\_\_\_\_
- 2. Do all employees know their level of protection? \_\_\_\_\_
- 3. Are respirators used decontaminated, inspected, and stored according to standard procedures? \_\_\_\_\_
- 4. Have employees been fit-tested? \_\_\_\_\_
- 5. Is defective personal protective equipment tagged? \_\_\_\_\_
- 6. Does compressed breathing air meet CGA Grade "D" minimum? \_\_\_\_\_
- 7. Are there sufficient quantities of safety equipment and repair parts? \_\_\_\_\_
- 8. Does Level D protection consist of safety glasses, hard hats, and steel toe boots? \_\_\_\_\_

FIRE PREVENTION

- 1. Is smoking prohibited in flammable storage areas? \_\_\_\_\_
- 2. Are fire lanes established and maintained? \_\_\_\_\_
- 3. Are flammable dispensing systems grounded and bonded? \_\_\_\_\_
- 4. Are approved safety cans available for storage of flammable liquids? \_\_\_\_\_
- 5. Has the local fire department been contacted? \_\_\_\_\_
- 6. Are fire extinguishers available near refueling areas? \_\_\_\_\_

AIR MONITORING

- 1. Is air monitoring being conducted as required by the site safety plan? \_\_\_\_\_
- 2. Are air monitoring instruments calibrated daily? \_\_\_\_\_
- 3. Is the air monitoring logbooks up to date? \_\_\_\_\_
- 4. Are user manuals available? \_\_\_\_\_
- 5. Are instruments clean and charged? \_\_\_\_\_

WELDING AND CUTTING (29 CFR 1925 Subpart D)

- 1. Are fire extinguishers present at welding and cutting operations? \_\_\_\_\_
- 2. Are confined spaces; such as, tanks, pipelines, and trenches; tested prior to cutting and welding operations? \_\_\_\_\_
- 3. Are Hot Work Permits available? \_\_\_\_\_
- 4. Are proper helmets, goggles, aprons, and gloves available for welding and cutting operations? \_\_\_\_\_
- 5. Are welding machines properly grounded? \_\_\_\_\_
- 6. Are oxygen and fuel gas cylinders stored a minimum of 20 feet apart? \_\_\_\_\_
- 7. Are only trained personnel permitted to operate welding and cutting equipment? \_\_\_\_\_

HAND AND POWER TOOLS (29 CFR 1926 Subpart D)

- 1. Are defective hand and power tools tagged and taken out of service? \_\_\_\_\_
- 2. Is eye protection available and used when operating power tools? \_\_\_\_\_
- 3. Are guards and safety devices in place on power tools? \_\_\_\_\_
- 4. Are power tools inspected before each use? \_\_\_\_\_
- 5. Are non-sparking tools available? \_\_\_\_\_

MOTOR VEHICLES

- 1. Are vehicles inspected daily? \_\_\_\_\_
- 2. Are personnel licensed for the equipment they operate? \_\_\_\_\_
- 3. Are unsafe vehicles tagged and reported to supervision? \_\_\_\_\_
- 4. Are vehicles shut down before fueling? \_\_\_\_\_
- 5. When backing vehicles, are spotters provided? \_\_\_\_\_
- 6. Is safety equipment on vehicles? \_\_\_\_\_
- 7. Are loads secure on vehicles? \_\_\_\_\_
- 8. Are vehicle occupants using safety belts if provided? \_\_\_\_\_

EMERGENCY PLANS

- 1. Are emergency telephone numbers posted? \_\_\_\_\_
- 2. Have emergency escape routes been designated? \_\_\_\_\_
- 3. Are employees familiar with the emergency signal? \_\_\_\_\_
- 4. Has the emergency route to the hospital been established and posted? \_\_\_\_\_

MATERIALS HANDLING

- 1. Are materials stacked and stored as to prevent sliding or collapsing? \_\_\_\_\_
- 2. Are flammables and combustibles stored in non-smoking areas? \_\_\_\_\_
- 3. Is machinery braced when personnel are performing maintenance? \_\_\_\_\_
- 4. Are tripping hazards labeled? \_\_\_\_\_
- 5. Are semi-trailers chocked? \_\_\_\_\_
- 6. Are fixed jacks used under semi-trailers? \_\_\_\_\_
- 7. Are riders prohibited on materials handling equipment? \_\_\_\_\_
- 8. Are cranes inspected as prescribed and logged? \_\_\_\_\_
- 9. Are OSHA approved manlifts provided for the lifting of personnel? \_\_\_\_\_
- 10. Are personnel in manlifts wearing approved fall protection devices? \_\_\_\_\_

FIRE PROTECTION

- 1. Has a fire alarm been established? \_\_\_\_\_
- 2. Do employees know the location and use of all fire extinguishers? \_\_\_\_\_
- 3. Are fire extinguisher locations marked? \_\_\_\_\_

FIRE PROTECTION (Continued)

- 4. Are combustible materials segregated from open flames? \_\_\_\_\_
- 5. Have fire extinguishers been professionally inspected during the last year? \_\_\_\_\_
- 6. Are fire extinguishers visually inspected monthly? \_\_\_\_\_

ELECTRICAL (29 CFR 1926 Subpart K)

- 1. Is electrical equipment and wiring properly guarded? \_\_\_\_\_
- 2. Are electrical lines, extension cords, and cables guarded and maintained in good conditions? \_\_\_\_\_
- 3. Are extension cords kept out of wet areas? \_\_\_\_\_
- 4. Is damaged electrical equipment tagged and taken out of service? \_\_\_\_\_
- 5. Have underground electrical lines been identified by proper authorities? \_\_\_\_\_
- 6. Has positive lock-out system been established by a certified project electrician? \_\_\_\_\_
- 7. Are GFCIs being used as needed? \_\_\_\_\_
- 8. Are extension cords being inspected daily for ground continuity and structural integrity? (i.e., group pin in place, no unapproved splices) \_\_\_\_\_
- 9. Are warning signs exhibited on high voltage equipment (250V or greater)? \_\_\_\_\_
- 10. Is extension cord inspection documented? \_\_\_\_\_

CRANES AND RIGGING (29 CFR 1926.550)

- 1. Are cranes inspected daily? \_\_\_\_\_
- 2. Are crane swing areas barricaded or demarked? \_\_\_\_\_
- 3. Is all rigging equipment tagged with an identification number and rated capacity? \_\_\_\_\_
- 4. Is rigging equipment inspection documented? \_\_\_\_\_
- 5. Are slings, chains, and rigging inspected before each use? \_\_\_\_\_
- 6. Are damaged slings, chains, and rigging tagged and taken out of service? \_\_\_\_\_
- 7. Are slings padded or protected from sharp corners? \_\_\_\_\_
- 8. Do employees keep clear of suspended loads? \_\_\_\_\_
- 9. Are employees in the lift area wearing hard hats? \_\_\_\_\_

COMPRESSED GAS CYLINDERS

- 1. Are breathing air cylinders charged only to prescribed pressures? \_\_\_\_\_
- 2. Are like cylinders segregated in well ventilated areas? \_\_\_\_\_
- 3. Is smoking prohibited in cylinder storage areas? \_\_\_\_\_
- 4. Are cylinders stored secure and upright? \_\_\_\_\_
- 5. Are cylinders protected from snow, rain, etc.? \_\_\_\_\_
- 6. Are cylinder caps in place before cylinders are moved? \_\_\_\_\_
- 7. Are fuel gas and O2 cylinders stored a minimum of 20 feet apart? \_\_\_\_\_
- 8. Are propane cylinders stored and used outside the structure? \_\_\_\_\_

SCAFFOLDING (29 CFR 1926.451)

- 1. Is scaffolding placed on a flat, firm surface? \_\_\_\_\_
- 2. Are scaffold planks free of mud, ice, grease, etc.? \_\_\_\_\_
- 3. Is scaffolding inspected before each use? \_\_\_\_\_
- 4. Are defective scaffold parts taken out of service? \_\_\_\_\_
- 5. Does mobile scaffold height exceed 4 times the width or base dimension? \_\_\_\_\_
- 6. Does scaffold planking overlap a minimum of 12 inches? \_\_\_\_\_
- 7. Does scaffold planking extend over end supports between 6 to 18 inches? \_\_\_\_\_
- 8. Are employees restricted from working on scaffolds during storms and high winds? \_\_\_\_\_
- 9. Are all pins in place and wheels locked? \_\_\_\_\_
- 10. Is perimeter guarding (top rail, mid rail, and toe board) present? \_\_\_\_\_

WALKING AND WORKING SURFACES

- 1. Are ladders a Type I or Type II? \_\_\_\_\_
- 2. Are accessways, stairways, ramps, and ladders clean of ice, mud, snow, or debris? \_\_\_\_\_
- 3. Are ladders being used in a safe manner? \_\_\_\_\_
- 4. Are ladders kept out of passageways, doors, or driveways? \_\_\_\_\_
- 5. Are broken or damaged ladders tagged and taken out of service? \_\_\_\_\_
- 6. Are metal ladders prohibited in electrical service? \_\_\_\_\_
- 7. Are stairways and floor openings guarded? \_\_\_\_\_
- 8. Are safety feet installed on straight and extension ladders? \_\_\_\_\_
- 9. Is general housekeeping up to OSHA standards? \_\_\_\_\_
- 10. Are ladders tied off? \_\_\_\_\_

SITE SAFETY PLAN

- 1. Is a site safety plan available on site or accessible to all employees? \_\_\_\_\_
- 2. Does the safety plan accurately reflect site conditions and tasks? \_\_\_\_\_
- 3. Have potential hazards been described to employees on site? \_\_\_\_\_
- 4. Is there a designated safety official on site? \_\_\_\_\_
- 5. Have all employees signed the acknowledgement form? \_\_\_\_\_

SITE POSTERS

- 1. Are the following documents posted in a prominent and accessible area?
  - A. Minimum Wage \_\_\_\_\_
  - B. OSHA Health and Safety \_\_\_\_\_
  - C. Equal Employment Opportunity \_\_\_\_\_

SITE CONTROL

- 1. Are work zones clearly defined? \_\_\_\_\_
- 2. Are support trailers located to minimize exposure from a potential release? \_\_\_\_\_
- 3. Are support trailers accessible for approach by emergency vehicles? \_\_\_\_\_
- 4. Is the site properly secured during and after work hours? \_\_\_\_\_

HEAVY EQUIPMENT (29 CFR 1926 Subpart O)

- 1. Is heavy equipment inspected as prescribed by the manufacturer? \_\_\_\_\_
- 2. Is defective heavy equipment tagged and taken out of service? \_\_\_\_\_
- 3. Are project roads and structures inspected for load capacities and proper clearances? \_\_\_\_\_
- 4. Is heavy equipment shut down for fueling and maintenance? \_\_\_\_\_
- 5. Are back-up alarms installed and working on equipment? \_\_\_\_\_
- 6. Are designated operators only operating equipment? \_\_\_\_\_
- 7. Are riders prohibited on heavy equipment? \_\_\_\_\_
- 8. Are guards and safety appliances in place and used? \_\_\_\_\_

EXCAVATION (29 CFR 1926 Subpart P)

- 1. Has a "competent person" been designated to supervise this excavation activity? \_\_\_\_\_
- 2. Have utility companies been advised of excavation activities? \_\_\_\_\_
- 3. Prior to opening excavations, are utilities located and marked? \_\_\_\_\_
- 4. Has a professional engineer evaluated all excavations greater than 20 feet deep? \_\_\_\_\_
- 5. Is there rescue equipment on-site and accessible to excavation? \_\_\_\_\_
- 6. Is excavated material placed a minimum of 24 inches from the excavations? \_\_\_\_\_
- 7. Are the sides of excavations sloped or shored to prevent caving in on employees? \_\_\_\_\_

EXCAVATION (29 CFR 1926 Subpart P - Continued)

- 8. Has excavation greater than 4-feet deep been monitored for hazardous atmospheres (i.e. LEL/O2 deficiency)? \_\_\_\_\_
- 9. Are ladders used in excavations over 4-feet deep? \_\_\_\_\_
- 10. Are ladders present every 25 feet? \_\_\_\_\_
- 11. Are barriers, i.e. guardrails or fences placed around excavations near pedestrian or vehicle thoroughfares? \_\_\_\_\_
- 12. Is excavation inspected daily by competent persons and documented? \_\_\_\_\_

CONFINED SPACES (Proposed Regulation 29 CFR 1910.146)

- 1. Have employees been trained in the hazards of confined spaces? \_\_\_\_\_
- 2. Are confined space permits available on project site? \_\_\_\_\_
- 3. Is the contractors confined space safety procedure on the project? \_\_\_\_\_
- 4. Has a rescue plan been established? \_\_\_\_\_

PERSONNEL DECONTAMINATION

- 1. Are decontamination stations set up on site? \_\_\_\_\_
- 2. Are waste receptacles available for contaminated clothing? \_\_\_\_\_
- 3. Are steps taken to contain liquids used for decontamination? \_\_\_\_\_
- 4. Have decontamination steps and procedures been covered by the site supervisor or safety official? \_\_\_\_\_
- 5. Is all personal protective equipment and respiratory equipment being cleaned on a daily basis? \_\_\_\_\_

EQUIPMENT DECONTAMINATION

- 1. Has equipment decontamination been established? \_\_\_\_\_
- 2. Is contamination wash water properly contained and disposed of? \_\_\_\_\_
- 3. Are all pieces of equipment inspected for proper decontamination before leaving the site? \_\_\_\_\_
- 4. Is all equipment being cleaned on a daily basis? \_\_\_\_\_

HAZARD COMMUNICATION (29 CFR 1926.59)

- 1. Is there a written program on-site? \_\_\_\_\_
- 2. Is there a MSDS FOR EACH CHEMICAL present on-site? \_\_\_\_\_
- 3. Are all containers properly labeled, as to content, hazard? \_\_\_\_\_
- 4. Have employees been trained on chemical hazards? \_\_\_\_\_
- 5. Are employee's trained on chemical hazards while doing non-routine tasks? \_\_\_\_\_
- 6. Do employees (including subcontractors) know and understand the acute and chemical effects of exposure from the chemicals on-site? \_\_\_\_\_
- 7. Have all subcontractors signed the Haz-Comm acknowledgement form? \_\_\_\_\_

I have reviewed this inspection checklist with the safety inspector and fully understand the recommendation and will make every attempt to correct them immediately.

Signature

Date

Site Supervisor: \_\_\_\_\_

Project Manager: \_\_\_\_\_

OEM Compliance  
Inspector: \_\_\_\_\_



***OHM Remediation Services Corp.'s***  
***" CARDINAL " SAFETY RULES***

---

- No failure to report Accidents/  
Injuries immediately; No  
misrepresentation of injuries
- No failure to comply with all  
safety requirements,  
procedures or policies
- No illicit drugs/alcohol
- No fighting
- No horseplay
- No malicious destruction of  
company property
- No firearms

*Failure to comply with these rules will result in immediate discharge.*

## HAZARD ANALYSIS

ACTIVITY	ANALYZED BY/DATE	REVIEWED BY/DATE
<b>Principal Steps</b>	<b>Potential Hazards</b>	<b>Recommended Controls</b>
Identify the principal steps involved and the sequence of work activities	Analyze each principal step for its potential hazards	Develop specific controls for each potential hazard
<b>Equipment To Be Used</b>	<b>Inspection Requirements</b>	<b>Training Requirements</b>
List equipment/machinery to be used in conducting the work activities	List inspection requirements for the equipment/machinery listed	Determine requirements for worker training, including hazard communication

**Appendix B**

**Construction Quality Control Plan**

**DRAFT**  
**Construction Quality Control Plan**  
**Soil Remediation**  
**Operable Unit 11, Site 80**  
**MCB Camp Lejeune, North Carolina**

Prepared for:

DEPARTMENT OF THE NAVY  
Contract No. N62470-93-D-3032  
Delivery Order 0100

Prepared by

OHM Remediation Services Corp.  
Norcross, Georgia

---

John P. Franz, P.E.  
Program Manager

---

Michael I. Gilman  
Program QC Manager

---

James A. Dunn, Jr., P.E.  
Senior Project Manager

March 1996

OHM Project No. 18319

# TABLE OF CONTENTS

---

1.0	INTRODUCTION .....	1-1
2.0	PROGRAM ORGANIZATION AND PERSONNEL RESPONSIBILITIES ...	2-1
2.1	Program Manager, John P. Franz, P.E. ....	2-1
2.2	Project Manager, James A. Dunn, Jr., P.E. ....	2-3
2.3	Site Supervisor, Randy E. Smith .....	2-4
2.4	Program QC Manager, Michael I. Gilman .....	2-5
2.5	QC Engineer, Chuck Lawrence .....	2-5
2.6	Project Engineer, To Be Named .....	2-6
3.0	METHOD OF INSPECTION AND REWORK .....	3-1
3.1	Three Phases of Control .....	3-1
3.1.1	Preparatory Phase .....	3-1
3.1.2	Initial Phase .....	3-3
3.1.3	Follow-up Phase .....	3-3
3.1.4	Notification of Three Phases of Control for Off-Site Work ....	3-4
3.2	Special Inspections .....	3-4
3.3	Rework .....	3-4
4.0	SAMPLING PROCEDURES .....	4-1
5.0	ANALYTICAL TESTING .....	5-1
6.0	FIELD VERIFICATION TESTING .....	6-1
6.1	Geotechnical Quality Control Procedures .....	6-1
6.1.1	Field Verification Testing .....	6-1
6.1.2	Field Sampling .....	6-1
6.2	Inspections .....	6-1
6.3	Performance Documentation .....	6-2
6.4	Review of Construction Control Data .....	6-2
6.5	As-Built Documentation .....	6-3
7.0	INSPECTION AND TESTING DOCUMENTATION .....	7-1
8.0	MEETINGS/COORDINATION .....	8-1
8.1	Coordination and Mutual Understanding Meeting .....	8-1
8.2	QC Meetings .....	8-1

## APPENDICES

Appendix A Submittal Register

## FIGURES

Figure 2.1 QC Organization Chart

## TABLES

Table 1 Definable Work Features

## 1.0 INTRODUCTION

---

OHM Remediation Services Corp. (OHM), a subsidiary of OHM Corporation, will provide and maintain an effective Contractor Quality Control (QC) Program as required by contract clauses. This program will be performed in conjunction with the Program Quality Control Plan (OHM, 1993) as applicable and in accordance with the requirements of Contract No. N62470-930D-3032, Atlantic Division (LANTDIV), Naval Facilities Engineering Command (NAVFAC), dated August 1993. OHM will perform the inspections and tests required to ensure that materials, workmanship and construction conform to the LANTDIV-approved drawings and specifications and contract requirements. OHM will perform the tests or inspections specified, unless the required inspection and/or test is specifically designated to be performed by the Government.

The Government, defined as the United States Navy (USN), will perform the quality assurance (QA) role. Supporting the Navy Technical Representative (NTR) is OHM's QC Engineer who will serve to provide quality control.

## **2.0 PROGRAM ORGANIZATION AND PERSONNEL RESPONSIBILITIES**

---

OHM will implement the Quality Control Plan (QCP) by establishing a Quality Control (QC) organization which reports directly to the Program QC Manager. The QC organization will consist of not less than one QC person who will be responsible for the job site while work is in progress to verify compliance with the contract requirements. The QC organization will be supplemented by additional QC personnel as may be necessary. OHM recognizes that the NTR reserves the right to replace a member of the QC staff who, in the opinion of the NTR, is not accomplishing their assigned duties.

The QCP includes an inspection system, which will be available for review prior to the start of construction and throughout the life of the project. The inspection and testing processes will monitor the overall quality of work, and project controls will be instituted to assure correction of deficiencies identified during the inspections and testing. Project scheduling will be instituted to assure proper sequence and performance of work activities.

The NTR will be notified in writing prior to proposed changes to the QCP, and the proposed changes will be subject to the NTR's approval prior to implementation.

OHM's QC organization chart for Delivery Order No. 0100 is included as Figure 2.1. The responsibilities of each person identified in the QC organization are presented below.

### **2.1 PROGRAM MANAGER, JOHN P. FRANZ, P.E.**

The Program Manager has ultimate responsibility for QC of project deliverables. Specific responsibilities include:

- Reviewing all deliverables prior to submittal to LANTDIV
- Communicating with the Project Manager to ensure project schedule and scope compliance
- Interfacing with the Contracting Officer (CO), Contracting Officer's Technical Representative (COTR), and /or NTR on a regular basis to review project progress and contract compliance
- Reviewing program QC procedures
- Providing cost accounting updates to verify project is within budget




Figure 2.1

QC Organization Chart



OHM Remediation  
Services Corp.

## 2.2 PROJECT MANAGER, JAMES A. DUNN, JR., P.E.

The project manager is responsible for the overall direction of this project executed under his supervision. The project manager provides the managerial administrative skills to ensure that planning, execution, and reporting meet contract requirements. The project manager is ultimately accountable to the program manager for all work activities undertaken on this project. The global quality-related responsibilities of the project manager can include, but are not limited to the following:

- Organization of the project staff and assignment of responsibilities
- Understanding of contract and scope of work for a specific project
- Participating in the coordination and mutual understanding meeting
- Communication to the project staff regarding client requirements and QA practices
- Identification, documentation and notification to the client and project staff of changes in the scope of work
- Review and approve of project-specific procedures, work plans, and other project plans
- Approval of project design bases, design parameters, drawings, and reports
- Approval of project remedial action/construction methodologies
- Dissemination of project-related information from the client such as design bases, input parameters, and drawings
- Liaison for communications with the RPM
- Decision of whether or not drawings require independent review
- Resolve nonconformances and changes in project documents and activities
- Determination of the effect of nonconformances on the project and the need for reporting such items to the RPM/NTR
- Notification of project and QA personnel of nonconformances and changes

- Notification of the project staff and, as appropriate, QA personnel of void project-related documents and information
- Determination that changes, revisions, and rework are subject to the same QC requirements as the original work
- Serve as final reviewer prior to release of project information
- Approve and sign outgoing correspondence

Some of these responsibilities may be assigned by the project manager to the Delivery Order Manager and/or the Site Supervisor, who will remain on-site throughout project field activities.

### 2.3 SITE SUPERVISOR, RANDY E. SMITH

The site supervisor is responsible for:

- Participating in the coordination and mutual understanding meeting
- Supervising all day-to-day site activities in accordance with project and program requirements
- Oversight of subcontractor services
- Preparing the Contractor Production Report
- Initiating corrective actions for non-conformances identified on site
- Communicating with the Project Manager on project progress in all areas
- Maintaining the latest applicable drawings and specifications with amendments and/or approved modifications at the job site and assuring that they are used for shop drawings, fabrication, construction, inspections and testing

## **2.4 PROGRAM QC MANAGER, MICHAEL I. GILMAN**

The Program QC Manager is responsible for:

- Managing implementation of program quality requirements
- Conducting independent audits of site activities
- Overseeing the work of the Project Quality Engineer
- Monitoring non-conformances and corrective actions

## **2.5 QC ENGINEER, CHUCK LAWRENCE**

The QC Engineer is responsible for implementing the project QC Plan to ensure compliance with program requirements and to monitor on-site QC activities. The QC Engineer may also serve as the site QC representative referenced throughout this document.

- Drafting the project CQC Plan
- Reviewing the laboratory QC program for conformance with contract requirements
- Participating in the coordination and mutual understanding meeting
- Interfacing with project technical staff to ensure compliance with program quality requirements
- Conducting periodic independent QA/QC reviews, surveillances, and/or audits of engineering/design/construction activities
- Performing, or causing to be performed, daily inspections and tests in accordance with Section 3.1 of this plan
- Conducting, or causing to be conducted, biweekly QC meetings in accordance with Section 8.2 of this plan
- Coordinating with the site supervisor to ensure that corrective actions are implemented for all non-conformances

- Reviewing the LANTDIV-approved submittal register for the duration of the contract. Appropriate actions will be undertaken should delays or other changes so necessitate
- Authorization to reject materials to be used if they are not in compliance
- Monitoring Rework Items List program
- Accompanying and assisting Government representatives at the prefinal inspection and the final acceptance inspection
- Preparing the daily Contractor QC Report
- Monitoring the Testing Plan and Log for field activities

The QC Engineer is authorized to:

- Temporarily shut down a portion of work if work practices or procedures are determined to be incorrect or out of compliance with the specifications
- Stop a work task or series of tasks after consultation with the site supervisor and NTR in the event that severe weather conditions interfere with the quality of work

## **2.6 PROJECT ENGINEER, TO BE NAMED**

The project engineer is responsible for:

- Providing technical direction and expertise for daily work on-site
- Ensuring the engineering activities on-site are performed in compliance with project drawings and specifications
- Interfacing the site supervisor and QC engineer concerning any technical or engineering issues concerning subcontractors.
- Inspecting major equipment for conformance to the project specifications upon delivery to the site
- Assist with preparation of record drawings for the Closeout Report

### **3.0 METHOD OF INSPECTION AND REWORK**

---

A three phase quality control system will be implemented for each definable feature of work and will include preparatory, initial and follow-up inspections (see Table 1). A definable feature of work is a separate and distinct task that requires separate control requirements. The QC Engineer will ensure that no work proceeds until the appropriate inspection phase has been completed. In addition to and independent of the QC Engineer, the Site Safety Officer (SSO) and Site Supervisor will implement this same control system as a part of their normal duties and responsibilities. The inspection phases are discussed in the following paragraphs.

#### **3.1 THREE PHASES OF CONTROL**

The QC Engineer shall perform the three phases of control to ensure that work complies with contract requirements. The three phases of control shall adequately cover both on-site and off-site work and shall include the following for each definable feature of work.

##### **3.1.1 Preparatory Phase**

Conduct the preparatory phase with the site supervisor and the person responsible for the definable feature of work. Document the results of the preparatory phase actions in the daily Contractor QC Report. Perform the following prior to beginning work on each definable feature of work:

- a) Notify the NTR at least two working days in advance of each preparatory phase;
- b) Review each paragraph of the applicable specification sections;
- c) Review the contract drawings;
- d) Review the inspection schedule
- e) Verify that appropriate shop drawings and submittals for materials and equipment have been received and approved in accordance with the Submittal Register. Verify receipt of approved factory test results, when required;
- f) Review the testing plan and ensure that provisions have been made to provide the required QC testing;
- g) Examine the work area to ensure that the required preliminary work has been completed;

**Table 1**  
**Definable Features of Work**

Spec. Section	Paragraph No.	Feature of Work	Preparatory		Initial Reg.	Follow-up			Remarks
			Reg.	Date		Date	Reg.	Date	
01010	1.2	Remedial Action Work Plan							QC review
01010	1.2	Erosion Control Plan							QC review
01010	1.2	Subsurface Information and Utilities Civil Drawings							QC review – final report
01010	1.2	Site Safety and Health Plan							QC review
01010	1.2	Construction Quality Control Plan (CQCP)							QC monitor and certify
01010	1.2	Sampling and Analysis Plan							QC review
01010	1.2	Testing Laboratory Qualification							Submit with CQCP
01010	1.2	Submittal Register							Submit with CQCP
01010	1.3	As-built Records							Final report
01010	1.3	Other SD-18 Records							Per basis contract
01010	1.3	Environmental Conditions Report							Prior to mobilization
01010	1.3	Contract Management System							Per basic contract
01010	1.3	QC Meeting Minutes/Report							QC review
01010	1.3	Permits							QC review
	1.3	Contractor Closeout Report							QC review
01010	3.1	Temporary Facility					X		
		Site Mobilization	X				X		Ref. RAWP
02102	3.2, 3.4	Clearing and grubbing	X		X		X		Ref. RAWP
		Initial Characterization for Disposal	X		X		X		Ref. RAWP
N/A	—	Pre-excavation Screening	X		X		X		Ref. RAWP
02220	3.2	Excavation	X		X		X		Ref. RAWP
01430	3.1	Confirmation Sampling	X		X		X		QC review
02220	3.4	Backfill	X		X		X		QC review
02220	3.1	Underground Utilities	X		X		X		QC review
02223	3.3, 3.4	Transportation and Disposal	X		X		X		
02220	3.7	Site Restoration	X		X		X		QC review
—	—	Site Demobilization					X		Ref. RAWP

- h) Examine the required materials, equipment and sample work to ensure that they are on hand and conform to the approved shop drawings and submitted data;
- i) Review the safety plan and appropriate activity hazard analysis to ensure that applicable safety requirements are met, and that required Material Safety Data Sheets (MSDSs) are on hand; and
- j) Discuss construction methods.

As a part of this preparatory work, the QC Engineer will review shop drawings, certificates and other submittal data prior to submission to the NTR. The Project Engineer will also assist with this effort. Each submittal presented to the NTR will bear the date and the signature of the QC Engineer indicating that the submittal has been reviewed and is in compliance with plans and specifications, or show the changes required to meet the specifications. The NTR will be notified a minimum of 24 hours prior to the beginning of each preparatory inspection.

### **3.1.2 Initial Phase**

When crews are ready to start work on a definable feature of work, the QC Engineer will conduct the initial phase with the personnel responsible for that definable feature of work. Observe the initial segment of the definable feature of work to ensure that the work complies with contract requirements. Document the results of the initial phase for each new crew to work on-site, or when acceptable levels of specified quality are not being met. Perform the following for each definable feature of work:

- a) Notify the NTR at least two working days in advance of each initial phase;
- b) Establish the quality of workmanship required;
- c) Resolve conflicts;
- d) Review the Safety Plan and the appropriate activity hazard analysis to ensure that applicable safety requirements are met; and
- e) Ensure that testing is performed.

### **3.1.3 Follow-Up Phase**

Perform the following for on-going work daily, or more frequently as necessary until the completion of each definable feature of work and document results in the daily Contractor QC Report:

- a) Ensure the work is in compliance with contract requirements;
- b) Maintain the quality of workmanship required;
- c) Ensure that testing is performed; and
- d) Ensure that rework items are being corrected.

#### **3.1.4 Notification of Three Phases of Control for Off-Site Work**

Notify the NTR at least two weeks prior to the start of the preparatory and initial phases.

### **3.2 SPECIAL INSPECTIONS**

In addition to this three phase inspection control system, special inspections or testing may be conducted in the event of an approved change or modification to work plans or field operations. The QC Engineer will coordinate scheduling of special inspections with the NTR at the time when a change or modification in work operations has been approved.

### **3.3 REWORK**

It is OHM's responsibility to identify and correct deficiencies in the work. To ensure that defective work is corrected and not built upon, a Rework Items System will be initiated and monitored by the QC Engineer. Rework items identified in the work during any inspections or tests by a party to this contract will be corrected as soon as practicable and recorded on a Rework Items List. The list will be issued to the site supervisor and a copy attached to the inspection report. The Site Supervisor will be responsible for ensuring correction by the responsible party and will return a report upon correction with a description of the action taken and date completed. The Rework Items List will be updated accordingly. Rework items will be corrected prior to the final inspection.

## **4.0 SAMPLING PROCEDURES**

---

OHM sampling procedures will meet the requirements of the project scope of work. The protocol for performing the analytical work on the site water and subsurface soil prior to and during the remediation work is presented in the Sampling and Analysis Plan (SAP) for this project.

## **5.0 ANALYTICAL TESTING**

---

OHM will employ the services of a fully qualified laboratory to perform the program's analytical testing. The tests and/or services to be performed by the testing laboratory are presented in the Sampling and Analysis Plan for this project. The work to be performed in this section deals with chemical analyses of the water and soil on site prior to and during remediation activities.

## **6.0 FIELD VERIFICATION TESTING**

---

The following procedures will be used by the QC Engineer to verify compliance with the contract requirements. Additions or modifications to these procedures may be necessary to address changing circumstances. During field implementation of delivery order tasks, the Navy will provide an inspector to perform QA checks. The responsibilities of the QC Engineer are fully described in Section 2.0.

### **6.1 GEOTECHNICAL QUALITY CONTROL PROCEDURES**

#### **6.1.1 Field Verification Testing**

Field tests are developed from accepted test procedures (e.g. ASTM). Each test is an approved procedure to test for specific characteristics. Some tests are less comprehensive than others and require periodic verification by more detailed tests. Field tests of this type do not usually determine the primary characteristic of interest, but instead are used to correlate results. In the event that any single test fails to meet specification requirements, a second test will be performed. Should the second test fail, the appropriate corrective action will be taken in the field. If the second test meets the specification requirements, then the corresponding verification test will be conducted. The results of that test will then be used to determine the acceptance or rejection of the task being monitored.

Field tests will be performed by trained testing personnel and performed on a timely basis to provide prompt confirmation or rejection of material or work.

#### **6.1.2 Field Sampling**

Samples of excavated materials and constructed work will be obtained in the field for verification testing. The site technician will collect the specified samples, as appropriate, as specified in the Sampling and Analysis Plan or when a portion of the constructed work is completed.

### **6.2 INSPECTIONS**

In addition to inspections directed by the QC Engineer, standard inspections will be performed during the course of remediation to verify the quality of the final constructed work. There will be visual inspections performed by the site supervisor, a qualified general foreman, or other appropriate personnel. These inspections are supplemental to the QC inspections and are intended to enhance the QC inspections by identifying problem areas that may require more stringent QC inspection. In the event of a discrepancy between one of these visual inspections and the field verification tests, the field verification test results will take precedence.

Inspections will be performed in accordance with this plan or checklists developed for use at the site. Inspections performed to a guide procedure will be documented in the daily field log, while inspections performed to a checklist will be documented on the checklist and on the daily Contractor QC Report.

### **6.3 PERFORMANCE DOCUMENTATION**

To provide evidence of satisfactory work performance, verification test data, data reduction and the results of field inspections and sampling will be completely documented. Whenever possible, information will be recorded on a standardized form or in a bound filed logbook. Documentation will include a daily log of construction activities; appropriate field test, laboratory test, and survey data forms; photographs; and field collection and sampling custody forms.

Construction inspection personnel (e.g., site supervisor and foreman) will maintain a daily log of project activities. Copies of the daily logs will be sent to the Project Manager on a daily basis. After this review, the logs will be routed to other members of the project team, as needed.

As part of the remediation control activities, a photographic record will be maintained. As examples, photographs should be taken of initial conditions, sampling locations, remediation processes, and final constructed features. Photographs will be identified by the project number, date taken, and a brief description. This will be done individually on the back of the photographs. In addition, album photographs must be provided with individual descriptions and dates taken.

Appropriate remediation control test, survey, and material installation data forms will be prepared and each form will include the applicable location (e.g., station, elevation, and field coordinates). All requested information on the form will be addressed. If not applicable, requested information will be designated "N/A." Results of field and laboratory tests will be sent to the NTR, the project manager, site supervisor and QC Engineer as soon as they are available.

Field construction verification records will be collected and maintained by the site supervisor until they are submitted to the project central file.

### **6.4 REVIEW OF CONSTRUCTION CONTROL DATA**

The QC Engineer will review the QC data to verify that remediation specifications are met, to determine when defective material or work may require removal and/or reconstruction,

and to determine when additional tests may be required to confirm the quality of material or work. The results of field tests, field inspections, receiving inspections, and surveys will be reviewed by the QC Engineer. This review will be performed to prevent the construction of new work over defective material or work which is later found to be defective.

#### 6.5 AS-BUILT DOCUMENTATION

All appropriate documentation will be retained in the project records system. Final record drawings and specifications will be prepared from this information in accordance with the Submittal Register and will be retained as a permanent record of the project.

At contract closeout, record documents will be delivered to the NTR. A transmittal letter in duplicate accompanying the submittal will contain:

- Date
- Contract name and number
- Contractor's name, address, and telephone number
- Number and title of each record document
- Signature of contractor or his authorized representative

## 7.0 INSPECTION AND TESTING DOCUMENTATION

---

Records of inspections and tests performed for each shift or subcontractor operation will be signed by the QC Engineer. The original and one copy will be provided to the Government no later than the next working day.

Contractor QC reports will include, as a minimum, the following:

- Project identification
- Data on weather and any delays attributable to such weather
- Number of personnel on site (OHM and subcontractors)
- A listing of construction equipment and indication of equipment usage on the report day
- Factual evidence that continuous QC inspections and tests have been performed. This includes, but is not limited to the following data:
  - Type and number of inspections or tests performed
  - Results of inspections or tests, including computations
  - Evaluation of test results – accept or reject work
  - Nature of defects, if present
  - Causes for rejection
  - Safety inspections/violations
  - Proposed remedial action
  - Corrective actions taken
- The records will cover both conforming and nonconforming work
- A statement that supplies and materials incorporated into the work are in full compliance with the requirements of the contract

## 8.0 MEETINGS/COORDINATION

---

### 8.1 COORDINATION AND MUTUAL UNDERSTANDING MEETING

After submission of the Construction QC Plan and prior to the start of construction, the OHM Project Manager, QC Engineer and Site Supervisor will meet with the COTR and NTR to discuss the QC program required by this delivery order. The purpose of this meeting is to develop a mutual understanding of the QC details, including forms to be used, administration of on-site and off-site work, and coordination of the OHM management, production and the Quality Representatives' duties with the NTR. Minutes of the meeting will be prepared by the Project Manager and signed by both OHM and the NTR.

### 8.2 QC MEETINGS

After the start of construction, the QC Engineer, or his designee, will conduct QC meetings once every two weeks or as required by the NTR at the work site (or where specified, with the site supervisor). The QC Engineer, or his designee, will prepare the minutes of the meeting and provide a copy to the NTR within two working days after the meeting. The COTR may attend any of these meetings. The QC Engineer will notify the NTR at least 48 hours in advance of each meeting. As a minimum, the following will be accomplished at each meeting:

- Review the minutes of the previous meeting
- Review the schedule and the status of work:
  - Work or testing accomplished since last meeting
  - Rework items identified since last meeting
  - Rework items completed since last meeting
- Review the status of submittals:
  - Submittals reviewed and approved since last meeting
  - Submittals required in the near future
- Review the work to be accomplished in the next two weeks and documentation required. Schedule the three phases of control and testing:
  - Establish completion dates for rework items
  - Preparatory phases required
  - Initial phases required
  - Follow-up phases required
  - Testing required

- Status of off-site work or testing
- Documentation required
- Resolve QC and production problems
- Address items that may require a revision of the QC plan (i.e., changes in procedures)

**Appendix A**  
**Submittal Register**

Contract Number: \_\_\_\_\_ | Project Title: Remediation of Pesticide - Contaminated So

SPEC SECTION NO.	SD NO, AND TYPE OF SUBMITTAL MATERIAL OR PRODUCT	SPEC PARA NO.	CLASSIF/ APPR BY CO *	GOVT OR A/E REVIEWER	TRANS CONTROL NO.	PLANNED SUBMITTAL DATE
(a)	(b)	(c)	(d)	(e)	(f)	(g)
1) 01010	SD-09, Reports	1.2.1				
2)	Work Plan	1.2.1.1	G			
3) 01010	SD-18, Records	1.3.1				
4)	As Built Records	1.3.1.1				
5)	Environmental Conditions Report	1.3.1.2				
6)	Network Analysis Diagram	1.3.1.3				
7)	Status Reports	1.3.1.3				
8)	QC Meeting Minutes	1.3.1.4				
9)	Test Results Summary Report	1.3.1.5				
10)	Contractor Production Report	1.3.1.6				
11)	QC Report	1.3.1.7				
12)	Rework Items List	1.3.1.8				
13)	Permits	1.3.1.9				
14)	Contractor's Closeout Report	1.3.1.10				
15) 01430	SD-08, Statements	1.2.1				
16)	Sample Log	3.1.3				
17) 01430	SD-12, Field Test Reports	1.2.2				
18)	Confirmation Sampling	1.3.3				
19) 01561	SD-02, Manufacturer's Catalog Data	1.3.1				
20)	Silt Fence	2.1				

\* Navy Notes:  
Approved by:  
G: NTR  
Blank: CQC Manager

\* NASA Notes:  
Approved by:  
Blank: Contracting Officer

\* Army Notes:  
Classification:  
GA: Gov't Approval  
FIO: For Information Only

Contract Number: | Project Title: Remediation of Pesticide - Contaminated So

SPEC SECTION NO.	SD NO, AND TYPE OF SUBMITTAL MATERIAL OR PRODUCT	SPEC PARA NO.	CLASSIF/ APPR BY CO *	GOVT OR A/E REVIEWER	TRANS CONTROL NO.	PLANNED SUBMITTAL DATE
(a)	(b)	(c)	(d)	(e)	(f)	(g)
1)	Dust Suppressors	2.2.3				
2) 01561	SD-04, Drawings	1.3.2				
3)	Erosion Control Plan	1.3.2.1	G			
4) 02102	SD-14, Samples	1.1.1				
5)	Tree wound paint	2.1				
6) 02220	SD-04, Drawings	1.3.1				
7)	Required Data	1.3.1.1				
8) 02220	SD-09, Reports	1.3.2				
9)	Remediation Closeout Report	1.3.2.1				
10) 02220	SD-12, Field Test Reports	1.3.3				
11)	Fill and backfill	2.1.2				
12) 02223	SD-08, Statements	1.1.1				
13)	Treatment facility permit	1.1.1.1				
14) 02223	SD-18, Records	1.1.2				
15)	Shipment manifests	1.1.2.1				
16)	Delivery certificates	1.1.2.2				
17)	Disposal Site Decontamination	1.1.2.3				
18)	certificate					
19)	Work Site Decontamination	1.1.2.4				
20)	certificate					

## \* Navy Notes:

Approved by:

G: NTR

Blank: CQC Manager

## \* NASA Notes:

Approved by:

Blank: Contracting Officer

## \* Army Notes:

Classification:

GA: Gov't Approval

FIO: For Information Only

Contract Number: \_\_\_\_\_ | Project Title: Remediation of Pesticide - Contaminated So |

SPEC SECTION NO.	SD NO, AND TYPE OF SUBMITTAL	SPEC PARA NO.	CLASSIF/ APPR BY CO *	GOVT OR A/E REVIEWER	TRANS CONTROL NO.	PLANNED SUBMITTAL DATE
(a)	(b)	(c)	(d)	(e)	(f)	(g)
1)	Treatment and Disposal	1.1.2.5				
2)	Certificates					

\* Navy Notes:  
 Approved by:  
 G: NTR  
 Blank: CQC Manager

\* NASA Notes:  
 Approved by:  
 Blank: Contracting Officer

\* Army Notes:  
 Classification:  
 GA: Gov't Approval  
 FIO: For Information Only

**Appendix C**  
**Sampling and Analysis Plan**

**DRAFT**  
**Sampling and Analysis Plan**  
**for**  
**Soil Remediation**  
**Operable Unit 11, Site 80**  
**MCB Camp Lejeune, North Carolina**

Prepared for:

DEPARTMENT OF THE NAVY  
Contract No. N62470-93-D-3032  
Delivery Order 0100

Prepared by

OHM Remediation Services Corp.  
Norcross, Georgia

\_\_\_\_\_  
John P. Franz, P.E.  
Program Manager

\_\_\_\_\_  
Date

\_\_\_\_\_  
James A. Dunn, Jr., P.E.  
Senior Project Manager

\_\_\_\_\_  
Date

\_\_\_\_\_  
Terence A. Whitt  
Senior Project Chemist

\_\_\_\_\_  
Date

\_\_\_\_\_  
Theresa D. Rojas  
Project Chemical QA/QC Officer

\_\_\_\_\_  
Date

March 1996

OHM Project No. 18319

## TABLE OF CONTENTS

---

1.0	INTRODUCTION .....	1-1
2.0	PROJECT MANAGEMENT .....	2-1
2.1	Project Background .....	2-1
2.2	Project Task Descriptions .....	2-1
2.3	Project Organization .....	2-2
2.4	Data Quality Objectives for Measurement Data .....	2-7
3.0	SAMPLING .....	3-1
3.1	Sampling Methods and Procedures .....	3-1
3.1.1	Waste Characterization Sampling .....	3-1
3.1.2	Pre-Excavation Screening .....	3-1
3.1.3	Field Screening of the Excavation Walls and Base .....	3-2
3.1.4	Confirmation Sampling of the Excavation Walls and Base .....	3-2
3.1.5	Sampling of Water from "Incidental Wastes" .....	3-3
3.1.6	Sampling of Other "Incidental Wastes" .....	3-3
3.2	Sample Identification .....	3-4
3.3	Sample Preservation and Holding Times .....	3-4
3.4	Field QC Samples .....	3-5
3.5	Decontamination .....	3-6
3.6	Cross-Contamination Minimization .....	3-6
3.7	Sample Log Book .....	3-7
3.8	Sample Labels .....	3-9
3.9	Custody Seals .....	3-9
3.10	Chain-of-Custody Procedures .....	3-9
3.11	Packaging, Handling, and Shipment of Samples .....	3-11
4.0	DATA ACQUISITION .....	4-1
4.1	Analytical Method Requirements .....	4-1
4.2	Quality Control Requirements .....	4-1
4.3	Instrument Testing, Inspection and Maintenance .....	4-1
4.4	Instrument Calibration .....	4-1
5.0	DATA MANAGEMENT .....	5-1
5.1	Laboratory Data Reduction .....	5-1
5.2	Laboratory Data Validation .....	5-1
5.3	Project Data Review .....	5-3
5.3.1	Field Chemist Data Review Responsibilities .....	5-3
5.3.2	Project QC Engineer Data Review Responsibilities .....	5-4
5.4	Project Data Validation .....	5-4
5.5	Data Reporting .....	5-4
5.6	Data Storage and Archive .....	5-5

## TABLE OF CONTENTS – CONTINUED

---

<b>6.0</b>	<b>DATA ASSESSMENT PROCEDURES</b>	<b>6-1</b>
6.1	Accuracy	6-1
	6.1.1 Recovery Control	6-2
6.2	Precision	6-2
6.3	Completeness	6-3
6.4	Criteria for Rejection of Outlying Measurements	6-3
6.5	Method Detection Limits and Practical Quantitation Limits	6-4
6.6	Laboratory and Field Contamination	6-4
<b>7.0</b>	<b>PERFORMANCE AND SYSTEM AUDITS</b>	<b>7-1</b>
7.1	Field Performance Audits	7-1
7.2	Field System Audits	7-1
7.3	Laboratory Performance Audit	7-2
7.4	Laboratory System Audits	7-3
<b>8.0</b>	<b>CORRECTIVE ACTION</b>	<b>8-1</b>
8.1	Corrective Action Report	8-2
8.2	Quality Assurance Report	8-2

### FIGURES

Figure 2.1 Project Organization Chart

### APPENDICES

Appendix A Table A-1, Sampling Summary  
Table A-2, Project Quality Control Objectives

Appendix B Sample Label  
Custody Seal  
Chain-of-Custody Record  
OHM Shipping Label  
Shipping Instructions for Sending Samples to the Laboratory

## 1.0 INTRODUCTION

---

This Sampling and Analysis Plan (SAP) presents, in specific terms, the policies, organization, functions, and QA/QC requirements designed to achieve the data quality goals for Site 80, Delivery Order 0100 under the contract N62470-93-D-3032 for the Navy Atlantic Division (LANTDIV) at the Marine Corps Base (MCB), Camp Lejeune, Jacksonville, North Carolina. This SAP integrates the required components of a quality assurance project plan (QAPP) and a field sampling plan.

This document shall be read, understood, and implemented by the Project Manager, Site Supervisor, Project QC Manager, Project Chemist, Field Chemist/Scientist, and Sample Technicians. Any field changes shall be approved by the Navy's Technical Representative (NTR), Project Manager, and Project Chemist. These changes shall be documented by the Field Chemist/Scientist and distributed to the appropriate persons as amendments to the SAP.

## **2.0 PROJECT MANAGEMENT**

---

### **2.1 PROJECT BACKGROUND**

The objective of this project is to remove, transport, and dispose of contaminated soils located in Operable Unit (OU) No. 11, Site 80, golf course maintenance area. Soil contaminated with pesticides has been identified in Site 80 in eight areas.

### **2.2 PROJECT TASK DESCRIPTIONS**

The project tasks applicable to the SAP are the following:

- Pre-excavation field screening
- Monitor field activities for vapor emissions and personnel health and safety using direct-reading instruments
- Soils excavation
- Sample and screen the excavation base and sidewalls using visual inspection and gas chromatograph in order to delineate the limits of excavation
- Sample and analyze the excavation base and sidewalls following on-site screening to confirm that the soils remaining are indeed "clean"
- Sample and analyze water from decon operations, stormwater runoff, dewatering operations, etc.
- Sample and analyze "incidental waste" generated from site activities, such as debris and PPE
- Transport and dispose of "contaminated" soils at a soil recycling facility
- Dispose of water and "incidental waste"
- Backfill excavations
- Perform surveillances and technical audits of site sampling activities

In the event that drums or potentially off-spec soils are encountered during the course of these tasks, the Navy Technical Representative (NTR) will be informed and consulted for further actions.

### 2.3 PROJECT ORGANIZATION

The project manager is the primary focal point for control of the project activities. The project manager will be supported by the QA Management team which will provide reviews, guidance, and technical advice on project execution issues. Members of this staff will be on an "as-needed" basis to assist in smooth project execution. The project manager will be supported by the project team consisting of a supervisory, health and safety, technical, and QA/QC staff to ensure that the project is safely executed in compliance with applicable laws, regulations, statutes, and industry codes. Individuals of the project team are responsible for fulfilling appropriate portions of the project QA program, in accordance with assignments made by the project manager. The project manager is responsible for satisfactory completion of the project QA program. Specific responsibilities may be assigned by the project manager and other members of the project staff. An organizational chart of the project team is shown on Figure 2.1.

The responsibilities of the key members in the project organization are:

*Project Manager - James A. Dunn, Jr., P.E.*

The project manager is responsible for the overall direction of this project executed under his/her supervision. He provides the managerial administrative skills to ensure that resource allocations, planning, execution, and reporting meet contract requirements. He is ultimately accountable for all work activities undertaken on this project. The global quality-related responsibilities of the project manager can include, but are not limited to, the following:

- Organization of the project staff and assignment of responsibilities
- Understanding of contract and scope of work for a specific project
- Communication to the project staff regarding client requirements and QA practices
- Identification, documentation, and notification to the client and project staff and QA personnel of changes in the scope of work, project documentation and activities
- Supervision of preparation and approval of project-specific procedures, work plans, and QA project plans




Figure 2.1

QC Organization Chart



OHM Remediation  
Services Corp.

- Approval of project design basis, design parameters, drawings, and reports
- Approval of project remedial action/construction methodologies
- Dissemination of project-related information from the client such as design basis, input parameters, and drawings
- Liaison for communications with the client and subcontractors Liaison between the project staff and other internal groups
- Decision of whether or not drawings require independent review
- Investigation of nonconformances, notification of QA personnel, and implementation of corrective actions
- Determination of the effect of nonconformances on the project and the appropriateness for reporting such items to the client, and providing appropriate documentation for reporting
- Determination that changes, revisions, and rework are subject to the same QC requirements as the original work
- Serve as final reviewer prior to release of project information
- Approve and sign outgoing correspondence

Some of these responsibilities may be assigned by the project manager to the Site Supervisor, who will remain on site throughout the project field activities.

*Site Supervisor - Randy E. Smith or Designee*

The site supervisor is responsible for the day-to-day management of this specific delivery order. He will ensure sufficient resource allocations to maintain project schedule and budget. He will provide daily feedback to the project manager on project progress, issues requiring resolution, etc. The quality-related responsibilities of the site supervisor include, but are not limited to, the following:

- Notification to the project manager if the project cannot be completed with regard to quality, schedule, or cost
- Oversight and control of subcontractor services

- Liaison for communications with OHM project staff and other internal groups as well as with the NTR and on-site inspector
- Supervision day-to-day site activities in accordance with project and program requirements
- Preparing the Contractor Production Report
- Initiating corrective actions for non-conformance identified on-site

*Project Chemical QA/QC Officer - Theresa D. Rojas*

The chemical QA/QC officer is responsible for implementing the project chemical QA program. She is responsible for informing the project manager of any site-specific QA issues. Her responsibilities include, but is not limited to, the following:

- Determining if the project and data quality objectives are being met
- Reviewing subcontractor's QA Manuals and/or Laboratory Quality Management Plans (LQMPs) and if possible, performing audits on the labs
- Certifying the level of QA that has been achieved during the generation of analytical data
- Initiating and overseeing all audit functions
- Stopping work if quality objectives are not being met
- Initiating investigations for non-conformances, identifying appropriate corrective actions, and performing follow-up audits to ensure that the corrective actions were successful

*Project Chemist - Carl Pampel*

The project chemist is responsible for implementing the project plans and ensuring that the quality assurance and data quality objectives are being met for the project. He is also responsible for informing the chemical QA officer of any site-specific problems and for coordination QA efforts with the contracted laboratory. His specific responsibilities include, but is not limited to, the following:

- Evaluating chemical data for technical validity and ensuring adherence to published guidelines

- Analyze and interpret all subcontracted technical and laboratory results
- Implementing QA/QC procedures
- Assuring the continuity of chain-of-custody evidence
- Working with the QC engineer to compile and submit required QA Reports (QARs)
- Compiling, revising, updating, and submitting SAPs
- Implementing corrective actions as required by the QC engineer or chemical QC officer
- Ongoing QA/QC training of new and current personnel

*Field Chemist - To Be Determined*

The field chemist will:

- Implement the SAP and designated QA/QC procedures
- Oversee all field sampling activities
- Report all QC data to the project chemist for review
- Implement corrective actions as required by the project chemist
- Perform on-site screening and analyses of samples
- Fill out sample tracking forms and related analytical and QC forms and logbooks
- Develop and maintain analyses database
- Ensuring that the samples are handled, packaged, and shipped according to the SAP
- Ensuring that the laboratory is supplied with the required field QC samples (i.e., trip blanks, rinsate blanks, etc.)

### *Sample Technician - To Be Determined*

The sample technician will be responsible for:

- Carrying out all sampling in accordance with approved procedures and methodologies as defined in the SAP
- Generating field blanks, equipment rinsate blanks, and acquiring field duplicate samples as required by the SAP
- Completing sampling logbooks, sampling forms, labels, custody seals, and chain-of-custody forms

## **2.4 DATA QUALITY OBJECTIVES FOR MEASUREMENTS DATA**

Project-specific quality objectives are listed in Appendix A, Table A-2. These include the quantitation, action, accuracy, precision, and completeness limits by which the data will be evaluated.

The quantitation limits in Table A-2 are in as received values. Moisture content of the soil samples will effect final quantitation limits. The proposed action criteria below for the subsurface soils will not be achievable by the on-site and off-site laboratories. Estimated quantitation limits are included in Table A-2. If one or more analytes are detected in high concentrations in a sample, all quantitation limits may be elevated.

A NEESA-certified laboratory will be used for all soil and waste analyses. The laboratory will also be North Carolina-approved. A copy of the laboratory's QA Manual, statement of qualifications, and appropriate certificates of approval are kept on file in the Norcross office and are available upon request.

Samples collected for the on-site pesticides screening by GC will meet, at a minimum, the requirements of NEESA Level E QA/QC as specified in the *Sampling and Chemical Analysis Quality Assurance Requirements for the Navy Installation Restoration Program*, June 1988. Due to the prohibitive cost, the low probability of litigation, and the disposal facilities not requiring more stringent QC, all disposal samples such as the "contaminated" soils and incidental wastes (decon water, surface water, stormwater will meet the requirements of NEESA Level E QA/QC.

Confirmation samples will meet the requirements of NEESA Level C QA/QC.

On-site laboratory data will be used as a screening tool to delineate the vertical and horizontal extent of contamination. No backfilling activities will be performed without

verified results from the off-site laboratory analyses. Written permission from the NTR will be obtained prior to backfilling without confirmation data. The on-site lab will analyze pre-excavation and preconfirmation samples for the following analytes of concern only:

<i>Analyte</i>	<i>Surface Soil Remedial Action Objectives (<math>\mu\text{g}/\text{kg}</math>)</i>	<i>Subsurface Soil Remedial Action Objectives (<math>\mu\text{g}/\text{kg}</math>)</i>
Aldrin	35	0.5
Dieldrin	37	1.0
4,4'-DDD	2,484	700
4,4'-DDT	1,753	1,000
a-chlordane	459	2,000
g-chlordane (lindane)	459	2,000

## **3.0 SAMPLING**

---

### **3.1 SAMPLING METHODS AND PROCEDURES**

Table A-1 "Sampling Summary" in Appendix A summarizes the sampling locations, frequencies, samples matrices, and measurement parameters of interest. Any changes or variances to these specifications and procedures must be documented, approved, and submitted as an addendum to this SAP.

#### **3.1.1 Waste Characterization Sampling**

Samples will be collected from AOC 1-12 and be a composite of five random grab samples collected from areas of suspected contamination, discolored soils, and OVA readings. Each grab sample will be collected using stainless steel shovel, spoon, and/or auger, as necessary. The grab sample will be collected using stainless steel bowl and homogenized prior to filling the appropriate sample containers. Enough sample volume should be collected to fill containers for both the on-site and the off-site laboratories.

All containers will be properly packaged, sealed and sent to the appropriate laboratories. Custody, packaging, handling, and shipping procedures described in this Sampling and Analysis Plan will be followed.

Samples will be logged in and screened upon arrival at the on-site laboratory. Detection and quantitation limits, accuracy, and precision studies will also be performed. Results will be recorded in the laboratory database. Time required for testing will be carefully monitored and recorded.

Samples will be analyzed at an off-site laboratory for the parameters listed in Appendix A. Laboratory services will be procured on a competitive bid basis. Results from both on-site and off-site laboratories will be reviewed, summarized and evaluated by the Regional Senior Project Chemist and Regional Chemical QA/QC Coordinator.

Results from the off-site laboratory will also be evaluated by the Regional Transportation and Disposal Coordinator for disposal options.

#### **3.1.2 Pre-Excavation Screening**

The approximate dimensions of each of the eight Areas of Concern will be marked by a surveyor. A 10 feet by 10 feet grid will then be overlain on each area as indicated on Figures 3 through 10 in the Work Plan. A discrete grab sample will be collected at a depth of 6 inches at each grid point. Samples will be analyzed for pesticide-contamination in the

on-site laboratory. Results will be compared with the remedial action objectives (RAOs) and indicated on the sampling grid and used to determine the initial excavation limits.

Sampling equipment will be thoroughly cleaned between samples using decontamination procedures described in section 3.5. Field sampling personnel will wear disposable gloves during sampling and will change gloves between sample locations to minimize the potential for cross-contamination. The sample will be screened using a gas chromatograph equipped with dual electron capture detectors (ECD) located in the field office trailer. Samples will be prepared using a solvent/solvent extraction followed by a cleaning step (if necessary). This method is included in Appendix C.

### **3.1.3 Field Screening of the Excavation Walls and Base**

Following excavation of soils, grab samples will be collected every 50 linear feet of each sidewall and 500 square feet of base area for field screening. The walls of the excavation will be sloped and will therefore be accessible for sampling within in the hole. The first few inches within the walls or base will be discarded prior to collecting each grab sample using a clean SS spoon and placing enough volume of material into a clean SS bowl or bucket. The sample must be thoroughly mixed to obtain a relatively homogeneous mixture prior to filling the appropriate sample containers as specified in Appendix A, Table A-1.

Sampling equipment will be thoroughly cleaned between samples using decontamination procedures described in section 3.5. Field sampling personnel will wear disposable gloves during sampling and will change gloves between sample locations to minimize the potential for cross-contamination.

Samples will be screened on-site using a dual ECD gas chromatograph (GC). The samples will be prepared with a simplified field liquid/liquid extraction procedure, cleaned with a Florsil treatment, and analyzed on a HP-5890 GC. The GC will have two 30m by 0.53mm ID columns of differing polarities for primary and confirmation analysis. The extracted sample will be injected and split into the two column for simultaneous primary and confirmational analysis. Estimated detection limits for the on-site screen will not be below the subsurface cleanup criteria but should be below the surface criteria as listed in Section 2.4. Standard Operation Procedure (SOP) for the field laboratory analysis will be on file in the mobile laboratory. If the levels of pesticide contamination are less than the RAOs, a confirmation sample will be collected for off-site analysis. If the levels of pesticide contamination are greater than the RAOs, the NTR will be informed by the Project Manager to determine the additional soil volumes to be excavated.

### **3.1.4 Confirmation Sampling of the Excavation Walls and Base**

Following attainment of negative results on the field screening tests, confirmation grab samples will be collected every 50 linear feet of each sidewall and 500 square feet of base

area for off-site analysis of the parameters listed in Appendix A, Table A-1. The walls of the excavation will be sloped and will be accessible for sampling within in the hole. The first few inches will be discarded prior to collecting each grab sample using a clean SS spoon and placing enough volume of material into a clean SS bowl or bucket. The sample must be thoroughly mixed to obtain a relatively homogeneous mixture prior to filling the appropriate sample containers as specified in Appendix A, Table A-1.

Sampling equipment will be thoroughly cleaned between samples using decontamination procedures described in section 3.5. Field sampling personnel will wear disposable gloves during sampling and will change gloves between sample locations to minimize the potential for cross-contamination.

#### **3.1.5 Sampling of Water from "Incidental Wastes"**

One grab sample per tanker or one composite sample per 10 drums will be collected from water generated during the remedial action including, but not limited to, water from decontamination of personnel and equipment, existing surface water impounded near Area B, and rainfall and surface water runoff accumulated in the open excavations.

Sampling equipment will be thoroughly cleaned between samples using decontamination procedures described in section 3.5. Field sampling personnel will wear disposable gloves during sampling and will change gloves between sample locations to minimize the potential for cross-contamination.

Sampling will be performed by using either clean or disposable dip tubes or bailers. The appropriate sample containers will be filled and the samples sent off-site for analyses as specified in Appendix A, Table A-1. Because the sample represents water for disposal, no preservatives should be added in the field.

#### **3.1.6 Sampling of Other "Incidental Wastes"**

Other "incidental wastes" such as PPE, disposable sampling materials, etc. will be sampled and sent off-site for disposal analyses as specified in Appendix A, Table A-1. Pieces of the waste will be obtained using clean scissors or knives and collected into the appropriate sample containers.

Sampling equipment will be thoroughly cleaned between samples using decontamination procedures described in section 3.5. Field sampling personnel will wear disposable gloves during sampling and will change gloves between sample locations to minimize the potential for cross-contamination.

### 3.2 SAMPLE IDENTIFICATION

All samples collected on-site will be provided with a unique sample designation. The number will serve to identify the site, location, and specific sample number. The sample designation format will appear as follows:

CLJXXX-YY-NNN

Where:

CLJ = Camp Lejeune

XXX = D.O. for the project (100)

YY = Sample Task:

Waste Characterization Screening (WC)

Field Screening (FS)

Confirmation Sampling (CS)

Incidental Water (IW)

Incidental Other (IO)

Soil Boring (SB)

NNN = Sequential number starting at 001

If the sample is a field QC sample, add the appropriate designations listed below to the end of the sample number.

FB = Field Blank

TB = Trip Blank

RB = Equipment Rinsate Blank

DP = Field Duplicate/Replicate

Additional information may be required in the sample identification (ID) column. This will include operable unit, site designation, truck or pile number, and any grid coordinates or location designations associated with the sample.

### 3.3 SAMPLE PRESERVATION AND HOLDING TIMES

When samples are collected for off-site analyses, they will be sent to the laboratory within 24 hours after collection to ensure that the most reliable and accurate answers will be obtained as a result of the analysis. The holding time begins from the date of collection in the field.

All environmental samples, as well as QA/QC samples, will be preserved to a temperature of 4°C prior to shipment to the analytical laboratory, using ice or refrigeration. This temperature should be maintained during shipment by placing ice in leak-proof containers, and placing it above and below the sample containers. Other sample preservation requirements and holding times applicable to the sample matrix and analyses are listed in Appendix A, Table A-1.

### 3.4 FIELD QC SAMPLES

The appropriate number of field QC samples, as specified in the NEESA 20.2-047B document will be collected during this project. These samples will include field blanks, equipment rinsate blanks and field duplicate samples. These samples will be collected at the following frequencies and analyzed for the parameters listed in Appendix A, Table A-1:

- Field Blanks – Field blanks consist of the source water used in decontamination and steam cleaning. At a minimum, one field blank from each sampling event and each source of water will be collected and analyzed for the same parameters and at the same QC levels as the related samples.
- Equipment Rinsate Blank – Equipment rinsate blanks are the final analyte-free water rinse from equipment cleaning collected daily during a sampling event. One equipment rinsate blank will be collected daily for NFESA Level C and E reporting. However, only samples from every other day are analyzed. The laboratory will be informed as to which rinsate blanks will be analyzed. The remaining rinsate blanks are to be held by the laboratory and analyzed only if evidence of contamination exists.
- Field Duplicate – Duplicates for soil samples are collected, homogenized, and split. All samples except volatiles are homogenized and split. Volatiles are not mixed, but select segments of soil are taken from the length of the core and placed in 4 oz glass jars. The duplicates for water samples will be collected simultaneously. Field duplicates will be collected at a frequency of 10% per sample matrix for Level C reporting and at a frequency of 5% per sample matrix for Level E reporting. All the duplicates will be sent to the primary laboratory responsible for analysis, along with the samples. The field duplicates will be used by the laboratory to prepare the laboratory duplicate or matrix spikes and designated on the COC as such.
- Trip Blank – Trip blanks are defined as samples which originate from analyte-free water taken from the laboratory to the sampling site and returned to the laboratory with the volatile samples. One trip blank will accompany each cooler containing

volatiles, stored at the laboratory with the samples, and analyzed by the laboratory. Trip blanks are only analyzed for volatile organic compounds.

Note: A sampling event is considered to be from the time the sampling personnel arrive at the site until these personnel leave for more than a day.

### 3.5 DECONTAMINATION

All sampling equipment (hand augers, spoons, stainless steel/glass mixing bowls, etc.) will be decontaminated before sampling commences, between each sample location, and prior to leaving the site. The procedures for decontamination of equipment are described below.

- 1) Remove gross contamination by scraping or brushing
- 2) Clean with tap water and phosphate-free laboratory detergent (liquinox oralconox), using a stiff brush to remove all surface contaminants
- 3) Rinse thoroughly with tap water
- 4) Rinse thoroughly with deionized/distilled water
- 5) Rinse twice with reagent grade isopropanol or methanol
- 6) Rinse thoroughly with organic-free (ASTM Type II reagent grade) water and allow to air dry (Do not rinse with deionized/distilled water. If organic-free water is not available, allow equipment to air dry.)
- 7) Wrap equipment with aluminum foil prior to storage or transportation to sample locations

Decontamination fluids will be collected in properly labelled 55-gallon drums, and staged in a secure area until final disposal.

### 3.6 CROSS-CONTAMINATION MINIMIZATION

Cross-contamination is the introduction of contaminants into the sample through the sampling and/or sample-handling procedures. It can cause an otherwise representative sample to become non-representative. The most important means of minimizing cross-contamination are as follows:

- Sampling expendables, i.e., sample gloves, pipettes, string, dip jars, etc., must not be reused. Used expendables should be labeled so they are not confused with non-contaminated trash
- Minimum contact should be made between the sampler and the sample medium. For example, a sampler should not walk across a contaminated area and then take a surface soil sample where he has just stepped.
- Sample collection activities should proceed progressively from the least contaminated area to the most contaminated area
- Sampling equipment should be constructed of Teflon, stainless steel, or glass that been properly precleaned for collecting samples. Equipment constructed of plastic or PVC should not be used to collect samples for trace organic analyses.
- Any tools used in sampling must be carefully decontaminated prior to first use and after each sample.
- Activities that could contaminate samples are prohibited in the sample handling and preparation area. These activities and the possible contaminants include:

Activity	Possible Contaminants
Smoking	PAHs
Spraying for insects	Pesticides, oils, solvents
Spraying for weeds	Herbicides, oils, solvents
Refueling	BTEX, hydrocarbons
Painting and paint stripping	Solvents

### 3.7 SAMPLE LOG BOOK

It is necessary for the sampling crew to maintain daily field notes. Items included are sampling protocol, any changes to the procedures, meetings, instructions, safety precautions, personnel protection, and activities pertaining to the samples. The person taking notes will be knowledgeable about these activities and record pertinent details.

Repetition of information recorded in other permanent logs should be avoided, but enough should be recorded to present a clear and accurate picture of technical activities. At a later date, should a question arise concerning a specific event or a procedure used, it will be

answered from these notes. The following information should be logged into the logbooks and/or database:

- Date and time of sampling
- Sample number, locations, type, matrices, volumes, sample ID and descriptions, type and number of sample containers, names and signatures of individuals performing sampling tasks, COC and airbill numbers, preservatives, and date samples were sent
- Name of laboratories and contacts to which the samples were sent, TAT requested, and data results, when possible
- Termination of a sample point or parameter and reasons
- Unusual appearance or odor of a sample
- Measurements, volume of flow, temperature, and weather conditions
- Additional samples and reasons for obtaining them
- Levels of protection used (with justification)
- Meetings and telephone conversations held with LANTDIV, NTR, regulatory agencies, project manager, or supervisor.
- Details concerning any samples split with another party
- Details of QC samples obtained

These notes will be dated and signed (each page) for validity in a court of law. All logbooks will be bound and prenumbered. All log book entries will be made with indelible ink and legibly written. The language will be factual and objective. No erasures will be permitted. If an incorrect entry is made, the error will be crossed out with a single strike mark, initialed, and dated. When audits are performed, the auditor's remarks and decisions must also appear in these notes. These audits should be followed up by written report submitted by the auditor, including opinions and conclusions. A copy of this report should be placed in the project file and one copy kept in the sampling file for easy reference.

This information will also be entered into the database program that has been prepared for this site. It will be entered daily by the field chemist or sample tech. This person will be the

point of contact for all sampling and analytical information. Report outputs from the database are acceptable substitutes for the sample log book.

### **3.8 SAMPLE LABELS**

Any samples placed into a sample container will be identified by a sample label. Included on the label are the following information:

- 1) JOB NUMBER
- 2) DATE -- Month, day, year
- 3) TIME -- Military time
- 4) SAMPLE NUMBER -- see section 3.2 for designations
- 5) SAMPLE DESCRIPTION
- 6) SAMPLER -- Sampler's name
- 7) PRESERVATIVES
- 8) ANALYSIS REQUESTED -- see Appendix A, Table A-1

The information described above will be printed neatly using an indelible marker. After the sample is taken and the label is securely attached, the sample is logged into the sample log book. An example of a sample label is included in Appendix B.

### **3.9 CUSTODY SEALS**

Custody seals are narrow strips of adhesive tape of glass fiber used to demonstrate that no tampering has occurred. They may be used on sampling equipment, sample transport containers, and individual sample jars. They will be signed and dated by the sampler and placed from one side, across the top, and to the other side of the sample bottle or across the openings of the sample transport containers. An example custody seal is included in Appendix B.

### **3.10 CHAIN-OF-CUSTODY PROCEDURES**

Because of the evidentiary nature of samples collected throughout the project, the possession of samples must be traceable from the time the samples are collected until they are introduced as evidence in legal proceedings. To maintain and document sample possession, chain-of-custody procedures are followed as described below:

A sample is under your custody if:

- 1) It is in your actual possession, or

- 2) It is in your view, after being in your physical possession, or
- 3) It was in your physical possession and then you locked it up to prevent tampering,  
or
- 4) It is in a designated secure area.

A copy of a COC form is included in Appendix B. The following information is required on the COC:

- 1) Project Name
- 2) Project Location -- City and State in which the project is located
- 3) Project Number
- 4) Project Contact -- OHM employee responsible for overseeing the sampling operation. This person should be the individual to whom questions are to be directed or verbal results given (Project Manager, Site Supervisor, or Project Chemist)
- 5) Site Telephone Number -- Telephone number where person responsible for samples can be contacted.
- 6) Sample Date -- Month, Day, Year
- 7) Sample Time -- Military time
- 8) Sample Identification -- Sample number/location
- 9) Sample Type -- Designation of sample as grab or composite
- 10) Sample Description -- Sample matrix and a brief description of the sampling location
- 11) Sample Preservation -- Preservatives used
- 12) Analytical Parameters Requested -- Analytical parameters, method numbers, and specific compounds of interest, if applicable.

- 13) Airbill Number
- 14) Laboratory -- Laboratory where samples are to be sent
- 15) Laboratory Phone -- Telephone number of laboratory
- 16) Laboratory Contact -- Contact for laboratory
- 17) Relinquished By -- Signature of sender (OHM)
- 18) Date Relinquished -- Date samples were relinquished
- 19) Accepted By -- Signature of acceptor
- 20) Date Received -- Date samples were accepted
- 21) Turnaround Time -- Turnaround times requested or date the results are required from the lab
- 22) Sampler's Signature -- Signature of sampler

The COC will be sealed in a ziploc bag and taped in place on the underside of the top of the sample transport container (cooler). An example COC is included in Appendix D.

### **3.11 PACKAGING, HANDLING, AND SHIPMENT OF SAMPLES**

Samples will be packaged as to minimize shifting of the samples during shipment. An absorbent, such as vermiculite or kitty litter, will be placed at the bottom of the shipment container in order to absorb any liquids in the event of sample breakage. All samples will be individually placed into appropriately sized ziploc bags and sealed.

Samples which must be kept at 4°C will be shipped insulated containers with either freezer forms or ice. If ice is used, it will be placed in a container such as a trash bag and sealed so that water will not fill the shipping container as the ice melts.

Samples will be shipped via Federal Express to the appropriate laboratory. IATA regulations will be followed as they are more applicable to OHM's method of sample shipment. Instructions for filling out shipment papers are included in Appendix B. These instructions are for shipping samples with unknown or limited hazards. **NO CHANGES OR SUBSTITUTIONS TO THESE INSTRUCTIONS ARE ALLOWED – NO MATTER**

HOW INSIGNIFICANT THEY MAY SEEM. A copy of the OHM sample shipping label is included in Appendix B.

## **4.0 DATA ACQUISITION**

---

### **4.1 ANALYTICAL METHOD REQUIREMENTS**

Analytical requirements for this project are listed in Appendix A, Table A-1. All samples will be analyzed according to *USEPA SW-846 Test Methods for Evaluating Solid Waste, Physical/Chemical Methods* whenever possible. Alternative methods of analysis from other sources (ASTM, NIOSH, Standard Methods, etc.) may also be used.

### **4.2 QUALITY CONTROL REQUIREMENTS**

Project Quality Control (QC) requirements for precision, accuracy, completeness, and quantitation limits are listed in Appendix A, Table A-2. QC procedures and acceptance limits will be met as specified in the individual methods. In addition, the laboratory will meet the specification and requirements as described in the NEESA 20.2-047B document.

### **4.3 INSTRUMENT TESTING, INSPECTION, AND MAINTENANCE**

Proper maintenance is critical to the performance of minimization of downtime of all equipment, whether it be for measurement or support. Inspection will be performed, at a minimum, prior to use of the instruments. Preventive maintenance will be performed as recommended by the manufacturer of the respective equipment. All routine maintenance and major repairs performed on field screening or analytical equipment will be recorded in bound maintenance logbooks that have been specifically designated for that instrument. Equipment that fails calibration or becomes inoperable during use will be removed from service and segregated to prevent inadvertent use, or will be tagged to indicate that it is out of calibration. Such equipment will be repaired and recalibrated or completely replaced.

### **4.4 INSTRUMENT CALIBRATION**

All calibrations on field instruments will be performed, at a minimum, on a daily basis. Every calibration will be recorded in the maintenance logbook for each instrument. Quality control check standards from a separate source will be used to check initial calibration, and acceptance and rejection criteria.

TPH immunoassay kit instructions will be followed as to the frequency and kind of calibration. Monitoring instruments, such as the OVA or PID, O<sub>2</sub>/LEL meter, Monitox, etc. will be calibrated as specified in the HASP. Off-site analytical instruments will be calibrated according to the method specifications and the laboratory's QA Manual.

## 5.0 DATA MANAGEMENT

---

Data management is the system by which data is reduced, reviewed, validated, reported, distributed, and finally archived. The criteria in this system are designed to meet the project objectives.

### 5.1 LABORATORY DATA REDUCTION

Data reduction includes the identifications and calculations necessary to convert the raw instrument readings to the final reported compounds and their respective concentrations.

#### *Responsibilities of Analyst*

Each analyst is responsible for converting raw data into reportable values. These specific duties include:

- Proper identification of the analyte
- Generation of calculations
- Checking all calibrations to ensure support of data
- All QA/QC checks are supportive of data
- All documentation is complete and accurate in respective log books
- All chromatograms and strip chart recordings are labeled with data, instrument number, run parameters and analyst

### 5.2 LABORATORY DATA VALIDATION

All data generated within the laboratory will be extensively checked for accuracy, precision completion. The data validation process consists of data generation, reduction, and three levels of review.

The analyst who generates the raw data has the prime responsibility for the accuracy and completion of the data. All data generated and reduced follows protocols specified in the laboratory (SOP). Each analyst reviews the quality of his work based on an established set of guidelines. The guidelines are:

- Sample preparation information is correct and complete

- Analysis information is correct and complete
- The appropriate SOPs have been followed
- Analytical results are correct and complete
- QC samples are within established control limits
- Blanks are within appropriate QC limits
- Special sample preparation and analytical have been met
- Documentation is complete

The next level of review is performed by the section supervisor or data review specialist. The review is structured to ensure that:

- Calibration data are scientifically sound, appropriate to method, and completely documented.
- QC samples are within established limits.
- Reporting units are consistent with the method and the matrix.
- Quantitative results are correct.
- Data results are consistent with information on the COC.
- Documentation is complete.
- The data is ready for incorporation into a final report.
- The data package is complete and ready for data archive.

The second level of review is structured to ensure all calibration data and QC sample results are reviewed and all of the analytical results from 10 percent of the samples are checked back to the bench sheet. If no problems are found with the data package, the review is complete. If problems exist, an additional 10 percent is reviewed, the process continues until no errors are found or the package has been reviewed in its entirety.

The final level of review by the laboratory comes from the program administrator or laboratory QA Officer. He/she reviews the report to ensure that the data meets the overall objectives of the project.

Once the data has been validated, it is ready for report production. The report will contain:

- Description of sample types
- Tests performed, problems encountered during testing
- Dates sampled
- Date received
- Date extracted
- Date analyzed
- Analytical results
- Reportable limits
- QC information: percent recovery, relative percent difference, control limits, blanks analyses, matrix spikes, and other additional special QC information
- Qualifiers for data falling outside of QC limits
- Methodology
- Name of the analyst
- Signature of laboratory representative
- Dual column confirmation results
- Calibrations (when requested)
- Instrument performance checks (when requested)

The report from the laboratory will also include a copy of the original COC for the samples analyzed.

### **5.3 PROJECT DATA REVIEW**

#### **5.3.1 Field Chemist Data Review Responsibilities**

The field chemist is responsible for initial review of the data from the laboratory. This review includes:

- Verifying that all requested data are reported
- Verifying that samples are analyzed according to the contract specified method
- Verifying that holding times are not exceeded
- Verifying that matrix spike, matrix spike duplicate, and surrogate recoveries fall within the laboratory's acceptable criteria
- Reviewing blank data for gross contamination
- Reviewing field quality control results for gross inconsistencies

The field chemist is then responsible for informing the Project Manager and Project QA/QC Officer of any laboratory and/or sampling deficiencies or issues. The field chemist alone should not make decisions on the acceptability of the data. These issues and subsequent decisions will be documented on a weekly report to the Regional QA/QC Director and Project Manager.

#### **5.3.2 Project QC Engineer Data Review Responsibilities**

The Project QC Officer is responsible for interfacing with the project chemist, project manager, and the laboratory's QA Officer to resolve any QA/QC issues affecting the data. He/she is also responsible for finalizing any QA/QC issues with the laboratory and/or the project chemist. This includes obtaining a corrective action from the parties involved.

### **5.4 PROJECT DATA VALIDATION**

Data validation is an extensive review of the data for technical and legal validity. This procedure will be performed by an independent third-party subcontractor. The guidelines to be used for data validation will be the USEPA National Functional Guidelines for Data Validation of Organics and Inorganics. The subcontractor's qualifications and experience will be kept in the files in the Norcross office and are available for LANTDIV's, the NTR's or any regulatory agency's review. Only data that have undergone NEESA Level C quality control will be validated by the subcontractor. Data results in the NEESA Level E packages will undergo the review process described in sections 5.1-5.3.

### **5.5 DATA REPORTING**

The preliminary data will be faxed to the project chemist. This data may or may not have undergone the full laboratory review process and may contain errors and discrepancies.

Prior to the use of data results for any decisions, the data will be reviewed by the project chemist and assessed against the project goals and quality objectives. A copy of the preliminary data, including review comments from the project chemist will be submitted to the site and/or the project manager.

When the hard and final copy is received, a copy of the level C data packages will be sent to the data validation subcontractor. All data packages will also be reviewed by the project chemist and assessed against the project goals and quality objectives. Any errors, discrepancies, and nonconformances will be brought to the laboratory's and project manager's attention.

When QA issues have been satisfactorily settled and data validation has been completed, the project manager may release the data to the client and/or regulating agencies.

## 5.6 DATA STORAGE AND ARCHIVE

After OHM has completed its work for the project, all documents generated will be assembled in the project file. Individuals may retain clean (no handwritten comments) copies of documents for their personal files but only after personally verifying that the original or similar copy is in the project file. The project manager/supervisor is responsible for ensuring the collection, assembly, and inventory of all documents relative to the project at the time the objectives are met. The file then becomes accountable. Any records leaving the file must be signed out.

When the project objectives have been met, all file documents are reviewed and submitted to the general file. The project file contains the following document classes:

- A. Project logbooks
- B. Drum logs and other forms
- C. Sample identification documents
- D. Chain-of-custody records
- E. Analytical logbooks, laboratory data, calculations, graphs, etc.
- F. Correspondence
  - Intra-office
  - Client
  - Regulating agencies
  - Record of confidential material
- G. Report notes, calculations, drafts
- H. References, literature
- I. Sample (on-hand) inventory
- J. Check-out logs

K. Litigation documents

L. Miscellaneous – photographs, maps, drawings, etc.

Once deposited in the file, documents must be checked out.

The final report is usually generated by use of computer. A back-up copy of the report on diskette is filed along with the project file. The original report remains in the hard drive of the computer until such a time is required to download it on a diskette. This diskette is also archived.

All information under the corresponding project number is maintained in the archive system for five years. All archives are accessed by the archives file master list which is maintained in a separate location from the archives.

## **6.0 DATA ASSESSMENT PROCEDURES**

---

Reliability in analytical determination is maintained through strict adherence to quality control procedures. Procedures are designed to control both the accuracy and precision of analytical results. Depending on the level of certification of the data, a known method spike is routinely analyzed to ensure the accuracy of results. The procedure is to run the standard QA/QC and sample analysis with each lot of samples sent to the laboratory. If more than ten individual analyses are made, additional standards will be analyzed at a rate of one standard per ten analyses. Some procedures call for the use of either a surrogate spike or the standard addition of a known quantity of the analyte to a split of the sample being analyzed.

Control charts will be prepared using an estimate of the spike recovery obtained from the literature or determined by repeated analyses run in the laboratory. Each time the analyst runs a method spike, the results are entered on the control table. If a standard addition technique is used, a plot of instrument response versus added analyte concentration is made in order to determine analyte concentration in the original sample. These are further explained in the laboratory's QAM.

Replicate analyses will be performed on at least 10 percent of the samples processed by the laboratory. A record of the precision of most analyses is kept by calculating and plotting the industrial statistic I (which is equivalent to the coefficient of variation). Blanks are also run with each batch of samples or individual sample analyzed regardless of the level of certification of the data.

The purpose of spikes, blanks, and replicates is to provide a sound scientific basis from which the degree of certification of the resultant data can be objectively concluded. These are not management decisions, but follow naturally from the results of the above QC procedures.

### **6.1 ACCURACY**

Data accuracy is a reflection of the efficiency of the analytical procedure. It is determined by use of spiked samples and standard reference materials or laboratory control samples performed at the rate of one set every 20 samples. A control chart is generated using historical laboratory data where warning and control limits are established to assess data accuracy.

The accuracy (check standards) samples will have concentration values of the mid-standard. During analysis, a minimum of 10 percent of samples must be accuracy samples.

The accuracy samples must be staggered through the analysis, not placed one after another. After a minimum of seven accuracy samples are analyzed, the percent recovery is calculated for each sample.

The accuracy criteria is determined by calculating the standard deviation of seven or more percent recovery values and setting the upper and lower control limits using the following equations:

$$\text{Upper control limit} = p + 3SD$$

$$\text{Lower control limit} = p - 3SD$$

Where:

p = Average percent recovery

SD = Standard deviation

After the standard deviation, for the seven or more samples has been calculated, the accuracy control limits will be used to determine if the analysis is out of control. This is done by checking the results against the control limits. If any values are above the upper control limit or below the lower control limit, all sample results after the last qualifying accuracy sample must be repeated or discarded. If seven consecutive values fall below the lower control limit, new limits must be calculated using the new accuracy check values. If the values fall between the upper and lower limits, then conditions are reported as "within limits."

#### 6.1.1 Recovery Control

Recovery control is necessary to determine if the sample matrix is interfering with the constituent being analyzed. A minimum 5 percent of samples will be recovery check samples (matrix spikes). Samples involving different types of matrices must have at least one recovery check for each type.

Control limits will be determined for each matrix, determining the deviation for seven or more percent recovery values.

## 6.2 PRECISION

Duplicate and replicate samples analyzed by the laboratory assess the precision of the sampling effort. Control limits for duplicate/replicate RPDs are listed in Appendix A, Table A-2. Once a sufficient amount of replicate data becomes available, field precision control charts are constructed similar to the laboratory precision charts. For any given concentration, the mean and the standard deviation(s) of the replicates are calculated. The mean is the centerline of the control chart. Data from each sample set are pooled with the

previous sample sets to generate control and warning limits for the next set. Warning and control limits for water samples are set at  $\pm 2s$  and  $\pm 3s$ , respectively. Control limits for solid samples are more liberally established due to matrix heterogeneity. Data outside any control limit are subject to QA review.

Precision is based upon the results of the relative percent differences as calculated from the percent recoveries of the matrix spike and duplicate samples. The control limits for precision is based on historical laboratory data.

Present practice is to include MS and MSD samples on a per batch basis or a minimum frequency of 5 percent. Duplicate results are compared and the relative percent difference (RPD) is then determined. The RPD will be entered into the laboratory's data system and will be used to define the precision of the analysis. Minimum limits are listed in Appendix A, Table A-2.

### 6.3 COMPLETENESS

The field supervisor is responsible for ensuring that all field instrumentation and equipment are functioning properly and calibrated according to set procedures, and that all data are recorded accurately and legibly. In addition, the field supervisor must ensure all sites are sampled for all the specified analyses, that sufficient sample volume has been provided to complete those analyses, and that all of the QA samples have been included with each sample set. The goal for completeness for each sample set shipped to the laboratory is 100 percent. Minimum limits are listed in Appendix A, Table A-2.

Completeness is expressed as the percentage of the amount of valid data obtained to the amount of data expected. For a set of data to be considered complete, it must include all QC data verifying its accuracy and precision.

If samples analyzed do not meet all QC requirements in terms of accuracy and precision for any specific parameter, the sample preparation and analysis will be repeated pending adequate volume.

### 6.4 CRITERIA FOR REJECTION OF OUTLYING MEASUREMENTS

There are many statistical tests for rejection of outlying data points obtained from a set of measurements from a single population. A test recommended in "Statistical Manual of the Associate of Official Analytical Chemists," 2nd Edition, W. J. Youden and E. H. Steiner, 1975, pg. 86, is the Dixon Test. This test is not dependent on the distribution of the data and can be used for as few as three measurements. A more complete description for this broadly applicable test can be found in the referenced text.

Another reference is the USEPA National Functional Guidelines for Data Validation of Organics and Inorganics. Also, specific programs may have quality objectives with criteria for rejection of outlying measurements.

#### **6.5 METHOD DETECTION LIMITS AND PRACTICAL QUANTITATION LIMITS**

Method detection limits (MDLs) will be established by the laboratory. This should, at a minimum, be established on a yearly basis. MDL is the minimum concentration of a substance that can be identified, measured, and reported with 99% confidence that the analyte concentration is greater than zero.

Practical quantitation limit (PQL) is the lowest level that can be reliably determined within specified limits of precision and accuracy during routine laboratory operating conditions. The PQLs are generally 5-10 times the MDL. The PQL is the most applicable limit of reporting for this program.

#### **6.6 LABORATORY AND FIELD CONTAMINATION**

It is not unusual to find the following analytes at trace levels in the samples:

- Methylene chloride
- Acetone
- Freon (1,1,2-trichlorotrifluoroethane)
- Bis(2-ethylhexyl)phthalate
- Hexane
- Isopropanol
- 2-Butanone

These are common solvents used in the field and in the laboratory.

In order to fully evaluate data containing trace levels of these contaminants, one must have data from trip blanks, field blanks, equipment blanks, and all applicable laboratory blanks for that batch of samples.

The determination on the use of the data will be made during the Data Validation process.

## **7.0 PERFORMANCE AND SYSTEM AUDITS**

---

Audit is defined as systematic check to determine the quality of operation of field and laboratory activities. It is comprised of the following:

- Performance audit
- System audits

These include a detailed review of each operating component of the network. Auditing will ultimately assist in determining if each element within a system is functioning appropriately per the QA program requirements.

### **7.1 FIELD PERFORMANCE AUDITS**

Field performance audits are performed on an ongoing basis during the project as field data is generated, reduced, and analyzed. All numerical analyses, including manual calculations are documented. All records of numerical analysis are legible, of reproduction quality, and supporting to complete permit logical reconstruction by a qualified individual other than the originator.

Other indicators of the level of field performance are the analytical results of the blank, duplicate, and replicate samples. Each blank analysis is an indirect audit of effectiveness of measures taken in the field to ensure sample integrity. The results of the field duplicate and replicate analysis is an indirect audit of the ability of each field team to collect representative sample portions of each matrix type.

### **7.2 FIELD SYSTEM AUDITS**

System audits of site activities are accomplished by an inspection of all field activities by the Project QC Officer. This audit is composed of comparisons between current field practices and standard procedures. The following is a list of criteria to be used in the evaluation of field activities:

- Overall level of organization and professionalism
- All activities conducted in accordance with work plan
- All procedures and analyses conducted according to procedures outlined in this document

- Sample collection techniques versus the site sampling and analysis plan or CDAP
- Level of activity and sample documentation
- Working order of instruments and equipment
- Level of QC conducted by each field team
- Contingency plans in case of equipment failure or other event preventing the planned activity from proceeding
- Decontamination procedures
- Level of efficiency which each team conducts planned activities at the site
- Sample packaging and shipment

After the audit, any deficiencies are discussed with the field staff, and corrections are identified. If any of these deficiencies might affect the integrity of the samples being collected, the QA Officer informs the field staff immediately, so corrections can be made. The field performance audit will be conducted in coordination with the NTR, as directed by the Project Manager.

OHM will also submit to all requests by regulatory agencies, or other clients for external field systems audits.

### **7.3 LABORATORY PERFORMANCE AUDIT**

The laboratory performance audit verifies the ability of the laboratory to correctly identify and quantitate compounds in blind check samples submitted by an auditing agency. If the laboratory participates in Performance Evaluation (PE) programs such as USEPA WS/WP studies, AIHA, PAT studies, etc., results from these studies will be generally acceptable by OHM. However, during the course of the project, it may be necessary for the Project QA/QC Officer to send PE samples to the laboratory to evaluate specific parameters.

The contracted laboratories will undergo performance audits throughout the project consisting of field QC samples. Occasionally PE samples will be supplied by the client or external organizations which will be spiked with the same analytical parameters that are being investigated on site. External laboratory performance audits by auditing agencies such as the USEPA, USACE-MRD, DOD, NFESC, etc, are not routinely scheduled.

However OHM and its subcontracted laboratories will submit to any external audit upon request by the client.

#### 7.4 LABORATORY SYSTEM AUDITS

The laboratory system audit is a review of analytical laboratory operations to verify that the facility has the necessary equipment, staff, and procedures in place to generate acceptable data. It is also to determine that each element within an activity is functioning appropriately and within the guidelines of applicable methodology, approved procedures, and the site QAPP. An on-site inspection is routinely performed by the laboratory's QA Manager and may also be frequently performed by the OHM Project QC Officer. If the laboratory participates in certification programs, audits performed by the certifying agencies may satisfy the criteria of systems audits for the project.

If the laboratory is in question, a system audit can be directed by the client and performed by OHM or the client's representative. Any recommendations made will be considered for implementation and any corrective actions will be taken to correct any deficiencies found. Project-specific audit reports will be placed in the project files and laboratory audit reports will be kept by the laboratory for future reference.

## 8.0 CORRECTIVE ACTION

---

Corrective actions may be necessary as a result of the following QA activities:

- Field and laboratory performance audits
- Field and laboratory system audits
- Inter-laboratory comparison studies
- Calibration data fall out of specified limits
- Failure to adhere to the site SAP
- Failure to adhere to standard operating procedures and methods
- Data completeness below required limits
- Control limits are exceeded for QC samples

If, during system and performance audits, deficiencies or problems are discovered, corrective action will be initiated immediately. The appropriate field and laboratory personnel will be notified immediately an investigative process will be implemented immediately to find solutions to these issues. The investigative process will consist, but is not limited to, the following:

- Determining when the problem occurred
- Determining which systems were affected by the problem
- Determining the cause of the problem
- Determining a corrective action to eliminate the problem
- Assigning the responsibility for implementing the corrective action
- Implementing the corrective action
- Evaluating the effectiveness of the corrective action
- Investigating alternative corrective actions if the original action was not sufficient in eliminating the problem
- Documenting that the corrective action has eliminated the problem

The Project QC Officer has the authority to require that all site activities threatened by the problem be stopped or limited until the corrective action has been implemented and satisfactorily verified to eliminate the problem.

Corrective actions may include, but is not limited to:

- Modifications to procedures
- Recalibration of instruments
- Replacement of solvents, reagents, and/or standards
- Additional training of personnel
- Reassignment of personnel

### **8.1 CORRECTIVE ACTION REPORT**

A Corrective Action Report (CAR) is necessary documentation of the investigative process. Depending on the issues, the CAR may be generated by the laboratory or the field personnel. Copies of the CAR will be given to the Project QC Officer and Project Manager, who will distribute it to the client. A copy of the CAR will be placed in the project files for future reference.

The CAR should include, but is not limited to:

- A description of the problem, deficiency, or issue
- Proposed resolutions
- Resulting actions
- Effectiveness of the resolutions
- Personnel responsible for implementation of the corrective actions
- Personnel responsible for monitoring the effectiveness of the actions.

### **8.2 QUALITY ASSURANCE REPORT**

The Project Manager, Project QC Officer, and Project Chemist will converse on a regular basis to review possible and potential problem areas and to ensure that all QA/QC procedures are being carried out. It is important that all data abnormalities be investigated to ensure that they are not a result of operator or instrument deviation but are a true reflection of the methodology or task function. The project final report will contain a separate section that covers the data quality and validity. At a minimum, the following information will be included in the report:

- Assessment of measurement data precision, accuracy, and completeness
- System and performance audit results

- Significant QA problems and corrective actions implemented
- Copies of documentation such as memos, reports, etc.

The Project QC Officer will be responsible for preparing this report, as well as monthly written QA reports to OHM QA management. The Regional QA/QC Director will be responsible for reviewing and approving monthly reports. Verbal reports will be made on a more frequent basis. All reports will be made available to the Project Manager, client, and regulating agencies. If no project audits were performed and no significant QA/QC problems occurred, a letter stating these facts will be submitted to the referenced parties in lieu of a QA Report.

**Appendix A**

**Table A-1, Sampling Summary**  
**Table A-2, Project Quality Control Objectives**

TAE A-1  
SAMPLING SUMMARY

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
AOC 1-42	Waste Characterization for Disposal	Soil	Once	Min of 1	Composite of 6 random grabs (except volatiles--grabs for volatiles)	SS spoon or shovel, SS bucket or bowl	7 days	NEESA Level E	TCL Volatiles TCL Semi-Volatiles TCL Pesticides/PCBs TAL Metals	8240 8270 8080 6010,7000	14 days 7 days ext; 40 days analysis 7 days ext; 40 days analysis 6 mos; Hg 28 days	Cool to 4°C	(1) 4 oz glass with teflon-lined lids (2) 16 oz glass with teflon-lined lids
AOC 1-12	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	30 + 2 dup Total = 32	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 13-16	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	24 + 1 dup Total = 24	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 17-20	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	12 + 1 dup Total = 13	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 21-24	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	12 + 1 dup Total = 13	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 25-28	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	12 + 1 dup Total = 13	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

TAI A-1  
SAMPLING SUMMARY

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
AOC 29-32	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	12 + 1 dup Total = 13	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 33-38	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	24 + 1 dup Total = 24	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 39-42	Pre-excavation Field Screening (On-site GC Screen)	Soil	1 per grid point on 10' x 10' grid	12 + 1 dup Total = 13	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

TAI A-1  
SAMPLING SUMMARY

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
AOC 1-12	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	6 walls + 6 floor + 1 dup Total = 13	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 13-16	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	6 walls + 5 floor + 1 dup Total = 12	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 17-20	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 21-24	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 25-28	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

TAB A-1  
SAMPLING SUMMARY

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
AOC 29-32	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 33-38	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	6 walls + 5 floor + 1 dup Total = 12	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids
AOC 39-42	Pre-Confirmation Field Screening (On-site GC Screen)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	ASAP	On-Site Screen	Aldrin Dieldrin 4,4'-DDD 4,4'-DDT alpha-Chlordane gamma-Chlordane	liquid/liquid phase extraction modified method 8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 4 oz glass with teflon-lined lids

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

TAL A-1  
SAMPLING SUMMARY

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
AOC 1-12	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	6 walls + 6 floor + 1 dup Total = 13	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 13-16	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	6 walls + 5 floor + 1 dup Total = 12	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 17-20	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 21-24	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 25-28	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

**TAB A-1**  
**SAMPLING SUMMARY**

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
AOC 29-32	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 33-38	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	6 walls + 5 floor + 1 dup Total = 12	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 39-42	Confirmation (Off-site Laboratory)	Soil	1 per 50 linear feet along each wall + 1 per 500 square feet of floor of excavated area	4 walls + 3 floor + 1 dup Total = 8	Grab	SS spoon, SS bowl	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(1) 8 oz glass with teflon-lined lids
AOC 1-42	Equipment Rinsate Blanks	Water	1 per day <sup>1</sup>	8	N/A	N/A	48 hour	NEESA Level C	TCL Pesticides	8080	7 days ext; 40 days analysis	Cool to 4°C	(2) 1 L glass with teflon-lined lids

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

TAL A-1  
SAMPLING SUMMARY

Sample Location	Sample Point	Matrix	Sampling Frequency	Approx Sample No	Sampling Method	Sampling Equipment	TAT	QC Level	Required Analysis	Analytical Method	Holding Time	Preservatives	Containers
Incidental Wastes	Contractor-Generated Wastes	Water	1 composite per tanker or 1 composite sample per 10 drums (or as required by the Disposal Facility) + 5% dup	Minimum 1, and as required by the Disposal Facility	Composite of grabs (except volatiles--grabs for volatiles)	N/A	7 days	NEESA Level E	TCL Volatiles TCL Semi-Volatiles TCL Pesticides/PCBs TAL Metals	8240 8270 8080 6010,7000	14 days 7 days ext; 40 days analysis 7 days ext; 40 days analysis 6 mos; Hg 28 days	Cool to 4°C	(2) 40ml amber vials  (3) 1L amber glass w/ teflon-lined lids  (1) 500ml HDPE  <i>(Also collect another full set for the Disposal Facility)</i>
Incidental Wastes	Contractor-Generated Wastes	PPE, Debris	1 composite per roll-off or 1 composite sample per 10 drums (or as required by the Disposal Facility) + 5% dup	Minimum 1, and as required by the Disposal Facility	Composite of grabs (except volatiles--grabs for volatiles)	N/A	7 days	NEESA Level E	TCL Volatiles TCL Semi-Volatiles TCL Pesticides/PCBs TAL Metals	8240 8270 8080 6010,7000	14 days 7 days ext; 40 days analysis 7 days ext; 40 days analysis 6 mos; Hg 28 days	Cool to 4°C	(2) 40ml amber vials  (3) 1L amber glass w/ teflon-lined lids  (1) 500ml HDPE  <i>(Also collect another full set for the Disposal Facility)</i>
Incidental Wastes	Trip Blank	Water	1 per cooler	2	N/A	N/A	7 days	NEESA Level E	TCL Volatiles	8240	14 days	Cool to 4°C	(2) 40ml amber vials

Notes:

1) Collect daily--analyze samples from every other day only. Hold others unless evidence of contamination exists.

**TABLE A-2**  
**PROJECT QUALITY CONTROL OBJECTIVES**

Method No <sup>1</sup>	Analyte / Component	Project Action Limits		Minimum PQL		Accuracy Limits MS/MSD Recoveries		Precision Limits MS/MSD Deviation		Accuracy Limits LCS Recoveries		Precision Limits Field Dup Deviation		Completeness Limits	
		Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>
<b>ORGANOCHLORINE PESTICIDES</b>															
		ug/L	ug/kg <sup>3</sup>	ug/L	ug/kg <sup>3</sup>	%	%	%	%	%	%	%	%	%	%
8080	Aldrin	NS	35	0.04	17	60-160	20-170	<30	<50	47-116	47-116	<50	<75	95	90
8080	Alpha BHC	NS	NS	0.03	10	60-160	20-170	<30	<50	81-125	81-125	<50	<75	95	90
8080	Beta BHC	NS	NS	0.06	20	60-160	20-170	<30	<50	51-123	51-123	<50	<75	95	90
8080	Delta BHC	NS	NS	0.09	25	60-160	20-170	<30	<50	76-126	76-126	<50	<75	95	90
8080	Gamma BHC (Lindane)	NS	NS	0.04	17	60-160	20-170	<30	<50	73-120	73-120	<50	<75	95	90
8080	Alpha-Chlordane	NS	459	0.14	100	60-160	20-170	<30	<50	45-119	45-119	<50	<75	95	90
8080	Gamma-Chlordane	NS	459	0.14	100	60-160	20-170	<30	<50	45-119	45-119	<50	<75	95	90
8080	4,4'-DDD	NS	2484	0.04	100	60-160	20-170	<30	<50	48-136	48-136	<50	<75	95	90
8080	4,4'-DDE	NS	NS	0.12	100	60-160	20-170	<30	<50	45-139	45-139	<50	<75	95	90
8080	4,4'-DDT	NS	1753	0.02	100	60-160	20-170	<30	<50	34-143	34-143	<50	<75	95	90
8080	Dieldrin	NS	37	0.14	20	60-160	20-170	<30	<50	42-132	42-132	<50	<75	95	90
8080	Endosulfan I	NS	NS	0.04	17	60-160	20-170	<30	<50	49-143	49-143	<50	<75	95	90
8080	Endosulfan II	NS	NS	0.66	200	60-160	20-170	<30	<50	78-159	78-159	<50	<75	95	90
8080	Endosulfan Sulfate	NS	NS	0.06	20	60-160	20-170	<30	<50	46-141	46-141	<50	<75	95	90
8080	Endrin	NS	NS	0.23	100	60-160	20-170	<30	<50	43-134	43-134	<50	<75	95	90
8080	Endrin Aldehyde	NS	NS	0.03	10	60-160	20-170	<30	<50	75-150	75-150	<50	<75	95	90
8080	Heptachlor	NS	NS	0.83	200	60-160	20-170	<30	<50	45-128	45-128	<50	<75	95	90
8080	Heptachlor Epoxide	NS	NS	1.76	500	60-160	20-170	<30	<50	53-134	53-134	<50	<75	95	90
8080	Methoxychlor	NS	NS	2.4	1000	60-160	20-170	<30	<50	73-142	73-142	<50	<75	95	90
8080	Toxaphene	NS	NS	1	2000	60-160	20-170	<30	<50	41-126	41-126	<50	<75	95	90
<b>PCB</b>															
		ug/L	ug/kg	ug/L	ug/kg	%	%	%	%	%	%	<50	<75	%	%
8080	Arochlor-1016	NS	NS	1	1	40-140	40-150	<30	<50	50-114	50-114	<50	<75	95	90
8080	Arochlor-1221	NS	NS	1	1	40-140	40-150	<30	<50	15-178	15-178	<50	<75	95	90
8080	Arochlor-1232	NS	NS	1	1	40-140	40-150	<30	<50	10-215	10-215	<50	<75	95	90
8080	Arochlor-1242	NS	NS	1	1	40-140	40-150	<30	<50	39-150	39-150	<50	<75	95	90
8080	Arochlor-1248	NS	NS	1	1	40-140	40-150	<30	<50	38-158	38-158	<50	<75	95	90
8080	Arochlor-1254	NS	NS	1	1	40-140	40-150	<30	<50	29-131	29-131	<50	<75	95	90
8080	Arochlor-1260	NS	NS	1	1	40-140	40-150	<30	<50	8-127	8-127	<50	<75	95	90

Notes:

- 1) SW-846 Methods unless otherwise noted
- 2) Includes Sediments, Waste, Solids
- 3) May not be achievable due to matrix interferences

NS = Not Specified  
NA = Not Applicable

**TABLE A-2**  
**PROJECT QUALITY CONTROL OBJECTIVES**

Method No <sup>1</sup>	Analyte / Component	Project Action Limits		Minimum PQL		Accuracy Limits MS/MSD Recoveries		Precision Limits MS/MSD Deviation		Accuracy Limits LCS Recoveries		Precision Limits Field Dup Deviation		Completeness Limits	
		Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>
<b>VOLATILES BY GC/MS</b>															
		ug/L	ug/kg	ug/L	ug/kg	%	%	%	%	%	%	%	%	%	%
8240	Acetone	NS	NS	100	100	60-140	20-150	<30	<50	43-165	43-165	<50	<75	95	90
8240	Benzene	NS	NS	5	5	60-140	20-150	<30	<50	51-139	51-139	<50	<75	95	90
8240	Bromoform	NS	NS	5	5	60-140	20-150	<30	<50	67-129	67-129	<50	<75	95	90
8240	Bromomethane	NS	NS	5	5	60-140	20-150	<30	<50	49-117	49-117	<50	<75	95	90
8240	2-Butanone	NS	NS	10	10	60-140	20-150	<30	<50	50-163	50-163	<50	<75	95	90
8240	Carbon Disulfide	NS	NS	100	100	60-140	20-150	<30	<50	76-119	76-119	<50	<75	95	90
8240	Carbon Tetrachloride	NS	NS	5	5	60-140	20-150	<30	<50	67-125	67-125	<50	<75	95	90
8240	Chlorobenzene	NS	NS	5	5	60-140	20-150	<30	<50	69-140	69-140	<50	<75	95	90
8240	Chlorodibromomethane	NS	NS	5	5	60-140	20-150	<30	<50	64-120	64-120	<50	<75	95	90
8240	Chloroethane	NS	NS	5	5	60-140	20-150	<30	<50	62-116	62-116	<50	<75	95	90
8240	2-Chloroethyl Vinyl Ether	NS	NS	10	10	60-140	20-150	<30	<50	10-305	10-305	<50	<75	95	90
8240	Chloroform	NS	NS	10	10	60-140	20-150	<30	<50	65-129	65-129	<50	<75	95	90
8240	Chloromethane	NS	NS	5	5	60-140	20-150	<30	<50	38-116	38-116	<50	<75	95	90
8240	1,1-Dichloroethane	NS	NS	10	10	60-140	20-150	<30	<50	62-141	62-141	<50	<75	95	90
8240	1,2-Dichloroethane	NS	NS	5	5	60-140	20-150	<30	<50	68-135	68-135	<50	<75	95	90
8240	1,1-Dichloroethene	NS	NS	5	5	60-140	20-150	<30	<50	54-128	54-128	<50	<75	95	90
8240	Cis-1,2-Dichloroethene	NS	NS	5	5	60-140	20-150	<30	<50	70-131	70-131	<50	<75	95	90
8240	Trans-1,2-Dichloroethene	NS	NS	5	5	60-140	20-150	<30	<50	61-138	61-138	<50	<75	95	90
8240	1,2-Dichloropropane	NS	NS	5	5	60-140	20-150	<30	<50	76-132	76-132	<50	<75	95	90
8240	Cis-1,3-Dichloropropene	NS	NS	5	5	60-140	20-150	<30	<50	70-122	70-122	<50	<75	95	90
8240	Trans-1,3-Dichloropropene	NS	NS	5	5	60-140	20-150	<30	<50	42-154	42-154	<50	<75	95	90
8240	Ethylbenzene	NS	NS	5	5	60-140	20-150	<30	<50	59-140	59-140	<50	<75	95	90
8240	2-Hexanone	NS	NS	50	50	60-140	20-150	<30	<50	47-165	47-165	<50	<75	95	90
8240	Methylene Chloride	NS	NS	5	5	60-140	20-150	<30	<50	55-126	55-126	<50	<75	95	90
8240	4-Methyl-2-Pentanone	NS	NS	50	50	60-140	20-150	<30	<50	77-119	77-119	<50	<75	95	90
8240	Styrene	NS	NS	5	5	60-140	20-150	<30	<50	71-133	71-133	<50	<75	95	90
8240	1,1,2,2-Tetrachloroethane	NS	NS	5	5	60-140	20-150	<30	<50	55-138	55-138	<50	<75	95	90
8240	Tetrachloroethylene	NS	NS	5	5	60-140	20-150	<30	<50	67-131	67-131	<50	<75	95	90
8240	Toluene	NS	NS	5	5	60-140	20-150	<30	<50	31-137	31-137	<50	<75	95	90
8240	1,1,1-Trichloroethane	NS	NS	5	5	60-140	20-150	<30	<50	68-135	68-135	<50	<75	95	90
8240	1,1,2-Trichloroethane	NS	NS	5	5	60-140	20-150	<30	<50	70-141	70-141	<50	<75	95	90
8240	Trichloroethylene	NS	NS	5	5	60-140	20-150	<30	<50	67-137	67-137	<50	<75	95	90
8240	1,2,3-Trichloropropane	NS	NS	5	5	60-140	20-150	<30	<50	76-140	76-140	<50	<75	95	90
8240	Vinyl Acetate	NS	NS	50	50	60-140	20-150	<30	<50	82-114	82-114	<50	<75	95	90
8240	Vinyl Chloride	NS	NS	10	10	60-140	20-150	<30	<50	31-121	31-121	<50	<75	95	90

Notes:

- 1) SW-846 Methods unless otherwise noted
- 2) Includes Sediments, Waste, Solids
- 3) May not be achievable due to matrix interferences

NS = Not Specified  
NA = Not Applicable

**TABLE A-2**  
**PROJECT QUALITY CONTROL OBJECTIVES**

Method No <sup>1</sup>	Analyte / Component	Project Action Limits		Minimum PQL		Accuracy Limits MS/MSD Recoveries		Precision Limits MS/MSD Deviation		Accuracy Limits LCS Recoveries		Precision Limits Field Dup Deviation		Completeness Limits	
		Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>
8240	Xylenes, Total	NS	NS	5	5	60-140	20-150	<30	<50	68-133	68-133	<50	<75	95	90
8240	1,4-Bromofluorobenzene	NS	NS	5	5	60-140	20-150	<30	<50	75-125	75-125	<50	<75	95	90
8240	1,2-Dichloroethane-d4	NS	NS	5	5	60-140	20-150	<30	<50	75-125	75-125	<50	<75	95	90
8240	Toluene-d8	NS	NS	5	5	60-140	20-150	<30	<50	75-125	75-125	<50	<75	95	90

SEMI-VOLATILES BY GC/MS		ug/L	ug/kg	ug/L	ug/kg	%	%	%	%	%	%	%	%	%	%
8270	1,2,4-Trichlorobenzene	NS	NS	10	660	60-140	20-150	<30	<50	44-142	44-142	<50	<75	95	90
8270	1,2-Dichlorobenzene	NS	NS	10	660	60-140	20-150	<30	<50	42-105	42-105	<50	<75	95	90
8270	1,3-Dichlorobenzene	NS	NS	10	660	60-140	20-150	<30	<50	36-109	36-109	<50	<75	95	90
8270	1,4-Dichlorobenzene	NS	NS	10	660	60-140	20-150	<30	<50	30-107	30-107	<50	<75	95	90
8270	2,4,5-Trichlorophenol	NS	NS	50	330	60-140	20-150	<30	<50	22-183	22-183	<50	<75	95	90
8270	2,4,6-Trichlorophenol	NS	NS	10	660	60-140	20-150	<30	<50	39-128	39-128	<50	<75	95	90
8270	2,4-Dichlorophenol	NS	NS	10	660	60-140	20-150	<30	<50	46-123	46-123	<50	<75	95	90
8270	2,4-Dimethylphenol	NS	NS	10	660	60-140	20-150	<30	<50	45-139	45-139	<50	<75	95	90
8270	2,4-Dinitrophenol	NS	NS	50	3300	60-140	20-150	<30	<50	30-151	30-151	<50	<75	95	90
8270	2,4-Dinitrotoluene	NS	NS	10	660	60-140	20-150	<30	<50	39-139	39-139	<50	<75	95	90
8270	2,6-Dinitrotoluene	NS	NS	10	660	60-140	20-150	<30	<50	51-125	51-125	<50	<75	95	90
8270	2-Chloronaphthalene	NS	NS	10	660	60-140	20-150	<30	<50	60-118	60-118	<50	<75	95	90
8270	2-Chlorophenol	NS	NS	10	660	60-140	20-150	<30	<50	41-121	41-121	<50	<75	95	90
8270	2-Methylnaphthalene	NS	NS	10	660	60-140	20-150	<30	<50	41-123	41-123	<50	<75	95	90
8270	2-Nitroaniline	NS	NS	50	3300	60-140	20-150	<30	<50	50-123	50-123	<50	<75	95	90
8270	2-Nitrophenol	NS	NS	10	660	60-140	20-150	<30	<50	44-123	44-123	<50	<75	95	90
8270	3,3'-Dichlorobenzidine	NS	NS	20	1300	60-140	20-150	<30	<50	29-183	29-183	<50	<75	95	90
8270	3-Nitroaniline	NS	NS	50	3300	60-140	20-150	<30	<50	51-118	51-118	<50	<75	95	90
8270	4,6-Dinitro-2-methyl phenol	NS	NS	50	3300	60-140	20-150	<30	<50	26-134	26-134	<50	<75	95	90
8270	4-Bromophenyl phenyl ether	NS	NS	10	660	60-140	20-150	<30	<50	53-127	53-127	<50	<75	95	90
8270	4-Chloroaniline	NS	NS	20	1300	60-140	20-150	<30	<50	45-136	45-136	<50	<75	95	90
8270	4-Chloro-3-methyl phenol	NS	NS	20	1300	60-140	20-150	<30	<50	44-117	44-117	<50	<75	95	90
8270	4-Chlorophenyl phenyl ether	NS	NS	10	660	60-140	20-150	<30	<50	51-132	51-132	<50	<75	95	90
8270	4-Nitroaniline	NS	NS	50	3300	60-140	20-150	<30	<50	40-143	40-143	<50	<75	95	90
8270	4-Nitrophenol	NS	NS	50	1600	60-140	20-150	<30	<50	11-131	11-131	<50	<75	95	90
8270	Acenaphthalene	NS	NS	10	660	60-140	20-150	<30	<50	47-115	47-115	<50	<75	95	90
8270	Acenaphthene	NS	NS	10	660	60-140	20-150	<30	<50	49-124	49-124	<50	<75	95	90
8270	Anthracene	NS	NS	10	660	60-140	20-150	<30	<50	45-165	45-165	<50	<75	95	90
8270	Benzo (a) anthracene	NS	NS	10	660	60-140	20-150	<30	<50	51-133	51-133	<50	<75	95	90
8270	Benzo (a) pyrene	NS	NS	10	660	60-140	20-150	<30	<50	41-113	41-113	<50	<75	95	90
8270	Benzo (b) fluoranthene	NS	NS	10	660	60-140	20-150	<30	<50	37-119	37-119	<50	<75	95	90

- Notes:  
1) SW-846 Methods unless otherwise noted  
2) Includes Sediments, Waste, Solids  
3) May not be achievable due to matrix interferences

NS = Not Specified  
NA = Not Applicable

**TABLE A-2**  
**PROJECT QUALITY CONTROL OBJECTIVES**

Method No <sup>1</sup>	Analyte / Component	Project Action Limits		Minimum PQL		Accuracy Limits MS/MSD Recoveries		Precision Limits MS/MSD Deviation		Accuracy Limits LCS Recoveries		Precision Limits Field Dup Deviation		Completeness Limits	
		Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>
8270	Benzo (g,h,i) perylene	NS	NS	10	660	60-140	20-150	<30	<50	34-149	34-149	<50	<75	95	90
8270	Benzo (k) fluoranthene	NS	NS	10	660	60-140	20-150	<30	<50	37-123	37-123	<50	<75	95	90
8270	Benzoic acid	NS	NS	50	1600	60-140	20-150	<30	<50	1-162	1-162	<50	<75	95	90
8270	Benzyl alcohol	NS	NS	20	1300	60-140	20-150	<30	<50	35-121	35-121	<50	<75	95	90
8270	Bis (2-chloroethoxy) methane	NS	NS	10	660	60-140	20-150	<30	<50	49-104	49-104	<50	<75	95	90
8270	Bis (2-chloroethyl) ether	NS	NS	10	660	60-140	20-150	<30	<50	44-106	44-106	<50	<75	95	90
8270	Bis (2-chloroisopropyl) ether	NS	NS	10	660	60-140	20-150	<30	<50	36-166	36-166	<50	<75	95	90
8270	Bis (2-ethylhexyl) phthalate	NS	NS	10	660	60-140	20-150	<30	<50	33-129	33-129	<50	<75	95	90
8270	Butyl benzyl phthalate	NS	NS	10	660	60-140	20-150	<30	<50	26-123	26-123	<50	<75	95	90
8270	Carbazole	NS	NS	10	660	60-140	20-150	<30	<50	34-132	34-132	<50	<75	95	90
8270	Chrysene	NS	NS	10	660	60-140	20-150	<30	<50	55-133	55-133	<50	<75	95	90
8270	Di-n-butyl phthalate	NS	NS	10	660	60-140	20-150	<30	<50	34-126	34-126	<50	<75	95	90
8270	Di-n-octyl phthalate	NS	NS	10	660	60-140	20-150	<30	<50	38-127	38-127	<50	<75	95	90
8270	Dibenzo (a,h) anthracene	NS	NS	10	660	60-140	20-150	<30	<50	50-118	50-118	<50	<75	95	90
8270	Dibenzofuran	NS	NS	10	660	60-140	20-150	<30	<50	52-124	52-124	<50	<75	95	90
8270	Diethyl phthalate	NS	NS	10	660	60-140	20-150	<30	<50	37-114	37-114	<50	<75	95	90
8270	Dimethyl phthalate	NS	NS	10	660	60-140	20-150	<30	<50	6-186	6-186	<50	<75	95	90
8270	Fluoranthene	NS	NS	10	660	60-140	20-150	<30	<50	47-111	47-111	<50	<75	95	90
8270	Fluorene	NS	NS	10	660	60-140	20-150	<30	<50	48-139	48-139	<50	<75	95	90
8270	Hexachlorobenzene	NS	NS	10	660	60-140	20-150	<30	<50	46-133	46-133	<50	<75	95	90
8270	Hexachlorobutadiene	NS	NS	10	660	60-140	20-150	<30	<50	24-116	24-116	<50	<75	95	90
8270	Hexachlorocyclopentadiene	NS	NS	10	660	60-140	20-150	<30	<50	41-115	41-115	<50	<75	95	90
8270	Hexachloroethane	NS	NS	10	660	60-140	20-150	<30	<50	7-153	7-153	<50	<75	95	90
8270	Indeno (1,2,3-c,d) pyrene	NS	NS	10	660	60-140	20-150	<30	<50	27-160	27-160	<50	<75	95	90
8270	Isophorone	NS	NS	10	660	60-140	20-150	<30	<50	26-177	26-177	<50	<75	95	90
8270	3-Methylphenol	NS	NS	10	660	60-140	20-150	<30	<50	41-144	41-144	<50	<75	95	90
8270	N-Nitrosodi-n-propylamine	NS	NS	10	660	60-140	20-150	<30	<50	37-117	37-117	<50	<75	95	90
8270	N-Nitrosodiphenylamine	NS	NS	10	660	60-140	20-150	<30	<50	27-116	27-116	<50	<75	95	90
8270	Naphthalene	NS	NS	10	660	60-140	20-150	<30	<50	50-120	50-120	<50	<75	95	90
8270	Nitrobenzene	NS	NS	10	660	60-140	20-150	<30	<50	46-133	46-133	<50	<75	95	90
8270	2-Methylphenol	NS	NS	10	660	60-140	20-150	<30	<50	25-125	25-125	<50	<75	95	90
8270	p-Chloroaniline	NS	NS	10	660	60-140	20-150	<30	<50	56-107	56-107	<50	<75	95	90
8270	4-Methylphenol	NS	NS	10	660	60-140	20-150	<30	<50	33-108	33-108	<50	<75	95	90
8270	Pentachlorophenol	NS	NS	50	3300	60-140	20-150	<30	<50	28-136	28-136	<50	<75	95	90
8270	Phenanthrene	NS	NS	10	660	60-140	20-150	<30	<50	54-120	54-120	<50	<75	95	90
8270	Phenol	NS	NS	10	660	60-140	20-150	<30	<50	17-118	17-118	<50	<75	95	90
8270	Pyrene	NS	NS	10	660	60-140	20-150	<30	<50	47-136	47-136	<50	<75	95	90
8270	Nitrobenzene-d5	NS	NS	10	660	60-140	20-150	<30	<50	32-115	32-115	<50	<75	95	90

- Notes:  
1) SW-846 Methods unless otherwise noted  
2) Includes Sediments, Waste, Solids  
3) May not be achievable due to matrix interferences

NS = Not Specified  
NA = Not Applicable

**TABLE A-2**  
**PROJECT QUALITY CONTROL OBJECTIVES**

Method No <sup>1</sup>	Analyte / Component	Project Action Limits		Minimum PQL		Accuracy Limits MS/MSD Recoveries		Precision Limits MS/MSD Deviation		Accuracy Limits LCS Recoveries		Precision Limits Field Dup Deviation		Completeness Limits	
		Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>
8270	2-Fluorobiphenyl	NS	NS	10	660	60-140	20-150	<30	<50	43-116	43-116	<50	<75	95	90
8270	Terphenyl-d14	NS	NS	10	660	60-140	20-150	<30	<50	42-126	42-126	<50	<75	95	90
8270	Phenol-d5	NS	NS	10	660	60-140	20-150	<30	<50	13-108	13-108	<50	<75	95	90
8270	2-Fluorophenol	NS	NS	10	660	60-140	20-150	<30	<50	25-95	25-95	<50	<75	95	90
8270	2,4,6-Tribromophenol	NS	NS	10	660	60-140	20-150	<30	<50	22-134	22-134	<50	<75	95	90

METALS BY ICP		mg/L	mg/kg	mg/L	mg/kg	%	%	<30	<50	%	%	%	%	%	%
6010	Aluminum	NS	NS	0.5	50	50-150	30-170	<30	<50	84-115	84-115	<50	<75	95	90
6010	Antimony	NS	NS	0.4	40	50-150	30-170	<30	<50	81-112	81-112	<50	<75	95	90
6010	Arsenic	NS	NS	0.6	60	50-150	30-170	<30	<50	79-115	79-115	<50	<75	95	90
6010	Barium	NS	NS	0.02	2	50-150	30-170	<30	<50	85-112	85-112	<50	<75	95	90
6010	Beryllium	NS	NS	0.003	0.3	50-150	30-170	<30	<50	83-114	83-114	<50	<75	95	90
6010	Cadmium	NS	NS	0.04	4	50-150	30-170	<30	<50	78-118	78-118	<50	<75	95	90
6010	Calcium	NS	NS	0.1	10	50-150	30-170	<30	<50	84-114	84-114	<50	<75	95	90
6010	Chromium	NS	NS	0.07	7	50-150	30-170	<30	<50	82-115	82-115	<50	<75	95	90
6010	Cobalt	NS	NS	0.07	7	50-150	30-170	<30	<50	82-113	82-113	<50	<75	95	90
6010	Copper	NS	NS	0.06	6	50-150	30-170	<30	<50	83-114	83-114	<50	<75	95	90
6010	Iron	NS	NS	0.07	7	50-150	30-170	<30	<50	84-115	84-115	<50	<75	95	90
6010	Lead	NS	NS	0.5	50	50-150	30-170	<30	<50	79-116	79-116	<50	<75	95	90
6010	Magnesium	NS	NS	0.3	30	50-150	30-170	<30	<50	84-112	84-112	<50	<75	95	90
6010	Manganese	NS	NS	0.02	2	50-150	30-170	<30	<50	84-114	84-114	<50	<75	95	90
6010	Molybdenum	NS	NS	0.08	8	50-150	30-170	<30	<50	83-113	83-113	<50	<75	95	90
6010	Nickel	NS	NS	0.15	15	50-150	30-170	<30	<50	82-112	82-112	<50	<75	95	90
6010	Potassium	NS	NS	5	500	50-150	30-170	<30	<50	82-114	82-114	<50	<75	95	90
6010	Selenium	NS	NS	0.8	80	50-150	30-170	<30	<50	68-121	68-121	<50	<75	95	90
6010	Silver	NS	NS	0.07	7	50-150	30-170	<30	<50	75-123	75-123	<50	<75	95	90
6010	Sodium	NS	NS	0.3	30	50-150	30-170	<30	<50	84-115	84-115	<50	<75	95	90
6010	Thallium	NS	NS	0.4	40	50-150	30-170	<30	<50	80-112	80-112	<50	<75	95	90
6010	Vanadium	NS	NS	0.08	8	50-150	30-170	<30	<50	82-112	82-112	<50	<75	95	90
6010	Zinc	NS	NS	0.02	2	50-150	30-170	<30	<50	82-113	82-113	<50	<75	95	90

METALS BY GFAA		mg/L	mg/kg	mg/L	mg/kg	%	%	%	%	%	%	%	%	%	%
7041	Antimony	NS	NS	0.005	0.5	50-150	30-170	<30	<50	75-122	75-122	<50	<75	95	90
7060	Arsenic	NS	NS	0.005	0.5	50-150	30-170	<30	<50	74-120	74-120	<50	<75	95	90
7081	Barium	NS	NS	0.002	0.2	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7091	Beryllium	NS	NS	0.0002	0.02	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7131	Cadmium	NS	NS	0.0001	0.001	50-150	30-170	<30	<50	80-122	80-122	<50	<75	95	90

- Notes:  
1) SW-846 Methods unless otherwise noted  
2) Includes Sediments, Waste, Solids  
3) May not be achievable due to matrix interferences

NS = Not Specified  
NA = Not Applicable

**TABLE A-2**  
**PROJECT QUALITY CONTROL OBJECTIVES**

Method No <sup>1</sup>	Analyte / Component	Project Action Limits		Minimum PQL		Accuracy Limits MS/MSD Recoveries		Precision Limits MS/MSD Deviation		Accuracy Limits LCS Recoveries		Precision Limits Field Dup Deviation		Completeness Limits	
		Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>	Water	Soil <sup>2</sup>
7191	Chromium	NS	NS	0.001	0.1	50-150	30-170	<30	<50	80-121	80-121	<50	<75	95	90
7201	Cobalt	NS	NS	0.001	0.1	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7211	Copper	NS	NS	0.001	0.1	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7381	Iron	NS	NS	0.001	0.1	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7421	Lead	NS	NS	0.001	0.1	50-150	30-170	<30	<50	74-124	74-124	<50	<75	95	90
7461	Manganese	NS	NS	0.0002	0.02	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7481	Molybdenum	NS	NS	0.001	0.1	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7740	Selenium	NS	NS	0.002	0.2	50-150	30-170	<30	<50	73-122	73-122	<50	<75	95	90
7761	Silver	NS	NS	0.0002	0.02	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90
7841	Thallium	NS	NS	0.001	0.1	50-150	30-170	<30	<50	78-123	78-123	<50	<75	95	90
7911	Vanadium	NS	NS	0.004	0.4	50-150	30-170	<30	<50	78-123	78-123	<50	<75	95	90
7951	Zinc	NS	NS	0.00005	0.005	50-150	30-170	<30	<50	70-130	70-130	<50	<75	95	90

MERCURY BY COLD VAPOR		mg/L	mg/kg	mg/L	mg/kg	%	%	%	%	%	%	%	%	%	%
7470	Mercury	NS	NA	0.001	NA	50-150	NA	<30	NA	77-120	NA	<50	NA	95	NA
7471	Mercury	NA	N/S	NA	0.1	NA	30-170	NA	<50	NA	77-120	NA	<75	NA	90

ON-SITE GC SCREENING															
PESTICIDES		ug/L	ug/kg <sup>3</sup>	ug/L	ug/kg <sup>3</sup>	%	%	%	%	%	%	%	%	%	%
8080	Aldrin	NS	35	N/A	30	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90
8080	Alpha-Chlordane	NS	459	N/A	250	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90
8080	Gamma-Chlordane	NS	459	N/A	250	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90
8080	4,4'-DDD	NS	2484	N/A	500	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90
8080	4,4'-DDE	NS	NS	N/A	500	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90
8080	4,4'-DDT	NS	1753	N/A	500	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90
8080	Dieldrin	NS	37	N/A	30	N/A	10-180	N/A	<50	N/A	30-150	N/A	<80	N/A	90

Notes:  
1) SW-846 Methods unless otherwise noted  
2) Includes Sediments, Waste, Solids  
3) May not be achievable due to matrix interferences

NS = Not Specified  
NA = Not Applicable

**Appendix B**

**Sample Label**

**Custody Seal**

**Chain-of-Custody Record**

**OHM Shipping Label**

**Shipping Instructions for Sending Samples to the Laboratory**

**Shipping Instructions for Treatability Study Samples**

Client \_\_\_\_\_

Sample ID \_\_\_\_\_

Location \_\_\_\_\_

Analysis \_\_\_\_\_

Preservative \_\_\_\_\_

Collection Date/Time \_\_\_\_\_

Collected By \_\_\_\_\_

### CUSTODY SEAL

Person Collecting Sample \_\_\_\_\_ (signature) Sample No. \_\_\_\_\_

Date Collected \_\_\_\_\_ Time Collected \_\_\_\_\_


Custody Seal

Sample Label



OHM Remediation  
Services Corp.





OHM Corporation



From:

Phone:

To:

Phone:

Other Regulated Substances, ID# 8027

CLASS 9 SHIPPING LABEL




OHM Remediation Services Corp.



NOTE: These procedures are ONLY for shipping unknown environmental samples such as sludge, soil, or water samples for laboratory analysis and identification; Materials which are known to be explosive, compressed gases, flammable, oxidizers, poisons, radioactive, or corrosive cannot be shipped by this method. Call the Regional T&D Coordinator for help in that case. Drum or tank materials must be shipped as per the Regional T&D Coordinator's instructions.

Cooler lid is taped closed and additional tape should be used around the outside to act as strapping.

OHM custom sample shipping label



Lower Portion of Fed-Ex  
DANGEROUS GOODS airbill

0792772120

Two completed and signed copies of this Declaration must be handed to the operator.

**WARNING**  
Failure to comply in all respects with the applicable Dangerous Goods Regulations may be in breach of the applicable law, subject to legal penalties. This Declaration must not, in any circumstances, be completed and/or signed by a consolidator, a forwarder or an IATA cargo agent.

**TRANSPORT DETAILS**

Origin:  Airport of Departure  
 Destination:  Airport of Destination  
 Shipper:  Shipper  
 Consignee:  Consignee  
 Aircraft:  Aircraft  
 Mode:  Mode

Shipments type:  **NON-RADIOACTIVE** |  RADIOACTIVE

**NATURE AND QUANTITY OF DANGEROUS GOODS**

Proper Shipping Name	Class or Division	ID No.	Packing Group	Label Code	Quantity and type of packing	Packing Inst.	Authorization
Other Regulated Substances	Class 9	ID 8027	NA	NA	Plastic Box Containing _____ x 1 kg inner containers	906	

Additional Handling Information: \_\_\_\_\_

I hereby declare that the contents of this shipment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in the proper condition for transport by air according to the applicable International and National Government Regulations.

Emergency telephone number (required for US Origin or Destination shipments): \_\_\_\_\_


Signature of Shipper: \_\_\_\_\_  
 Name and Title: \_\_\_\_\_  
 Date: \_\_\_\_\_

ACCEPTABLE FOR PASSENGER AIRCRAFT FOR SHIPMENT OF \_\_\_\_\_  
 ADDITIONAL NATIONAL INSTRUCTIONS FOR USE IN AN INCIDENT TO: \_\_\_\_\_

- 1) Samples must be shipped in "Strong outer packaging". Fed-Ex stated that a rigid plastic cooler like we are currently using would be acceptable.
- 2) Use one of OHM's custom sample shipping labels. The To/From address portion of the label should be filled out completely including phone numbers. This label should be placed on last and cannot be covered by tape, the Fed-Ex airbill or anything else. This label should go on the TOP of the cooler.
- 3) Inner packages cannot exceed 1 gallon each, and the entire shipment (cooler & samples) cannot exceed 66 lb.
- 4) Coolers must be packed with absorbent material (vermiculite or kitty litter) which will absorb any spills or leaks, not react with the sample contents, and which will minimize the chance that inner containers will break. The coolers should also be fastened shut securely using tape or strapping. See the SAP for special instructions.
- 5) Inner containers should have their lids securely closed and packed in a ziplock baggie to prevent leaks
- 6) The materials must be shipped using a Federal Express Hazardous Materials Airbill. Use the example above or call the Hazardous Materials group at Federal Express at (800) GO-FEDEX for more instructions on filling out this form.
- 7) The COC must be filled out completely, placed in a gallon zip-lock baggie, and taped to the inside lid of the cooler. A copy of the COC should be placed behind the airbill in the pouch on the outside of the cooler.

Don't forget to sign and include the 24-hr Emergency Response Phone number. Check with the Regional T&D Coordinator for this number

Lids are taped to prevent leaks or loosening. Entire jar is sealed in a zip-lock baggie



Fill in the blank with the number of containers

- \_\_\_ x 1 kg for quart jars
- \_\_\_ x 500 g for 8 oz jars
- \_\_\_ x 40 g for VOA vials

Fill in the Additional Handling space with:

"Samples from OHM Job # \_\_\_\_\_ see attached chain of custody. In case of emergency refer to ICAO Emergency Response Guidance for Aircraft Incidents Involving Dangerous Goods drill #9A"

**READ THE DIRECTIONS ON THE AIRBILL SO YOU UNDERSTAND WHAT YOU ARE FILLING OUT. Fill out the Fed-Ex airbill completely. Don't forget to sign the bottom and include the Emergency Response phone number. Changing even one thing from the example above may mean that Fed-Ex will refuse to accept the shipment. This procedure has been checked-out with Fed-Ex several times. If a driver refuses to pick it up make sure you have filled out the airbill right and followed ALL the instructions before you complain.**