

ROUTINE REPLY, ENDORSEMENT, TRANSMITTAL OR INFORMATION SHEET
NAVEXOS-3989 (Rev. 12-62)

0104 901 4901

DATE **29 JUL 85**

FROM

LP 1142 / CODE 1142

FILE NUMBER

6280 11420PC

SUBJECT

TAM

REFERENCE

TO: BA
 FA
 DIV

*AS SOON AS POSSIBLE
Get the 24 July
Hardcopy we need to
Send copies to state
see in
DDS*

*REPORT 17100
95189*

VIA

a window

FORWARDED

MESSAGE

FOR APPROPRIATE ACTION

FOR INFORMATION OR CERTIFICATION AND/OR FILE.

APPROVED DISAPPROVED

APPROVAL IS IS NOT RECOMMENDED

CONCURRING IN RECOMMENDATIONS MADE IN THE BASIC CORRESPONDENCE.

COMMENTS AND/OR RECOMMENDATIONS.

MAILING LIST ACTION

FOR ASSIGNMENT OF BUREAU FILE NUMBER(S)

ON A LOAN BASIS RETURN BY

SIGN ORIGINAL RECEIPT AND RETURN TO THIS OFFICE.

SUBJECT FILES, WHICH ARE LOCATED IN BOX NO. SHIPMENT NO.

REPLY TO THE ABOVE REFERENCE(S) BY

COPY(IES) OF REFERENCE DESCRIBED ABOVE WAS/WERE NOT RECEIVED.

SUBJECT DOCUMENT(S) WAS/WERE FORWARDED TO

SUBJECT DOCUMENT(S) IS/ARE WAS/WERE RETURNED FOR

AGENT(S) WAS/WERE FORWARDED TO YOUR OFFICE AS A MATTER UNDER YOUR JURISDICTION.

SUBJECT DOCUMENTS WAS/WERE APPROVED AND FORWARDED TO YOU.

COPY(IES) OF THIS CORRESPONDENCE WITH YOUR REPLY.

ENCLOSURE(S) IS/ARE FORWARDED AS REQUESTED BY REFERENCE

ENCLOSURE(S) IS/ARE RETURNED FOR CORRECTION AS INDICATED.

CORRECTED ENCLOSURE(S) AS REQUESTED

SUBJECT PERSON'S ATTENTION SHOULD BE INVITED TO THIS MATTER

SUBJECT PERSON(S) REPORTED TO THIS COMMAND

SUBJECT PERSON(S) COMPLETED HIS/THEIR DUTY AND WAS/WERE DETACHED FROM THIS COMMAND

NAME AND LOCATION OF SUPPLIER OF SUBJECT ITEMS.

SUBCONTRACT NUMBER FOR SUBJECT ITEM

SUBJECT PURCHASE DOCUMENT HAS BEEN REQUESTED AND WILL BE FORWARDED WHEN RECEIVED.

ENDORSEMENT OF SUBJECT SUBCONTRACT IS BEING DELAYED PENDING RECEIPT OF BASIC PURCHASE DOCUMENT.

APPROPRIATION SYMBOL SUBHEAD AND CHARGEABLE ACTIVITY

WHETHER SUBJECT ITEMS ARE TO BE COMMERCIALY SHIPPED OR AT GOVERNMENT EXPENSE

A CERTIFICATE IN LIEU OF SUBJECT BILL OF LADING WHICH HAS BEEN LOST.

QUEST

ADVISE

SUBMIT

MESSAGE

CERTIFY ENCLOSURE AS TO RECEIPT AND ACCEPTANCE OF MATERIAL AND FORWARD TO

COPIES OF SUBJECT CHANGE ORDER AMENDMENT OR MODIFICATION

CHANGE NOTICE TO THE SUPPLIER

COPIES OF APPLICABLE PLANS AND/OR SPECIFICATIONS.

FOR PLAN ACTION AS INDICATED

CLASSIFICATIONS OF DEFECTS FOR SUBJECT ITEMS

CONFIRMATION THAT INSPECTION OR SOURCE INSPECTION IS NOT REQUIRED

INSPECTION UNDER THE SUBJECT SUBCONTRACT IS NOT REQUIRED

COPIES OF SUBJECT PURCHASE DOCUMENT, IF SOURCE INSPECTION OR PROGRESSING IS REQUIRED

STATUS OF MATERIAL ON SUBJECT PURCHASE DOCUMENT

CLEARANCE AS INDICATED IN BASIC CORRESPONDENCE VERIFIED. NO REPLY UNLESS NEGATIVE.

VERIFICATION OF NEED-TO-KNOW FOR VISIT PERSONNEL CLEARANCES VERIFIED.

CLW

000005123

SEE REMARKS ON THE REVERSE SIDE.

COPY TO

11420PC

SIGNATURE


[Handwritten Signature]

REPORT # 100
LABORATORY ANALYSIS ON
NAVAL SAMPLES
(A/E CONTRACT N62470-84-B-6932)
JTC REPORT # 85-296

PREPARED FOR:
DEPARTMENT OF THE NAVY
ATLANTIC DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
NORFOLK, VA 23511

PREPARED BY:
JTC ENVIRONMENTAL CONSULTANTS, INC.
4 RESEARCH PLACE, SUITE L-10
ROCKVILLE, MARYLAND 20850

JULY 25, 1985


Ann E. Rosecrance
Laboratory Director

CLW

0000005124

CLW

0000005124



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1270 PROJECT NO. NF-12
NAVY SAMPLE # Bldg 710 7/17/85 DATE RECEIVED 7/18/85
METHOD NO. 624 DETECTION LIMIT 10 ug/lit

PARAMETER	RESULT ug/lit	PARAMETER	RESULT ug/lit
2V acrolein	N.D.	32V 1,2-dichloropropane	N.D.
3V acrylonitrile	N.D.	33V 1,3-dichloro- pylene	N.D.
4V benzene	N.D.	38V ethylbenzene	N.D.
6V carbon tetrachloride	N.D.	44V methylene chloride	N.D.
7V chlorobenzene	N.D.	45V methyl chloride	N.D.
10V 1,2-dichloroethane	N.D.	46V methyl bromide	N.D.
11V 1,1,1-trichloro- ethane	N.D.	47V bromoform	N.D. 115
13V 1,1-dichloroethane	N.D.	48V dichlorobromo- methane	N.D. 7 *
14V 1,1,2-trichloro- ethane	N.D.	49V trichlorofluoro- methane	N.D.
15V 1,1,2,2-tetra- chloroethane	N.D.	50V dichlorodifluoro- methane	N.D.
16V chloroethane	N.D.	51V chlorodibromomethane	N.D. 31
19V 2-chloroethylvinyl ether	N.D.	85V tetrachloroethylene	N.D.
23V chloroform	N.D. 2 *	86V toluene	N.D.
29V 1,1-dichloroethylene	N.D.	87V trichloroethylene	N.D.
30V 1,2-trans-dichloro- ethylene	N.D.	88V vinyl chloride	N.D.

CLW

000005126

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

* Below method detection limit



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1271 PROJECT NO. NF-12
NAVY SAMPLE # Bldg 2800 Annex DATE RECEIVED 7/18/85
METHOD NO. 624 DETECTION LIMIT 10 ug/lit

PARAMETER	RESULT ug/lit	PARAMETER	RESULT ug/lit
2V acrolein	N.D.	32V 1,2-dichloropropane	N.D.
3V acrylonitrile	N.D.	33V 1,3-dichloropro- pylene	N.D.
4V benzene	N.D.	38V ethylbenzene	N.D.
6V carbon tetrachloride	N.D.	44V methylene chloride	N.D.
7V chlorobenzene	N.D.	45V methyl chloride	N.D.
10V 1,2-dichloroethane	N.D.	46V methyl bromide	N.D.
11V 1,1,1-trichloro- ethane	N.D.	47V bromoform	N.D. 132
13V 1,1-dichloroethane	N.D.	48V dichlorobromo- methane	N.D. 6 *
14V 1,1,2-trichloro- ethane	N.D.	49V trichlorofluoro- methane	N.D.
15V 1,1,2,2-tetra- chloroethane	N.D.	50V dichlorodifluoro- methane	N.D.
16V chloroethane	N.D.	51V chlorodibromomethane	N.D. 32
19V 2-chloroethylvinyl ether	N.D.	85V tetrachloroethylene	N.D.
23V chloroform	N.D. 2 *	86V toluene	N.D.
29V 1,1-dichloroethylene	N.D.	87V trichloroethylene	N.D.
30V 1,2-trans-dichloro- ethylene	N.D.	88V vinyl chloride	N.D.

CLW

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

000005127
* Below method detection limit



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1272 PROJECT NO. NF-12
NAVY SAMPLE # AS110 WTP Treated DATE RECEIVED 7/18/85
METHOD NO. 624 DETECTION LIMIT 10 ug/lit

PARAMETER	RESULT ug/lit	PARAMETER	RESULT ug/lit
2V acrolein	N.D.	32V 1,2-dichloropropane	N.D.
3V acrylonitrile	N.D.	33V 1,3-dichloro- pylene	N.D.
4V benzene	N.D.	38V ethylbenzene	N.D.
6V carbon tetrachloride	N.D.	44V methylene chloride	N.D.
7V chlorobenzene	N.D.	45V methyl chloride	N.D.
10V 1,2-dichloroethane	N.D.	46V methyl bromide	N.D.
11V 1,1,1-trichloro- ethane	N.D. 18	47V bromoform	N.D. 63
13V 1,1-dichloroethane	N.D.	48V dichlorobromo- methane	N.D. 2 *
14V 1,1,2-trichloro- ethane	N.D.	49V trichlorofluoro- methane	N.D.
15V 1,1,2,2-tetra- chloroethane	N.D.	50V dichlorodifluoro- methane	N.D.
16V chloroethane	N.D.	51V chlorodibromomethane	N.D. 14
19V 2-chloroethylvinyl ether	N.D.	85V tetrachloroethylene	N.D.
23V chloroform	N.D. 2 *	86V toluene	N.D.
29V 1,1-dichloroethylene	N.D.	87V trichloroethylene	N.D.
30V 1,2-trans-dichloro- ethylene	N.D.	88V vinyl chloride	N.D.

CLW

000005128

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

* Below method detection limit



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1273 PROJECT NO. NF-12
NAVY SAMPLE # Bldg AS 4030 DATE RECEIVED 7/18/85
METHOD NO. 624 DETECTION LIMIT 10 ug/lit

PARAMETER	RESULT ug/lit	PARAMETER	RESULT ug/lit
2V acrolein	N.D.	32V 1,2-dichloropropane	N.D.
3V acrylonitrile	N.D.	33V 1,3-dichloropro- pylene	N.D.
4V benzene	N.D.	38V ethylbenzene	N.D.
6V carbon tetrachloride	N.D.	44V methylene chloride	N.D.
7V chlorobenzene	N.D.	45V methyl chloride	N.D.
10V 1,2-dichloroethane	N.D.	46V methyl bromide	N.D.
11V 1,1,1-trichloro- ethane	N.D.	47V bromoform	N.D. 139
13V 1,1-dichloroethane	N.D.	48V dichlorobromo- methane	N.D. 8 *
14V 1,1,2-trichloro- ethane	N.D.	49V trichlorofluoro- methane	N.D.
15V 1,1,2,2-tetra- chloroethane	N.D.	50V dichlorodifluoro- methane	N.D.
16V chloroethane	N.D.	51V chlorodibromomethane	N.D. 39
19V 2-chloroethylvinyl ether	N.D.	85V tetrachloroethylene	N.D.
23V chloroform	N.D. 2 *	86V toluene	N.D.
29V 1,1-dichloroethylene	N.D.	87V trichloroethylene	N.D.
30V 1,2-trans-dichloro- ethylene	N.D.	88V vinyl chloride	N.D.

CLW

000005129

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

* Below method detection limits



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1274 PROJECT NO. NF-12
NAVY SAMPLE # 6-520 DATE RECEIVED 7/18/85
METHOD NO. 624 DETECTION LIMIT 10 ug/lit

PARAMETER	RESULT ug/lit	PARAMETER	RESULT ug/lit
2V acrolein	N.D.	32V 1,2-dichloropropane	N.D.
3V acrylonitrile	N.D.	33V 1,3-dichloropro- pylene	N.D.
4V benzene	N.D.	38V ethylbenzene	N.D.
6V carbon tetrachloride	N.D.	44V methylene chloride	N.D.
7V chlorobenzene	N.D.	45V methyl chloride	N.D.
10V 1,2-dichloroethane	N.D.	46V methyl bromide	N.D.
11V 1,1,1-trichloro- ethane	N.D.	47V bromoform	N.D. 146
13V 1,1-dichloroethane	N.D.	48V dichlorobromo- methane	9* N.D.
14V 1,1,2-trichloro- ethane	N.D.	49V trichlorofluoro- methane	N.D.
15V 1,1,2,2-tetra- chloroethane	N.D.	50V dichlorodifluoro- methane	N.D.
16V chloroethane	N.D.	51V chlorodibromomethane	N.D. 46
19V 2-chloroethylvinyl ether	N.D.	85V tetrachloroethylene	N.D.
23V chloroform	N.D. 2*	86V toluene	N.D.
29V 1,1-dichloroethylene	N.D.	87V trichloroethylene	N.D.
30V 1,2-trans-dichloro- ethylene	N.D.	88V vinyl chloride	N.D.

CLW

000005130

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

* Below method detection limit