

FROM

LANTON COB 1142

FILE NUMBER

6280 11420PG

SUBJECT

VOA

REFERENCE

TO: MCB CAMP LEJEUNE
 BASE MAINTENANCE
 ENVIRONMENTAL AFFAIRS
 DIVISION

ENCLOSURE
 (1) JTC REPORTS 101, 103
 107 (RBCD 1 AUG 85)

JMS

This form may be used in a window envelope.

VIA _____ Endorsement on _____

FORWARDED RETURNED FOLLOW-UP REQUEST ADVISE SUBMIT

X	MESSAGE	X	MESSAGE	X	MESSAGE
<input checked="" type="checkbox"/>	FOR APPROPRIATE ACTION		SUBJECT DOCUMENT(S) WAS/WERE FORWARDED TO YOUR OFFICE _____ AS A MATTER UNDER YOUR JURISDICTION.		CERTIFY ENCLOSURE _____ AS TO RECEIPT AND ACCEPTANCE OF MATERIAL AND FORWARD TO _____
	FOR INFORMATION OR CERTIFICATION AND/OR FILE.		SUBJECT DOCUMENTS WAS/WERE APPROVED _____ AND FORWARDED TO YOU.		_____ COPIES OF SUBJECT CHANGE ORDER AMENDMENT OR MODIFICATION
	<input type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED		_____ COPY(IES) OF THIS CORRESPONDENCE WITH YOUR REPLY.		CHANGE NOTICE TO THE SUPPLIER
	APPROVAL <input type="checkbox"/> IS <input type="checkbox"/> IS NOT RECOMMENDED		ENCLOSURE(S) _____ IS/ARE FORWARDED AS REQUESTED BY REFERENCE _____		_____ COPIES OF APPLICABLE PLANS AND/OR SPECIFICATIONS.
	CONCURRING IN RECOMMENDATIONS MADE IN THE BASIC CORRESPONDENCE.		ENCLOSURE(S) IS/ARE RETURNED FOR CORRECTION AS INDICATED.		FOR PLAN ACTION AS INDICATED
	COMMENTS AND/OR RECOMMENDATIONS.		CORRECTED ENCLOSURE(S) AS REQUESTED		CLASSIFICATIONS OF DEFECTS FOR SUBJECT ITEMS
	MAILING LIST ACTION		SUBJECT PERSON'S ATTENTION SHOULD BE INVITED TO THIS MATTER		CONFIRMATION THAT INSPECTION OR SOURCE INSPECTION IS NOT REQUIRED
	FOR ASSIGNMENT OF BUREAU FILE NUMBER(S)		SUBJECT PERSON(S) REPORTED TO THIS COMMAND		INSPECTION UNDER THE SUBJECT SUBCONTRACT IS NOT REQUIRED
	ON A LOAN BASIS RETURN BY _____		SUBJECT PERSON(S) COMPLETED HIS/THEIR DUTY AND WAS/WERE DETACHED FROM THIS COMMAND		_____ COPIES OF SUBJECT PURCHASE DOCUMENT. IF SOURCE INSPECTION OR PROGRESSING IS REQUIRED
	SIGN ORIGINAL RECEIPT AND RETURN TO THIS OFFICE.		NAME AND LOCATION OF SUPPLIER OF SUBJECT ITEMS.		STATUS OF MATERIAL ON SUBJECT PURCHASE DOCUMENT
	SUBJECT FILES, WHICH ARE LOCATED IN BOX NO. _____ SHIPMENT NO. _____		SUBCONTRACT NUMBER FOR SUBJECT ITEM		CLEARANCE AS INDICATED IN BASIC CORRESPONDENCE VERIFIED. NO REPLY UNLESS NEGATIVE.
	REPLY TO THE ABOVE REFERENCE(S) BY _____		SUBJECT PURCHASE DOCUMENT HAS BEEN REQUESTED AND WILL BE FORWARDED WHEN RECEIVED.		VERIFICATION OF NEED-TO-KNOW FOR VISIT PERSONNEL CLEARANCES VERIFIED.
	_____ COPY(IES) OF REFERENCE DESCRIBED ABOVE WAS/WERE NOT RECEIVED.		ENDORSEMENT _____ OF SUBJECT SUBCONTRACT IS BEING DELAYED PENDING RECEIPT OF BASIC PURCHASE DOCUMENT.		<p>CLW</p> <p>0000005888</p>
	SUBJECT DOCUMENT(S) WAS/WERE FORWARDED TO _____		APPROPRIATION SYMBOL SUBHEAD AND CHARGEABLE ACTIVITY		
	SUBJECT DOCUMENT(S) IS/ARE WAS/WERE RETURNED FOR _____		WHETHER SUBJECT ITEMS ARE TO BE COMMERCIALY SHIPPED OR AT GOVERNMENT EXPENSE		
			A CERTIFICATE IN LIEU OF SUBJECT BILL OF LADING WHICH HAS BEEN LOST.		
					SEE REMARKS ON THE REVERSE SIDE.

COPY TO

114, 1142, 1145

SIGNATURE



REPORT # 107
LABORATORY ANALYSIS ON
NAVAL SAMPLES
(A/E CONTRACT N62470-84-B-6932)
JTC REPORT # 85-301

PREPARED FOR:
DEPARTMENT OF THE NAVY
ATLANTIC DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
NORFOLK, VA 23511

PREPARED BY:
JTC ENVIRONMENTAL CONSULTANTS, INC.
4 RESEARCH PLACE, SUITE L-10
ROCKVILLE, MARYLAND 20850

JULY 29, 1985

Ann E. Rosecrance

Ann E. Rosecrance
Laboratory Director

CLW
0000005889

JTC Environmental Consultants, Inc.

Date 7/29/85 Report No. 107 to Naval Facilities Engineering Command, Norfolk, Virginia


JTC Data Report No. 85-301 Table 1 Date of Sample Receipt 7-26-85

Camp Lejeune

SAMPLE ID		JTC SAMPLE ID	ANALYSIS PARAMETER							
Test Well #6		12-1340	VOA							
84'-94'			See attached sheet							
7/25/85										
0937										

CLW

000005890



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1340 PROJECT NO. NF-12
 CLIENT SAMPLE ID Test Well #6 84'-94' DATE RECEIVED 7-26-85
 METHOD NO. 624 DETECTION LIMIT 10 ug/lit

CLW

0000005891

PARAMETER	RESULT ug/lit	PARAMETER	RESULT ug/lit
2V acrolein	N.D.	32V 1,2-dichloropropane	N.D.
3V acrylonitrile	N.D.	33V 1,3-dichloro- pylene	N.D.
4V benzene	N.D.	38V ethylbenzene	2* N.D.
6V carbon tetrachloride	N.D.	44V methylene chloride	N.D.
7V chlorobenzene	N.D.	45V methyl chloride	N.D.
10V 1,2-dichloroethane	N.D.	46V methyl bromide	N.D.
11V 1,1,1-trichloro- ethane	N.D.	47V bromoform	N.D.
13V 1,1-dichloroethane	N.D.	48V dichlorobromo- methane	N.D.
14V 1,1,2-trichloro- ethane	N.D.	49V trichlorofluoro- methane	N.D.
15V 1,1,2,2-tetra- chloroethane	N.D.	50V dichlorodifluoro- methane	N.D.
16V chloroethane	N.D.	51V chlorodibromomethane	N.D.
19V 2-chloroethylvinyl ether	N.D.	85V tetrachloroethylene	N.D.
23V chloroform	N.D.	86V toluene	3* N.D.
29V 1,1-dichloroethylene	N.D.	87V trichloroethylene	N.D.
30V 1,2-trans-dichloro- ethylene	N.D.	88V vinyl chloride	N.D.

xylene 13

N.D. = NOT DETECTED
 N.A. = NOT APPLICABLE/ANALYZED

*Below method detection limit