

FROM UANTAIN CODE 1142 FILE NUMBER 6280 1142096

SUBJECT VOA

REFERENCE

TO: MCB CAMP UBTJUNIB
BASE MAINTENANCE
ARMY MAINTENANCE APPLIANCE DIVISION

ENCLOSURE
(1) JTC REPORT A120
(CRIC 26 AUG 85)

This form may be used in a window envelope.

VIA _____ Endorsement on _____

FORWARDED RETURNED FOLLOW-UP REQUEST ADVISE SUBMIT

| X | MESSAGE | X | MESSAGE | X | MESSAGE |
|-------------------------------------|--|---|---|---|--|
| <input checked="" type="checkbox"/> | FOR APPROPRIATE ACTION | | SUBJECT DOCUMENT(S) WAS/WERE FORWARDED TO YOUR OFFICE _____ AS A MATTER UNDER YOUR JURISDICTION. | | CERTIFY ENCLOSURE _____ AS NO RECEIPT AND ACCEPTANCE OF MATERIAL AND FORWARD TO _____ |
| | FOR INFORMATION OR CERTIFICATION AND/OR FILE. | | SUBJECT DOCUMENTS WAS/WERE APPROVED _____ AND FORWARDED TO YOU. | | _____ COPIES OF SUBJECT CHANGE ORDER AMENDMENT OR MODIFICATION |
| | <input type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED | | _____ COPY(IES) OF THIS CORRESPONDENCE WITH YOUR REPLY. | | CHANGE NOTICE TO THE SUPPLIER |
| | APPROVAL <input type="checkbox"/> IS <input type="checkbox"/> IS NOT RECOMMENDED | | ENCLOSURE(S) _____ IS/ARE FORWARDED AS REQUESTED BY REFERENCE _____ | | _____ COPIES OF APPLICABLE PLANS AND/OR SPECIFICATIONS. |
| | CONCURRING IN RECOMMENDATIONS MADE IN THE BASIC CORRESPONDENCE. | | ENCLOSURE(S) IS/ARE RETURNED FOR CORRECTION AS INDICATED. | | FOR PLAN ACTION AS INDICATED |
| | COMMENTS AND/OR RECOMMENDATIONS. | | CORRECTED ENCLOSURE(S) AS REQUESTED | | CLASSIFICATIONS OF DEFECTS FOR SUBJECT ITEMS |
| | MAILING LIST ACTION | | SUBJECT PERSON'S ATTENTION SHOULD BE INVITED TO THIS MATTER | | CONFIRMATION THAT INSPECTION OR SOURCE INSPECTION IS NOT REQUIRED |
| | FOR ASSIGNMENT OF BUREAU FILE NUMBER(S) | | SUBJECT PERSON(S) REPORTED TO THIS COMMAND | | INSPECTION UNDER THE SUBJECT SUBCONTRACT IS NOT REQUIRED |
| | ON A LOAN BASIS RETURN BY _____ | | SUBJECT PERSON(S) COMPLETED HIS/THEIR DUTY AND WAS/WERE DETACHED FROM THIS COMMAND | | _____ COPIES OF SUBJECT PURCHASE DOCUMENT. IF SOURCE INSPECTION OR PROGRESSING IS REQUIRED |
| | SIGN ORIGINAL RECEIPT AND RETURN TO THIS OFFICE. | | NAME AND LOCATION OF SUPPLIER OF SUBJECT ITEMS. | | STATUS OF MATERIAL ON SUBJECT PURCHASE DOCUMENT |
| | SUBJECT FILES, WHICH ARE LOCATED IN BOX NO. _____ SHIPMENT NO. _____ | | SUBCONTRACT NUMBER FOR SUBJECT ITEM | | CLEARANCE AS INDICATED IN BASIC CORRESPONDENCE VERIFIED. NO REPLY UNLESS NEGATIVE. |
| | REPLY TO THE ABOVE REFERENCE(S) BY _____ | | SUBJECT PURCHASE DOCUMENT HAS BEEN REQUESTED AND WILL BE FORWARDED WHEN RECEIVED. | | VERIFICATION OF NEED-TO-KNOW FOR VISIT PERSONNEL CLEARANCES VERIFIED. |
| | _____ COPY(IES) OF REFERENCE DESCRIBED ABOVE WAS/WERE NOT RECEIVED. | | ENDORSEMENT _____ OF SUBJECT SUBCONTRACT IS BEING DELAYED PENDING RECEIPT OF BASIC PURCHASE DOCUMENT. | | CLW 000005881 |
| | SUBJECT DOCUMENT(S) WAS/WERE FORWARDED TO _____ | | APPROPRIATION SYMBOL SUBHEAD AND CHARGEABLE ACTIVITY | | |
| | SUBJECT DOCUMENT(S) IS/ARE WAS/WERE RETURNED FOR _____ | | WHETHER SUBJECT ITEMS ARE TO BE COMMERCIALY SHIPPED OR AT GOVERNMENT EXPENSE | | |
| | | | A CERTIFICATE IN LIEU OF SUBJECT BILL OF LADING WHICH HAS BEEN LOST. | | SEE REMARKS ON THE REVERSE SIDE. |

COPY TO 114, 1142, 1145


SIGNATURE [Signature]

REPORT #120
LABORATORY ANALYSIS ON
NAVAL SAMPLES
(A/E CONTRACT N62470-84-B-6932)
JTC REPORT #85-338


PREPARED FOR:
DEPARTMENT OF THE NAVY
ATLANTIC DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
NORFOLK, VA 23511

PREPARED BY:
JTC ENVIRONMENTAL CONSULTANTS, INC.
4 RESEARCH PLACE, SUITE L-10
ROCKVILLE, MARYLAND 20850

AUGUST 21, 1985


Ann E. Rosecrance
Laboratory Director

CLW
0000005882



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1383 PROJECT NO. NF-12
NAVY SAMPLE # Tarawa Terr 8/19/85 DATE RECEIVED 8/20/85
METHOD NO. 624 DETECTION LIMIT 10 ug/lit

CLW

0000005884

| PARAMETER | RESULT ug/lit | PARAMETER | RESULT ug/lit |
|-------------------------------------|-----------------------|----------------------------------|-----------------------|
| 2V acrolein | N.D. | 32V 1,2-dichloropropane* | N.D. |
| 3V acrylonitrile | N.D. | 33V 1,3-dichloropro- pylene | N.D. |
| 4V benzene | N.D. | 38V ethylbenzene | N.D. |
| 6V carbon tetrachloride | N.D. | 44V methylene chloride | N.D. |
| 7V chlorobenzene | N.D. | 45V methyl chloride | N.D. |
| 10V 1,2-dichloroethane | N.D. | 46V methyl bromide | N.D. |
| 11V 1,1,1-trichloro- ethane | N.D. | 47V bromoform | ^{4*} N.D. |
| 13V 1,1-dichloroethane | N.D. | 48V dichlorobromo- methane | ^{6*} N.D. |
| 14V 1,1,2-trichloro- ethane | N.D. | 49V trichlorofluoro- methane | N.D. |
| 15V 1,1,2,2-tetra- chloroethane | N.D. | 50V dichlorodifluoro- methane | N.D. |
| 16V chloroethane | N.D. | 51V chlorodibromomethane | ^{9*} N.D. |
| 19V 2-chloroethylvinyl ether | N.D. | 85V tetrachloroethylene | N.D. |
| 23V chloroform | ^{4*} N.D. | 86V toluene | N.D. |
| 29V 1,1-dichloroethylene | N.D. | 87V trichloroethylene | N.D. |
| 30V 1,2-trans-dichloro- ethylene | N.D. | 88V vinyl chloride | N.D. |

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

* Below Detection Limit



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1384 PROJECT NO. NF-12
 NAVY SAMPLE # Had Not Pt. 8/19/85 DATE RECEIVED 8/20/85
 METHOD NO. 624 DETECTION LIMIT 10 ug/lit

CLW

0000005885

| PARAMETER | RESULT ug/lit | PARAMETER | RESULT ug/lit |
|-------------------------------------|------------------|----------------------------------|------------------|
| 2V acrolein | N.D. | 32V 1,2-dichloropropane | N.D. |
| 3V acrylonitrile | N.D. | 33V 1,3-dichloropro- pylene | N.D. |
| 4V benzene | N.D. | 38V ethylbenzene | N.D. |
| 6V carbon tetrachloride | N.D. | 44V methylene chloride | N.D. |
| 7V chlorobenzene | N.D. | 45V methyl chloride | N.D. |
| 10V 1,2-dichloroethane | N.D. | 46V methyl bromide | N.D. |
| 11V 1,1,1-trichloro- ethane | N.D. | 47V bromoform | N.D. |
| 13V 1,1-dichloroethane | N.D. | 48V dichlorobromo- methane | 12 N.D. |
| 14V 1,1,2-trichloro- ethane | N.D. | 49V trichlorofluoro- methane | N.D. |
| 15V 1,1,2,2-tetra- chloroethane | N.D. | 50V dichlorodifluoro- methane | N.D. |
| 16V chloroethane | N.D. | 51V chlorodibromomethane | 7* N.D. |
| 19V 2-chloroethylvinyl ether | N.D. | 85V tetrachloroethylene | N.D. |
| 23V chloroform | 19 N.D. | 86V toluene | N.D. |
| 29V 1,1-dichloroethylene | N.D. | 87V trichloroethylene | N.D. |
| 30V 1,2-trans-dichloro- ethylene | N.D. | 88V vinyl chloride | N.D. |

N.D. = NOT DETECTED
 N.A. = NOT APPLICABLE/ANALYZED

* Below Detection Limit



JTC ENVIRONMENTAL CONSULTANTS, INC.
PRIORITY POLLUTANT ANALYSIS DATA SHEET

VOLATILE FRACTION

JTC SAMPLE # 12-1385 PROJECT NO. NF-12

NAVY SAMPLE # Test Well 4 DATE RECEIVED 8/20/85

METHOD NO. 624 DETECTION LIMIT 10 ug/lit

CLW

000005886

| PARAMETER | RESULT ug/lit | PARAMETER | RESULT ug/lit |
|---|------------------|--|------------------------------|
| <u>2V acrolein</u> | <u>N.D.</u> | <u>32V 1,2-dichloropropane</u> | <u>N.D.</u> |
| <u>3V acrylonitrile</u> | <u>N.D.</u> | <u>33V 1,3-dichloropro- pylene</u> | <u>N.D.</u> |
| <u>4V benzene</u> | <u>N.D.</u> | <u>38V ethylbenzene</u> | <u>² N.D.</u> |
| <u>6V carbon tetrachloride</u> | <u>N.D.</u> | <u>44V methylene chloride</u> | <u>N.D.</u> |
| <u>7V chlorobenzene</u> | <u>N.D.</u> | <u>45V methyl chloride</u> | <u>N.D.</u> |
| <u>10V 1,2-dichloroethane</u> | <u>N.D.</u> | <u>46V methyl bromide</u> | <u>N.D.</u> |
| <u>11V 1,1,1-trichloro- ethane</u> | <u>N.D.</u> | <u>47V bromoform</u> | <u>N.D.</u> |
| <u>13V 1,1-dichloroethane</u> | <u>N.D.</u> | <u>48V dichlorobromo- methane</u> | <u>N.D.</u> |
| <u>14V 1,1,2-trichloro- ethane</u> | <u>N.D.</u> | <u>49V trichlorofluoro- methane</u> | <u>N.D.</u> |
| <u>15V 1,1,2,2-tetra- chloroethane</u> | <u>N.D.</u> | <u>50V dichlorodifluoro- methane</u> | <u>N.D.</u> |
| <u>16V chloroethane</u> | <u>N.D.</u> | <u>51V chlorodibromomethane</u> | <u>N.D.</u> |
| <u>19V 2-chloroethylvinyl ether</u> | <u>N.D.</u> | <u>85V tetrachloroethylene</u> | <u>N.D.</u> |
| <u>23V chloroform</u> | <u>N.D.</u> | <u>86V toluene</u> | <u>³ N.D.</u> |
| <u>29V 1,1-dichloroethylene</u> | <u>N.D.</u> | <u>87V trichloroethylene</u> | <u>N.D.</u> |
| <u>30V 1,2-trans-dichloro- ethylene</u> | <u>N.D.</u> | <u>88V vinyl chloride</u> | <u>N.D.</u> |
| | | <u>xylenes</u> | <u>15</u> |

N.D. = NOT DETECTED
N.A. = NOT APPLICABLE/ANALYZED

* Below Detection Limit